#### (19) World Intellectual Property Organization International Bureau



### 

(43) International Publication Date 4 November 2004 (04.11.2004)

**PCT** 

English

## (10) International Publication Number WO 2004/094671 A2

(51) International Patent Classification<sup>7</sup>: C1

C12Q 1/68

(21) International Application Number:

PCT/US2004/012788

(22) International Filing Date: 22 April 2004 (22.04.2004)

(25) Filing Language:

(26) Publication Language: English

(30) Priority Data:

60/464,586 22 April 2003 (22.04.2003) US 60/464,588 22 April 2003 (22.04.2003) US

(71) Applicants (for all designated States except US): COLEY PHARMACEUTICAL GmbH [DE/DE]; Elisabeth-Sel-

(71) Applicants (for all designated States except US): COLEY PHARMACEUTICAL GmbH [DE/DE]; Elisabeth-Selbert-Strasse 9, D-40764 Langenfeld (DE). COLEY PHARMACEUTICAL GROUP, INC. [US/US]; 93 Worcester Street, Suite 101, Wellesley, MA 02481 (US).


(72) Inventors; and

(75) Inventors/Applicants (for US only): VOLLMER, Jörg [DE/DE]; Kohlrauschweg 24, D-40591 Duesseldorf (DE). JURK, Marion [DE/DE]; Klosterstr. 4, D-41540 Dornagel (DE). LIPFORD, Grayson, B. [GB/US]; 38 Bates Road, Watertown, MA 02472 (US). SCHETTER, Christian [DE/DE]; Oerkhaushof 35, D-40723 Hilden (DE). FORSBACH, Alexandra [DE/DE]; Raiffeisenstrasse N°1, D-40764 Rantingen (DE). KRIEG, Arthur, M. [US/US]; 173 Winding River Road, Wellesley, MA 02482 (US).

- (74) Agent: TREVISAN, Maria, A.; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, 7W
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH,

[Continued on next page]

(54) Title: METHODS AND PRODUCTS FOR IDENTIFICATION AND ASSESSMENT OF TLR LIGANDS



(57) Abstract: The invention provides in part novel screening methods and compositions for identifying and distinguishing between candidate immunomodulatory compounds. The invention further provides methods for assessing biological activity of composition containing a known TLR ligand. These latter methods can be used for quality assessment and selection of various lots of test compositions, including pharmaceutical products for clinical use.

GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

# METHODS AND PRODUCTS FOR IDENTIFICATION AND ASSESSMENT OF TLR LIGANDS

#### **Background of the Invention**

5

10

15

20

25

30

Nucleic acids with immunostimulatory activity have been identified. The first recognized immunostimulatory motif was the CpG motif in which at least the C of the dinucleotide was unmethylated. It has been postulated that mammalian subjects recognize the unmethylated dinucleotide as being of bacterial origin, and thus mount a heightened immune response following exposure. The ensuing immune response includes both cell mediated and humoral aspects. Since the discovery of the CpG immunostimulatory motif, other immunostimulatory motifs have also been identified including the poly-T and T-rich motifs, the TG motif and the poly-G motif. In some instances, immunostimulation has also been observed in response to exposure to methylated CpG motifs and motif-less nucleic acids having phosphorothioate backbone linkages.

The responses induced by immunostimulatory nucleic acids are varied and can include production and secretion of cytokines, chemokines, and other growth factors. The nucleic acids can induce a heightened immune stimulation regardless of whether an antigen is also introduced to the subject. Identification of new motifs as well as of subtle differences between response profiles of different nucleic acids oftentimes can be laborious, and a high throughput system for screening nucleic acids for their ability to be immunostimulatory as well as to determine the profile of responses they induce would be useful.

#### **Summary of the Invention**

The invention provides in its broadest sense screening methods and tools for identification and discrimination of immunomodulatory molecules and assessment and standardization of samples containing known immunomodulatory molecules. The immunomodulatory molecules can be immunostimulatory or immunoinhibitory, and most preferably are Toll-like receptor (TLR) ligands.

In one aspect, the invention provides a screening method for identifying TLR agonists. The method comprises contacting a cell line endogenously expressing at least one TLR with a test compound and measuring a test level of TLR signaling activity, wherein a positive test level is indicative of a TLR agonist (i.e., an immunostimulatory compound). The positive test

10.

15

20

25

30

level may be apparent without referring to a control. Preferably, however, it is determined relative to a control (i.e., the TLR signaling activity from a reference compound).

In some embodiments, the reference compound is a compound that induces no response (i.e., a zero response) or a minimal response. In this case, a test level that is greater than the reference level is indicative of a compound with TLR signaling activity. More preferably, the reference compound is a compound that induces a positive response (i.e., a non-zero response) and that is immunostimulatory. These reference compounds are referred to herein as negative and positive reference compounds, respectively. If the reference compound is immunostimulatory (i.e., a positive reference compound), a non-zero test level that is lower than the reference level is still indicative of an immunostimulatory test compound. In this latter embodiment, the test compound is less immunostimulatory than the reference compound (for that particular readout), but it is nonetheless immunostimulatory given the non-zero response induced. There may be one or more concurrent or consecutive assays with a negative reference compound, a positive reference compound, or both. The reference may also be a standard curve or data generated previously.

In a related aspect, the screening method involves exposing the same cell to a positive reference compound and a test compound in order to identify a test compound that inhibits the immunostimulatory response of the positive reference compound (i.e., a TLR antagonist or an immunoinhibitory compound).

In still a related aspect, the screening method involves exposing the same cells to a positive reference compound and a test compound in order to identify a test compound that enhances the immunostimulatory response of the positive reference compound (i.e., an enhancer).

In both of these latter aspects, the assay requires a co-incubation of the positive reference compound, the test compound and the cells. Separate assays with positive reference compound alone and optionally negative reference compound alone are usually also performed.

The positive reference compound is a known TLR ligand. Non-limiting examples include but are not limited to TLR3 ligands, TLR7 ligands, TLR8 ligands and TLR9 ligands. In some embodiments, the positive reference compound is an immunostimulatory nucleic acid. In some embodiments, the positive reference compound is a CpG nucleic acid, a poly-T nucleic acid, a T-rich nucleic acid or a poly-G nucleic acid. Another example of a positive

reference compound is a nucleic acid comprising a backbone that contains at least one phosphorothicate linkage.

5

10

15

20

25

30

It has been further discovered according to the invention that the RPMI 8226 cell line expresses TLR7 and responds to the imidazoquinoline compound R-848 (Resiquimod) which is known to signal through TLR7 and TLR8. Accordingly, the screening method can be performed using RPMI 8226, Raji or RAMOS cells and an imidazoquinoline compound such as R-848 or R-847 (Imiquimod) as the positive reference compound.

In one embodiment, the test compound is a nucleic acid such as but not limited to a DNA, an RNA and a DNA/RNA hybrid. The test compound may be a nucleic acid that does not comprise motif selected from the group consisting of a CpG motif, a poly-T motif, a Trich motif and a poly-G motif. The test compound may be a nucleic acid that comprises a phosphorothioate backbone linkage. In another embodiment, the test compound is a non-nucleic acid small molecule. The non-nucleic acid small molecule may be derived from a molecular library. In other embodiments, the test compound comprises amino acids, carbohydrates such as polysaccharides. It may be a hormone or a lipid or contain moieties derived therefrom. In other embodiments, the test compounds are putative ligands for TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9, TLR10 or TLR11.

In one embodiment, the cell is a RPMI 8226 cell, a Raji cell, a RAMOS cell, a THP-1 cells, a Nalm cell or a KG-1 cell and the TLR is TLR9. In another embodiment, the cell is a RPMI 8226 cell, a Raji cell or a RAMOS cell and the TLR is TLR7. In yet another embodiment, the cell is a KG-1 cell, a Nalm cell, a Raji cell, a RAMOS cell, a Jurkat cell, a Hela cell, a Hep-2 cells, a A549 cell, a Bewo cell, an NK-92 cell or an NK-92 MI cell and the TLR is TLR3.

In another embodiment, the cell is an RPMI 8226 cell and the TLR is TLR7 or TLR9. In still another embodiment, the cell is a Raji cell and the TLR is TLR9, TLR7 or TLR3.

Depending upon the embodiment, the TLR signaling activity may be measured or detected in a number of ways. In one embodiment, the TLR signaling activity is measured by cytokine, chemokine, or growth factor secretion. The cytokine secretion may be selected from the group consisting of IL-6 secretion, IL-10 secretion, IL-12 secretion, IFN- $\alpha$  secretion and TNF- $\alpha$  secretion, but is not so limited. The chemokine secretion may be IP-10 secretion or IL-8 secretion, but is not so limited.

In another embodiment, the TLR signaling activity is measured by antibody secretion.

The antibody secretion may be IgM secretion, but is not limited to this antibody subtype.

10

15

20

25

30

In another embodiment, the TLR signaling activity is measured by phosphorylation. The total level of phosphorylation in the cell or the level of phosphorylation of particular factors in the cell may be measured. These factors are preferably signaling factors and can be selected from the group consisting of IRAK, ERK, MyD88, TRAF6, p38, Jun, c-fos, and subunits of NF-κB, but are not so limited.

In still a further embodiment, the TLR signaling activity is measured by cell surface marker expression. In one embodiment, the TLR signaling activity is measured by an increase in cell surface marker expression. Examples of cell surface markers to be analyzed include CD71, CD86, HLA-DR, CD80, HLA Class I, CD54 and CD69. In other embodiments, the TLR signaling activity is measured by a decrease in cell surface marker expression. Cell surface marker expression can be determined using flow cytometry. TLR signaling activity can also be measured by protein production (e.g., by Western blot).

In another embodiment, the TLR signaling activity is measured by gene expression. Gene expression profiles may be determined using Northern blot analysis or RT-PCR that uses mRNA or total RNA as a starting material. The gene expression of interest may be that of the chemokines and cytokines and cell surface molecules recited above. Gene expression analysis can be performed using microarray techniques.

In yet another embodiment, the TLR signaling activity is measured by cell proliferation. Cell proliferation assays can be measured in a number of ways including but not limited to <sup>3</sup>H-thymidine incorporation.

In one embodiment, the cell is an RPMI 8226 cell and TLR signaling is indicated by expression of a marker such as CD71, CD86 and/or HLA-DR or by expression, production or secretion of a factor such as IL-8, IL-10, IP-10 and/or TNF-α. Preferably, in this latter embodiment, the RPMI 8226 cell is unmodified. In another embodiment, the cell is a Raji cell and the TLR signaling is indicated by IL-6 or IFN-α2 expression, production or secretion. In yet another embodiment, the cell is a RAMOS cell and the TLR signaling is indicated by CD80 cell surface expression.

TLR signaling activity can be measured via a native readout or an artificial readout or both. A native readout is one that does not rely on introduction of a reporter construct into the cell of interest.

The cell line may be used in a modified or unmodified form. In one embodiment, the cell line is transfected with a reporter construct. The transfection may be transient or stable.

The reporter construct generally comprises a promoter, a coding sequence and a

polyadenylation signal. The coding sequence may comprise a reporter sequence selected from the group consisting of an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), secreted alkaline phosphatase, etc.), a bioluminescence marker (e.g., green fluorescent protein (GFP, U.S. Patent No. 5,491,084), etc.), a surface-expressed molecule (e.g., CD25), a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ , etc.), and other detectable protein sequences known to those of skill in the art. Preferably, the coding sequence encodes a protein, the level or activity of which can be quantified, with preferably a wide linear range.

5

10

15

20

25

30

In some embodiments, the promoter is a promoter that is responsive to TLR signaling pathways (i.e., a "TLR responsive promoter"). In some embodiments, the promoter contains a binding site for a transcription factor activated upon CpG nucleic acid exposure, such as for example NF-κB. In other embodiments, the promoter contains a binding site for a transcription factor that is activated by a positive reference compound other than CpG nucleic acids. The transcription factor binding site may be selected from the group consisting of a NF-κB binding site, an AP-1 binding site, a CRE, a SRE, an ISRE, a GAS, an ATF2 binding site, an IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE, as well as others known to those of skill in the art.

In another embodiment, the promoter contains a functional promoter element from an IL-1 gene, an IL-6 gene, an IL-8 gene, an IL-10 gene, an IL-12 p40 gene, an IFN- $\alpha$ 1 gene, an IFN- $\alpha$ 4 gene, an IFN- $\beta$  gene, an IFN- $\gamma$  gene, a TNF- $\alpha$  gene, a TNF- $\beta$  gene, an IP-9 gene, an IP-10 gene, a RANTES gene, an ITAC gene, a MCP-1 gene, an IGFBP4 gene, a CD54 gene, a CD69 gene, a CD71 gene, a CD80 gene, a CD86 gene, a HLA-DR gene, and a HLA class I gene.

The TLR responsive promoter may be a TLR1 responsive promoter, a TLR2 responsive promoter, a TLR3 responsive promoter, a TLR4 responsive promoter, a TLR5 responsive promoter, a TLR6 responsive promoter, a TLR7 responsive promoter, a TLR8 responsive promoter, a TLR9 responsive promoter, a TLR10 responsive promoter or a TLR11 responsive promoter.

In these latter embodiments, the cell line may be transfected with a reporter construct having a promoter derived from a particular cytokine, chemokine, or cell surface marker, and a unique reporter coding sequence conjugated thereto. In this way, the readout from a particular reporter construct is a surrogate readout for cytokine, chemokine, or cell surface marker readout. Measuring readout from the reporter coding sequences described herein is in

10

15

20

25

30

some instances easier than measuring cytokine or chemokine secretion, or upregulation of a cell surface marker.

In these latter embodiments, the cell line may be transfected with a number of reporter constructs each having a promoter derived from a particular cytokine, chemokine, or cell surface marker, and a unique distinguishable coding sequence conjugated thereto. In these embodiments, multiple readouts are possible from one screen. In other embodiments, multiple native readouts are also possible from one screen.

In a related embodiment, the cell may be further transfected with a nucleic acid that codes for a TLR polypeptide or a fragment thereof. Preferably, the TLR is one that is not endogenously expressed by the cell. As an example, if the cell is an RPMI 8226 cell which has been shown to express TLR7 and TLR9 according to the invention, then it may be modified to express TLRs other than these (e.g., TLR8) in some embodiments. In this aspect, the RPMI 8226 cell is responsive to TLR8 ligands. In preferred embodiments, the TLR is a human TLR (i.e., hTLR).

In another aspect, the invention provides an RPMI 8226 cell transfected with a TLR nucleic acid. In still another embodiment, the TLR nucleic acid is selected from the group consisting of TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR8, TLR10 and TLR11. The encoded TLRs nucleic acids can derive from human or non-human sources. Examples of non-human sources include, but are not limited to, murine, bovine, canine, feline, ovine, porcine, and equine species. Other species include chicken and fish, e.g., aquaculture species. The TLR nucleic acids can also include chimeric sequences consisting of domains originating from different species. In preferred embodiments, the TLR is a human TLR.

In still another aspect, the invention provides kits including the cells lines (e.g., the RPMI 8226 cell line), the reporter constructs and/or expression constructs described above, and instructions for use.

Other aspects of the invention provide methods for analyzing the biological activity of individual lots of material containing previously identified specific TLR ligands (i.e., specific compounds which are ligands for a particular TLR) intended for use as, or for use in the preparation of, pharmaceutical compositions. The methods permit a qualitative and, importantly, a quantitative assessment of biological activity of individual lots of TLR ligands, pre-formulation as well as post-formulation. Such methods are useful in the manufacture and validation of pharmaceutical compositions containing, as an active agent, at least one specific ligand of at least one specific TLR. The specific TLR can be any known TLR, including

without limitation TLR3, TLR7, TLR8 and TLR9. The specific TLR ligand is an isolated TLR ligand, either found in nature or synthetic (not found in nature), including in particular certain nucleic acid molecules and small molecules. Nucleic acid molecules that are specific TLR ligands include synthetic and naturally-occurring oligonucleotides having specific base sequence motifs. Furthermore, specific TLR ligands include both agonists and antagonists of specific TLR.

5

10

15

20

25

30

These methods are to be distinguished from test procedures and acceptance criteria for new drug substances and new drug products which are classified as chemical substances. Unlike the afore-mentioned test procedures and acceptance criteria, the methods of the instant invention deal specifically with characterizing drug substances and drug products which are classified as oligonucleotides. Oligonucleotides are explicitly excluded in ICH Topic Q6A Specifications: Test Procedures and Acceptance Criteria for New Drug Substances and New Drug Products: Chemical Substances, Step 4 – Consensus Guideline: 6 October 1999, § 1.3.

Further still, the methods of the instant invention are to be distinguished from test procedures and acceptance criteria for biotechnological/biological products. Unlike the aforementioned test procedures and acceptance criteria, the methods of the invention deal specifically with characterizing biotechnological/biological products which are classified as DNA products. DNA products are explicitly excluded in ICH Harmonised Tripartite Guideline Specifications: Test Procedures and Acceptance Criteria for Biotechnological/Biological Products, Step 4 – 10 March 1999, § 1.3.

In one aspect, the invention provides a method for quality assessment of a test composition containing a known TLR ligand. The method according to this aspect of the invention involves measuring a reference activity of a reference composition comprising a known TLR ligand, wherein the known TLR ligand is a nucleic acid molecule; measuring a test activity of a test composition comprising the known TLR ligand; and comparing the test activity to the reference activity. In one embodiment the method further involves the step of selecting the test composition if the test activity falls within a predetermined range of variance about the reference activity.

In one embodiment, the reference composition is a first production lot of a pharmaceutical composition comprising the known TLR ligand, and the test composition is a second production lot of a pharmaceutical composition comprising the known TLR ligand. This embodiment is particularly useful as a method for developing and applying acceptance criteria for finished pharmaceutical products containing a known TLR ligand.

In another embodiment, the reference composition is a first in-process lot of a composition comprising the known TLR ligand, and the test composition is a second in-process lot of a composition comprising the known TLR ligand. This embodiment is particularly useful as a method for developing and applying acceptance criteria for raw materials and/or other in-process materials containing a known TLR ligand bound for use in a pharmaceutical product.

5

10

15

20

25

30

In one embodiment according to this aspect of the invention, measuring the reference activity involves contacting the reference composition with an isolated cell expressing a TLR responsive to the known TLR ligand, and measuring the test activity involves contacting the test composition with the isolated cell expressing the TLR responsive to the known TLR ligand. Further, in one embodiment the isolated cell expressing the TLR responsive to the known TLR ligand includes an expression vector for the TLR responsive to the known TLR ligand. Such expression vector, and likewise for any expression vector according to the instant invention, can be introduced into the cell using any suitable method.

In one embodiment, the isolated cell expressing the TLR responsive to the known TLR ligand naturally expresses the TLR responsive to the known TLR ligand. Such a cell can be naturally occurring or it can be a cell line, provided the cell does not include an expression vector introduced into the cell for the purpose of artificially inducing the cell to express or overexpress the TLR.

In one particular embodiment, the isolated cell expressing the TLR responsive to the known TLR ligand is RPMI 8226. In another embodiment, the isolated cell expressing the TLR responsive to the known TLR ligand is Raji, RAMOS, Nalm, THP-1 or KG-1 and the TLR is TLR9. In another embodiment, the isolated cell expressing the TLR responsive to the known TLR ligand is RPMI 8226, Raji or RAMOS and the TLR is TLR7. In yet another embodiment, the isolated cell expressing the TLR responsive to the known TLR ligand is a KG-1 cell, a Nalm cell, a Raji cell, a RAMOS cell, a Jurkat cell, a Hela cell, a Hep-2 cell, a Hep-2 cells, a A549 cell, a Bewo cell, an NK-92 cell or an NK-92 MI cell and the TLR is TLR3.

Further according to this aspect of the invention, in one embodiment measuring the reference activity and measuring the test activity each comprises measuring signaling activity mediated by a TLR responsive to the known TLR ligand. As described in greater detail elsewhere herein, TLR signaling involves a series of intracellular signaling events. These signaling events give rise to various downstream products, including certain transcription

10

15

20

25

30

factors (e.g., NF-kB and AP-1), cytokines, chemokines, etc., which can affect the activity of certain gene promoters. For example, in one embodiment the signaling activity is activity of a reporter gene or reporter construct under the control of a NF-kB response element.

In other embodiments, the signaling activity is activity of a reporter gene or reporter construct under the control of an interferon-stimulated response element (ISRE); an IFN- $\alpha$  promoter; an IL- $\beta$  promoter.

In one embodiment, the known TLR ligand is an immunostimulatory nucleic acid. An immunostimulatory nucleic acid can include, without limitation, a CpG nucleic acid. In another embodiment, the known TLR ligand is an immunoinhibitory nucleic acid. When the known TLR ligand is a TLR antagonist (e.g., an immunoinhibitory oligonucleotide), the method according to this aspect of the invention can further involve measuring the reference activity of the reference composition and measuring the test activity of the test composition, each performed in the presence of a known immunostimulatory TLR ligand.

In various embodiments, the known TLR ligand is a ligand for a particular TLR. Thus in one embodiment the known TLR ligand is a TLR9 ligand. More specifically, in one embodiment the known TLR ligand is a CpG nucleic acid.

In one embodiment, the known TLR ligand is a TLR3 ligand. Such a ligand can include, for example, a double-stranded RNA or a homolog thereof.

In one embodiment, the known TLR ligand is a TLR7 ligand. In one embodiment the known TLR ligand is a TLR8 ligand.

The invention provides in another aspect a method for quality assessment of a test lot of a pharmaceutical product containing a known TLR9 ligand. The method according to this aspect of the invention involves measuring a reference activity of a reference lot of a pharmaceutical product comprising a known TLR9 ligand, wherein the known TLR9 ligand is a nucleic acid molecule; measuring a test activity of a test lot of a pharmaceutical product comprising the known TLR9 ligand; comparing the test activity to the reference activity; and rejecting the test lot if the test activity falls outside of a predetermined range of variance about the reference activity.

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TGT CGT TTT GTC GTT-3' (SEQ ID NO:1).

- 10 -

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TGA CGT TTT GTC GTT-3' (SEQ ID NO:139).

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TGT CGT TTT TTT CGA-3' (SEQ ID NO:140).

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT CGT CGT TTC GTC GTT-3' (SEQ ID NO:141).

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT CGT CGT TTT GTC GTT-3' (SEQ ID NO:142).

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TTC GGT CGT TTT-3' (SEO ID NO:143).

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TTC GTG CGT TTT T-3' (SEQ ID NO:144).

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TCG TTT TCG GCG GCC GCC GCC G-3' (SEQ ID NO:145).

In one embodiment according to this aspect of the invention, the known TLR9 ligand is an oligonucleotide having a base sequence provided by 5'-TCG TC\_G TTT TAC\_GGC GCC\_GTG CCG-3' (SEQ ID NO:146), wherein every internucleoside linkage is phosphorothioate except for those indicated by "\_\_", which are phosphodiester.

Each of the limitations of the invention can encompass various embodiments of the invention. It is, therefore, anticipated that each of the limitations of the invention involving any one element or combinations of elements can be included in each aspect of the invention.

25

5

10

15

10

15

20

25

30

Fig. 1 is a bar graph showing cell surface expression of various markers by RPMI 8226 24 hours and 48 hours following stimulation with CpG nucleic acid (SEQ ID NO: 1), non-CpG nucleic acid (SEQ ID NO: 2), LPS and IL-1.

Fig. 2 is a bar graph showing IL-8 production by RPMI 8226 24 hours after exposure to CpG nucleic acid (SEQ ID NO: 1), non-CpG nucleic acid (SEQ ID NO: 2), R-848 and LPS.

Fig. 3 is a bar graph showing IL-6 production by RPMI 8226 24 hours after exposure to CpG nucleic acid (SEQ ID NO: 1), non-CpG nucleic acid (SEQ ID NO: 2), R-848 and LPS.

Fig. 4 is a bar graph showing IP-10 production by RPMI 8226 24 hours after exposure to CpG nucleic acid (SEQ ID NO: 1), non-CpG nucleic acid (SEQ ID NO: 2), R-848 and LPS.

Fig. 5 is a bar graph showing IL-10 production by RPMI 8226 24 hours after exposure to CpG nucleic acid (SEQ ID NO: 1), non-CpG nucleic acid (SEQ ID NO: 2), R-848 and LPS.

Fig. 6 is a dose response curve showing fold induction of IL-8 production 24 hours after exposure to CpG nucleic acid (SEQ ID NO: 1) and non-CpG nucleic acid (SEQ ID NO: 2). The EC<sub>50</sub> for CpG nucleic acid is 19 nM and the EC<sub>50</sub> for non-CpG nucleic acid is 263 nM.

Fig. 7 is a bar graph showing NF-κB activation in RPMI 8226 transfected transiently with a NF-κB-luciferase reporter gene construct as a function of cell density and nucleic acid amount transfected, following exposure to CpG nucleic acid (SEQ ID NO: 1), LPS and TNF-α. NF-κB activation is measured by luciferase activity.

Fig. 8 is a bar graph showing RT-PCR results from RNA isolated from RPMI 8226 using gene specific primers for TLR7, TLR8 and TLR9 genes.

Fig. 9 is a dose response curve showing IP-10 production induced by SEQ ID NO: 1, and inhibition thereof in the presence of SEQ ID NO: 151, a immunoinhibitory nucleic acid.

Fig. 10 is a bar graph showing the results of a TLR9 RT-PCR analysis of a number of cell lines.

Fig. 11 is a bar graph showing the results of a TLR7 RT-PCR analysis of a number of cell lines.

Fig. 12 is a bar graph showing the results of a TLR3 RT-PCR analysis of a number of cell lines.

10

15

20

Fig. 13 is a bar graph showing the results of a TLR3, TLR7, TLR8 and TLR9 RT-PCR analysis of the Raji cell line.

Fig. 14 is a graph showing IL-6 production by the Raji cell line upon stimulation with various ODN (SEQ ID NO:1; SEQ ID NO:154; SEQ ID NO:158; SEQ ID NO:160; SEQ ID NO:159; SEQ ID NO:161).

Fig. 15 is a bar graph showing IL-6 production of the Raji cell line upon stimulation with poly I:C and R-848.

Fig. 16 is a bar graph showing IFN-o2 production by the Raji cell line upon stimulation with CpG ODN (SEQ ID NO: 1), R-848 and poly I:C.

Fig. 17 is a bar graph showing CD80 expression (by flow cytometry) by the RAMOS cell line upon stimulation with CpG ODN (SEQ ID NO: 1) and non-CpG ODN (SEQ ID NO: 2).

Fig. 18A is a bar graph showing the induction of NF-kB by 293 fibroblast cells transfected with human TLR9 in response to exposure to various stimuli, including CpG-ODN, GpC-ODN, LPS, and medium.

Fig. 18B is a bar graph showing the amount of IL-8 produced by 293 fibroblast cells transfected with human TLR9 in response to exposure to various stimuli, including CpG-ODN, GpC-ODN, LPS, and medium.

Fig. 19 is a bar graph showing the induction of NF-κB-luc produced by stably transfected 293-mTLR9 cells in response to exposure to various stimuli, including CpG-ODN, methylated CpG-ODN (Me-CpG-ODN), GpC-ODN, LPS and medium.

Fig. 20 is a bar graph showing the induction of NF-κB-luc produced by stably transfected 293-hTLR9 cells in response to exposure to various stimuli, including CpG-ODN, methylated CpG-ODN (Me-CpG-ODN), GpC-ODN, LPS and medium.

Fig. 21 is a series of gel images depicting the results of reverse transcriptase-polymerase chain reaction (RT-PCR) assays for murine TLR9 (mTLR9), human TLR9 (hTLR9), and glyceraldehyde-3-phosphate dehydrogenase (GAPDH) in untransfected control 293 cells, 293 cells transfected with mTLR9 (293-mTLR9), and 293 cells transfected with hTLR9 (293-hTLR9).

30

25

It is to be understood that the Figures are not required for enablement of the invention.

10

20

25

30

SEQ ID NO:1 is the nucleotide sequence of an immunostimulatory nucleic acid (TLR9 ligand).

SEO ID NO:2 is the nucleotide sequence of a non-CpG nucleic acid.

SEQ ID NO:3 is the nucleotide sequence of human TLR2 cDNA (U88878).

SEQ ID NO:4 is the amino acid sequence of human TLR2 protein (AAC34133).

SEQ ID NO:5 is the nucleotide sequence of murine TLR2 cDNA (AF165189).

SEQ ID NO:6 is the amino acid sequence of murine TLR2 protein (NP\_036035).

SEQ ID NO:7 is the nucleotide sequence of human TLR3 cDNA (NM\_003265).

SEQ ID NO:8 is the amino acid sequence of human TLR3 protein (NP\_003256).

SEO ID NO:9 is the nucleotide sequence of murine TLR3 cDNA (AF355152).

SEQ ID NO:10 is the amino acid sequence of murine TLR3 protein (AAK26117).

SEQ ID NO:11 is the nucleotide sequence of human TLR4 cDNA (U88880).

SEQ ID NO:12 is the nucleotide sequence of human TLR4 cDNA transcript variant 4 (NM 138557).

SEQ ID NO:13 is the nucleotide sequence of human TLR4 cDNA transcript variant 2 (NM 138556).

SEQ ID NO:14 is the nucleotide sequence of human TLR4 cDNA transcript variant 1 (NM 138554).

SEQ ID NO:15 is the nucleotide sequence of human TLR4 cDNA transcript variant 3 (NM 003266).

SEQ ID NO:16 is the amino acid sequence of human TLR4 protein isoform A (NP\_612564).

SEQ ID NO:17 is the amino acid sequence of human TLR4 protein isoform B (NP\_612566).

SEQ ID NO:18 is the amino acid sequence of human TLR4 protein isoform C (NP 003257).

SEQ ID NO:19 is the amino acid sequence of human TLR4 protein isoform D (NP 612567).

SEQ ID NO:20 is the nucleotide sequence of murine TLR4 cDNA (NM\_021297).

SEQ ID NO:21 is the nucleotide sequence of murine TLR4 mRNA (AF185285).

SEO ID NO:22 is the nucleotide sequence of murine TLR4 mRNA (AF110133).

SEQ ID NO:23 is the amino acid sequence of murine TLR4 protein (AAD29272).

SEQ ID NO:24 is the amino acid sequence of murine TLR4 protein (AAF04278).

SEQ ID NO:25 is the nucleotide sequence of human TLR5 cDNA (AB060695). SEO ID NO:26 is the amino acid sequence of human TLR5 protein (BAB43558). SEQ ID NO:27 is the amino acid sequence of human TLR5 protein (O60602). SEQ ID NO:28 is the amino acid sequence of human TLR5 protein (AAC34136). SEQ ID NO:29 is the nucleotide sequence of murine TLR5 cDNA (AF186107). 5 SEQ ID NO:30 is the amino acid sequence of murine TLR5 protein (AAF65625). SEQ ID NO:31 is the nucleotide sequence of human TLR7 cDNA (AF240467). SEQ ID NO:32 is the nucleotide sequence of human TLR7 cDNA (AF245702). SEQ ID NO:33 is the nucleotide sequence of human TLR7 cDNA (NM\_016562). SEO ID NO:34 is the amino acid sequence of human TLR7 protein (AAF60188). 10 SEQ ID NO:35 is the amino acid sequence of human TLR7 protein (AAF78035). SEQ ID NO:36 is the amino acid sequence of human TLR7 protein (NP\_057646). SEQ ID NO:37 is the amino acid sequence of human TLR7 protein (Q9NYK1). SEQ ID NO:38 is the nucleotide sequence of murine TLR7 cDNA (AY035889). SEQ ID NO:39 is the nucleotide sequence of murine TLR7 splice variant 15 (NM\_133211). SEQ ID NO:40 is the nucleotide sequence of murine TLR7 splice variant (AF334942). SEQ ID NO:41 is the amino acid sequence of murine TLR7 protein (AAK62676). SEQ ID NO:42 is the amino acid sequence of murine TLR7 protein (AAL73191). SEO ID NO:43 is the amino acid sequence of murine TLR7 protein (AAL73192). 20 SEQ ID NO:44 is the amino acid sequence of murine TLR7 protein (NP\_573474). SEQ ID NO:45 is the amino acid sequence of murine TLR7 protein (P58681). SEQ ID NO:46 is the nucleotide sequence of human TLR8 cDNA (AF245703). SEQ ID NO:47 is the nucleotide sequence of human TLR8 cDNA (AF246971). SEQ ID NO:48 is the nucleotide sequence of human TLR8 cDNA (NM\_138636). 25 SEQ ID NO:49 is the nucleotide sequence of human TLR8 cDNA (NM\_016610). SEQ ID NO:50 is the amino acid sequence of human TLR8 protein (AAF78036). SEQ ID NO:51 is the amino acid sequence of human TLR8 protein (AAF64061). SEQ ID NO:52 is the amino acid sequence of human TLR8 protein (Q9NR97). SEO ID NO:53 is the amino acid sequence of human TLR8 protein (NP\_619542). 30 SEQ ID NO:54 is the amino acid sequence of human TLR8 protein (NP\_057694). SEO ID NO:55 is the nucleotide sequence of murine TLR8 cDNA (AY035890). SEO ID NO:56 is the nucleotide sequence of murine TLR8 cDNA (NM\_133212).

10

15

20

25

30

SEQ ID NO:57 is the amino acid sequence of murine TLR8 protein (AAK62677). SEQ ID NO:58 is the amino acid sequence of murine TLR8 protein (NP\_573475). SEQ ID NO:59 is the amino acid sequence of murine TLR8 protein (P58682). SEQ ID NO:60 is the nucleotide sequence of human TLR9 cDNA (AF245704). SEQ ID NO:61 is the nucleotide sequence of human TLR9 cDNA (AB045180). SEQ ID NO:62 is the amino acid sequence of human TLR9 protein (AAF78037). SEQ ID NO:63 is the amino acid sequence of human TLR9 protein (AAF72189). SEQ ID NO:64 is the amino acid sequence of human TLR9 protein (AAG01734). SEQ ID NO:65 is the amino acid sequence of human TLR9 protein (AAG01735). SEO ID NO:66 is the amino acid sequence of human TLR9 protein (AAG01736). SEQ ID NO:67 is the amino acid sequence of human TLR9 protein (BAB19259). SEQ ID NO:68 is the nucleotide sequence of murine TLR9 cDNA (AF348140). SEO ID NO:69 is the nucleotide sequence of murine TLR9 cDNA (AB045181). SEQ ID NO:70 is the nucleotide sequence of murine TLR9 cDNA (AF314224). SEO ID NO:71 is the nucleotide sequence of murine TLR9 cDNA (NM\_031178). SEQ ID NO:72 is the amino acid sequence of murine TLR9 protein (AAK29625). SEQ ID NO:73 is the amino acid sequence of murine TLR9 protein (AAK28488). SEO ID NO:74 is the amino acid sequence of murine TLR9 protein (BAB19260). SEO ID NO:75 is the amino acid sequence of murine TLR9 protein (NP 112455). SEQ ID NO:76 is the nucleotide sequence of human TLR10 cDNA (AF296673). SEO ID NO:77 is the amino acid sequence of human TLR10 protein (AAK26744). SEQ ID NO:78 is the nucleotide sequence of human TLR6 cDNA (AB020807). SEQ ID NO:79 is the nucleotide sequence of human TLR6 mRNA (NM\_006068). SEO ID NO:80 is the amino acid sequence of human TLR6 protein (BAA78631). SEQ ID NO:81 is the amino acid sequence of human TLR6 protein (NP 006059). SEQ ID NO:82 is the amino acid sequence of human TLR6 protein (Q9Y2C9). SEQ ID NO:83 is the nucleotide sequence of murine TLR6 cDNA (AB020808). SEO ID NO:84 is the nucleotide sequence of murine TLR6 cDNA (NM\_011604). SEQ ID NO:85 is the nucleotide sequence of murine TLR6 cDNA (AF314636). SEQ ID NO:86 is the amino acid sequence of murine TLR6 protein (BAA78632). SEO ID NO:87 is the amino acid sequence of murine TLR6 protein (AAG38563). SEQ ID NO:88 is the amino acid sequence of murine TLR6 protein (NP\_035734). SEQ ID NO:89 is the amino acid sequence of murine TLR6 protein (Q9EPW9).

SEQ ID NO:90 is the nucleotide sequence of a consensus sequence for NF-κB p50 subunit.

SEQ ID NO:91 is the nucleotide sequence of a consensus sequence for NF-kB p65 subunit.

SEQ ID NO:92 is the nucleotide sequence of an example of an NF-κB p65 subunit 5 binding site.

SEQ ID NO:93 is the nucleotide sequence of an example of a murine CREB binding site.

SEQ ID NO:94 is the nucleotide sequence of an example of a murine AP-1 binding

10 site.

15

25

30

site.

SEQ ID NO:95 is the nucleotide sequence of an example of a murine AP-1 binding

SEQ ID NO:96 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:97 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:98 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:99 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:100 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:101 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:102 is the nucleotide sequence of an example of an ISRE.

SEQ ID NO:103 is the nucleotide sequence of an example of an SRE. 20

SEQ ID NO:104 is the nucleotide sequence of an example of an SRE.

SEQ ID NO:105 is the nucleotide sequence of an example of an SRE.

SEQ ID NO:106 is the nucleotide sequence of an example of an NFAT binding site.

SEQ ID NO:107 is the nucleotide sequence of an example of an NFAT binding site.

SEQ ID NO:108 is the nucleotide sequence of an example of an NFAT binding site.

SEQ ID NO:109 is the nucleotide sequence of an example of an NFAT binding site.

SEQ ID NO:110 is the nucleotide sequence of an example of a GAS.

SEQ ID NO:111 is the nucleotide sequence of a p53 binding site consensus sequence.

SEQ ID NO:112 is the nucleotide sequence of an example of a p53 binding site.

SEQ ID NO:113 is the nucleotide sequence of an example of a p53 binding site.

SEQ ID NO:114 is the nucleotide sequence of an example of a p53 binding site.

SEQ ID NO:115 is the nucleotide sequence of an example of a p53 binding site.

SEQ ID NO:116 is the nucleotide sequence of an example of a p53 binding site.

SEQ ID NO:117 is the nucleotide sequence of an example of a p53 binding site.

SEQ ID NO:118 is the nucleotide sequence of an example of a TARE (TNF- $\alpha$ response element).

5

15

20

25

SEQ ID NO:119 is the nucleotide sequence of an example of an SRF binding site.

SEO ID NO:120 is the nucleotide sequence of an example of an SRF binding site.

SEQ ID NO:121 is the nucleotide sequence of the -620 to +50 promoter region of IFN-α4.

SEQ ID NO:122 is the nucleotide sequence of the -140 to +9 promoter region of IFN- $\alpha 1.$ 

SEQ ID NO:123 is the nucleotide sequence of the -140 to +9 promoter region of IFN-10 αl (point mutation, AL353732).

SEQ ID NO:124 is the nucleotide sequence of the -280 to +20 promoter region of IFN- $\beta$ .

SEQ ID NO:125 is the nucleotide sequence of the -397 to +5 promoter region of human RANTES (AB023652).

SEQ ID NO:126 is the nucleotide sequence of the -751 to +30 promoter region of human IL-12 p40.

SEO ID NO:127 is the nucleotide sequence of the -250 to +30 promoter region of human IL-12 p40.

SEQ ID NO:128 is the nucleotide sequence of the -288 to +7 promoter region of human IL-6.

SEQ ID NO:129 is the nucleotide sequence of the IL-6 gene promoter from -1174 to +7 (M22111).

SEQ ID NO:130 is the nucleotide sequence of the -734 to +44 promoter region derived from human IL-8.

SEQ ID NO:131 is the nucleotide sequence of the -162 to 44 promoter region of human IL-8.

SEQ ID NO:132 is the nucleotide sequence of the -615 to +30 promoter region of human TNF-α.

SEQ ID NO:133 is the nucleotide sequence of a promoter region of human TNF- $\beta$ . 30 SEQ ID NO:134 is the nucleotide sequence of the -875 to +97 promoter region of human IP-10.

10

15

20

25

30

SEQ ID NO:135 is the nucleotide sequence of the -219 to +114 promoter region of human CXCL11 (IP-9).

SEQ ID NO:136 is the nucleotide sequence of the full length promoter region of human CXCL11 (IP-9).

SEQ ID NO:137 is the nucleotide sequence of the -289 to +217 promoter region of IGFBP4 (Insulin growth factor binding protein 4).

SEQ ID NO:138 is the nucleotide sequence of the full length promoter region of IGFBP4.

SEO ID NO:139 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:140 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:141 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:142 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:143 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:144 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:145 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:146 is the nucleotide sequence of an immunostimulatory nucleic acid.

SEQ ID NO:147 is the nucleotide sequence of an immunostimulatory methylated CpG nucleic acid.

SEQ ID NO:148 is the nucleotide sequence of an immunostimulatory methylated CpG nucleic acid.

SEQ ID NO:149 is the nucleotide sequence of an immunostimulatory methylated CpG nucleic acid.

SEQ ID NO:150 is the nucleotide sequence of an immunostimulatory methylated CpG nucleic acid.

SEQ ID NO:151 is the nucleotide sequence of an immunoinhibitory nucleic acid.

SEQ ID NO:152 is the nucleotide sequence of a sense primer for human TLR3.

SEQ ID NO:153 is the nucleotide sequence of an antisense primer for human TLR3.

SEQ ID NO:154 is the nucleotide sequence of a GpC nucleic acid.

SEQ ID NO:155 is the nucleotide sequence of a CpG ODN.

SEQ ID NO:156 is the nucleotide sequence of a GpC ODN.

SEQ ID NO:157 is the nucleotide sequence of a Me-CpG ODN.

SEQ ID NO:158 is the nucleotide sequence of a TLR9 ligand.

SEQ ID NO:159 is the nucleotide sequence of a TLR9 ligand.

- 19 -

SEQ ID NO:160 is the nucleotide sequence of a TLR9 ligand. SEQ ID NO:161 is the nucleotide sequence of a TLR9 ligand.

5

10

15

20

25

30

#### **Detailed Description of the Invention**

In its broadest sense, the invention relates to screening methods and tools to be used to identify and discriminate between newly discovered immunomodulatory molecules and to compare and standardize compositions of known immunomodulatory molecules. The immunomodulatory molecules are preferably TLR ligands.

Thus, the invention is based in part on the discovery that cell lines expressing endogenous TLR respond to TLR ligands in a manner similar to the response of peripheral blood mononuclear cells (PBMC). PBMC respond to immunomodulatory TLR ligands by modulating one or more parameters including gene expression, cell surface marker expression, cytokine and/or chemokine production and secretion, cell cycle status, phosphorylation status, and the like. TLR ligands can be categorized and distinguished based on the cellular changes they induce (i.e., their induction profiles). The ability of a TLR ligand to provide therapeutic or prophylactic benefit to a subject depends on its induction profile. The ability to screen new TLR ligands for a panel of response indicators or parameters allows for rapid discrimination and categorization of TLR ligands. Moreover, the similarity between the cell line responses and those observed after in vivo administration of the TLR ligand indicates that the cell lines are suitable predictors of in vivo activity. The use of in vitro propagated cell lines additionally overcomes the variability encountered when using freshly isolated PBMC.

The TLR ligands identified according to the invention therefore can be used therapeutically or prophylactically in a more patient- or disorder-specific manner. The invention allows for the tailoring of TLR ligands for particular patients or disorders.

The invention identifies a number of cell lines that can be used to identify TLR ligands based on endogenous TLR expression such as TLR3, TLR7 and TLR9 expression. As an example; the invention is premised in part on the discovery of TLR9 expression in a number of cell lines including RPMI 8226, Raji, RAMOS, THP-1, Nalm-6 and KG-1. Cell lines RPMI 8226, Raji and RAMOS have been determined to express TLR7 according to the invention. Cell lines KG-1 cell, a Nalm cell, a Raji cell, a RAMOS cell, a Jurkat cell, a Hela cell, a Hep-2 cells, a A549 cell, a Bewo cell, an NK-92 cell or an NK-92 MI cell have been discovered to express TLR3 according to the invention.

10

15

25

30

It is further premised in part on the discovery that RPMI 8226 cells respond to the imidazoquinoline compound R-848. Consistent with this latter finding, it was also discovered that RPMI 8226 cells express TLR7.

The invention in other aspects provides for screening methods and tools for verifying and standardizing compositions containing known TLR ligands. These compositions may be for example commercial production lots to be used in a clinical setting. Accordingly, the invention provides methods for standardizing lots of known TLR ligands prior to distribution and use clinically. In this way, production processes can be observed and controlled and substandard production lots can be identified and eliminated prior to shipment.

The methods of the instant invention can be used at any step in the preparation and production of clinical material, i.e., pharmaceutical product. In particular, the methods will find use in characterizing or validating raw materials, in-process materials, finished product materials (e.g., pre-release materials), and post-production materials (e.g., post-release materials). The methods can also be used to validate existing process methods, as well as to validate new or changed process methods used in the production of the pharmaceutical product.

#### 20 Screening Assays Generally

The screening assays provided herein may be used to identify immunomodulatory agents. Immunomodulatory agents are agents that either stimulate or inhibit immune responses in a subject. Accordingly, as used herein, immunomodulation embraces both immunostimulation and immunoinhibition.

The screening methods are used to identify TLR agonists and antagonists. The methods can also be used to identify compounds that enhance the immunostimulation induced by a TLR agonist. This latter set of compounds is referred to herein as "enhancers". A TLR agonist is a compound that stimulates TLR signaling activity. A TLR antagonist is a compound that inhibits TLR signaling activity. Agonists are generally referred to herein as immunostimulatory compounds because stimulation of TLR is associated with immune stimulation. Antagonists are generally referred to herein as immunoinhibitory compounds because inhibition of TLR is associated with immune inhibition. TLR antagonists include compounds that reduce (or eliminate completely) the immunostimulation induced by a TLR

agonist. In some embodiments, the agonists, antagonists and enhancers are TLR ligands (i.e., they bind to a TLR). In other embodiments, the test compounds with agonist, antagonist or enhancer activity may act downstream or upstream of the TLR-TLR ligand interaction.

An "immunostimulatory compound" as used herein refers to a natural or synthetic compound that characteristically induces a TLR-mediated response when contacted with a suitable functional TLR polypeptide. In one embodiment the immunostimulatory compound is a natural or synthetic compound that induces a TLR-mediated response when contacted with a cell that naturally or artificially expresses a suitable functional TLR polypeptide. Depending on the aspect of the invention, the cell may be an experimental cell or a primary cell such as a PBMC.

Examples of immunostimulatory compounds include the following immunostimulatory nucleic acids, which are discussed in further detail below:

5

10

25

30

	5'-TCGTCGTTTTGTCGTTTTGTCGTT-3'	(SEQ ID NO:1)
	5'-TCGTCGTTTTGACGTTTTGTCGTT-3'	(SEQ ID NO:139)
15	5'-TCGTCGTTTTGTCGTTTTTTTCGA-3'	(SEQ ID NO:140)
	5'-TCGTCGTTTCGTCGTTTCGTCGTT-3'	(SEQ ID NO:141)
	5'-TCGTCGTTTCGTCGTTTTGTCGTT-3'	(SEQ ID NO:142)
	5'-TCGTCGTTTTTCGGTCGTTTT-3'	(SEQ ID NO:143)
	5'-TCGTCGTTTTTCGTGCGTTTTT-3'	(SEQ ID NO:144)
20	5'-TCGTCGTTTTCGGCGGCCGCCG-3'	(SEQ ID NO:145)
	5'-TCGTC_GTTTTAC_GGCGCC_GTGCCG-3'	(SEQ ID NO:146)

Imidazoquinolines are immune response modifiers thought to induce expression of several cytokines including interferons (e.g., IFN- $\alpha$  and IFN- $\beta$ ), TNF- $\alpha$  and some interleukins (e.g., IL-1, IL-6 and IL-12) as well as chemokines (e.g., IP-10 and IL-8). Imidazoquinolines are capable of stimulating a Th1 immune response, as evidenced in part by their ability to induce increases in IgG2a levels. Imidazoquinoline agents reportedly are also capable of inhibiting production of Th2 cytokines such as IL-4, IL-5, and IL-13. Some of the cytokines induced by imidazoquinolines are produced by macrophages and dendritic cells. Some species of imidazoquinolines have been reported to increase NK cell lytic activity and to stimulate B cells proliferation and differentiation, thereby inducing antibody production and secretion. Imidazoquinoline mimics can also be tested using the screening methods.

10

15

20

25

30

An "immunoinhibitory compound" as used herein refers to a natural or synthetic compound that characteristically inhibits a TLR-mediated response when contacted with a suitable functional TLR polypeptide. In one embodiment the immunoinhibitory compound is a natural or synthetic compound that inhibits a TLR-mediated response when contacted with a cell that naturally or artificially expresses a suitable functional TLR polypeptide.

In addition to the immunoinhibitory nucleic acids disclosed elsewhere herein, immunoinhibitory compounds and TLR antagonists encompass certain small molecules (chloroquine, quinacrine, 9-aminoacridines and 4-aminoquinolines, and derivatives thereof) described by Macfarlane and colleagues in U.S. Pat. 6,221,882; U.S. Pat. 6,399,630; U.S. Pat. 6,479,504; U.S. Pat. 6,521,637; and published U.S. Pat. application 2002/0151564, the contents of all of which are hereby incorporated by reference in their entirety.

The invention provides in part methods and tools that utilize cell lines, in modified or unmodified form, as surrogates for PBMC. Immunomodulation by TLR ligands can be assessed using one or preferably more parameters including but not limited to cytokine and chemokine secretion, upregulation of cell surface markers, changes in cell proliferation, phosphorylation changes, and the like. These parameters may be native readouts or artificial readouts as described herein.

The cellular response to immunostimulatory nucleic acids by the cell lines described herein (e.g., RPMI 8226, Raji, RAMOS, and the like) so resembles that of PBMC that these cells can be used to identify and differentiate between immunomodulatory compounds based on the extent of the induced response and the particular profile of that response. The invention provides a number of cell lines each with a particular endogenous TLR expression profile, as described herein.

The cell lines can be used to identify immunomodulatory compounds with particular response profiles. As an example, the cell lines can be used to identify molecules that are mimics to known TLR ligands. The cell lines can also be used to identify TLR ligands that trigger some but not necessarily all of the responses induced by known TLR ligands. For example, the cell line can be used to distinguish between compounds based on individual or group cytokine or chemokine secretion, or based on upregulation of one, a subset or all cell surface markers. As an example, in some therapeutic instances, it may be desirable to use a compound that induces the secretion of relatively high levels of chemokine such as IP-10, yet induces only relatively low levels of one or more other factors. The screening methods of the invention allow for the identification of such a compound with this type of induction profile.

It is to be understood that the screening method also can be used to determine effective amounts of known and newly identified immunomodulatory compounds. For example, the EC<sub>50</sub> value of a TLR ligand for the production of a particular cytokine or chemokine can be determined, thereby facilitating comparison between different nucleic acids.

5

10

15

20

25

30

Generally, these assays require the incubation of cells with a reference compound and a test compound, and an analysis of the readout. Depending on the embodiment, the same cells are exposed to the reference compound and the test compound. An example of this latter embodiment is a screening assay for compounds that enhance the immunostimulatory effects of a TLR agonist. Another example is a screening assay for compounds that inhibit the immunostimulatory effects of a TLR agonist. In both examples, the reference compound is a positive reference compound (i.e., it is itself immunostimulatory).

In other embodiments, particularly those directed at identifying immunostimulatory compounds, separate aliquots from the same cell line (or from the same freshly harvested cell population) are exposed to either the reference compound or the test compound, and the readouts from each are measured and compared to the other. If the reference compound is a negative reference compound (i.e., it is inert and neither immunostimulatory nor immunoinhibitory), then any test level that is greater than the reference level is indicative of a test compound that has at least some immunostimulatory capacity. Generally, the negative reference compound is used to set background levels of immunostimulation or immunoinhibition observed in the absence of the test compound. If the reference compound is a positive reference compound (i.e., it is immunostimulatory), then it is possible to compare and contrast the induction profile of the test compound to that of the reference compound.

In some instances, separate reference assays individually containing a positive and a negative reference compound are performed alongside the test assay. For example, if the test assay is a screen for an immunostimulatory TLR ligand, then reference assays can be a positive reference assay (in which the reference compound is immunostimulatory), a negative reference assay (in which the reference compounds is immunologically inert or neutral), or both. A test compound is defined as immunostimulatory if it induces a response greater than that of the negative reference compound. The level and profile of the immunostimulatory response can be compared to the level and profile induced by the positive reference compound. It is to be understood that a test compound that induces a level of immunostimulation less than that of the positive reference compound may still be considered immunostimulatory according to the invention. Modifications to these screening assays for a

- 24 -

desired readout will be apparent to those of ordinary skill in the are based on the teachings provided herein.

5

10

15

20

25

30

If the test assay is a screen for an immunoinhibitory TLR ligand, then the assay may generally involve co-incubation of the test compound and a positive reference compound. The control assay may include co-incubation of the negative and positive reference compounds. As used herein, co-incubation embraces simultaneous or consecutive addition of the reference and test compounds. The test compound may be added before or after the positive reference compound. An immunoinhibitory test compound may be identified by a diminution of the immunostimulatory response induced by the positive reference compound when in the presence of the test compound. If the level of the response is less in the presence of the test compound, this indicates that the test compound is capable of interfering with the immunostimulatory effects of the positive reference compound. As an example, simultaneous or consecutive addition of a putative immunoinhibitory test compound can reduce the amount of cytokines or chemokines secreted by cells in response to the positive reference compound alone, indicating an inhibition of the immunostimulatory effects of the positive reference compound.

The reference immunoinhibitory compound can be used at one or more concentrations in conjunction with a selected or constant concentration of reference immunostimulatory compound. Under proper conditions, the immunostimulatory effect of the reference immunostimulatory compound will be less in the presence of the immunoinhibitory substance than in the absence of the immunoinhibitory substance. Furthermore, under proper conditions, the immunostimulatory effect of the reference immunostimulatory compound will decrease with increasing concentration of the immunoinhibitory substance.

The breadth of response by the cell line to immunomodulatory compounds, and its facile manipulation, allows for the identification of novel compounds. The cell line allows the rapid discovery of such compounds given that is lends itself to high throughput screening methods such as those provided herein. These methods and compositions are described in greater detail below. The invention therefore provides screening methods that utilize cell lines that either endogenous express TLRs such as the RPMI 8226 cell line as well as cell lines that have been modified to express TLRs. The invention further provides compositions that comprise such cell lines.

The verification and standardization methods of the invention generally involve assays in which an isolated cell expressing a functional TLR is contacted with each of two

- 25 -

compositions, each composition containing a known ligand for the TLR. One composition is a reference composition, and the assay using the reference composition yields a reference activity. The second composition is a test composition, and the assay using the test composition yields a test activity. The two contacting steps can be performed on separate cells that are alike, and typically will be performed on separate populations of cells that are alike. For example, the separate cells or the separate populations of cells can be drawn from a single population of cells. In typical usage according to this embodiment, the reference and test activities are measured essentially concurrently, although the use of historical reference activity is also contemplated by the methods of the invention. As an alternative, the two contacting steps can be performed on a single cell or on a single population of cells, usually in an essentially concurrent manner when it is desirable to have competition between reference and test compositions. In one embodiment the known TLR ligand is a nucleic acid molecule.

5

10

15

20

25

30

The assays of the invention are performed under specific conditions so that comparison can be made between reference and test activities or levels. The results of the comparison can be used as a basis upon which to accept or reject the test material as suitable for its intended use.

The biological characterization of the reference composition will generally entail a series of biological activity measurements of the reference composition using a single assay under defined conditions in order to define a range of inter-test variance. The range of intertest variance so obtained using reference composition can be used to define an acceptable range of variance within which a subsequent test measurement must fall in order to satisfy quality standards. Such a range of acceptable variance can serve as a basis for developing predetermined range of variance about the reference activity, i.e., acceptance criteria for a particular test composition or test lot. For example, a particular reference composition can be assayed under defined conditions in a number of independent measurements and found to yield a result expressed as  $100 \pm 5$  units of activity. Under this same example, a subsequent test measurement of a test composition performed using the same assay and defined conditions is found to yield 97 units of activity. The activity of the test composition under this example thus yielded a result that falls within the normal range of inter-test variance observed for the reference composition. Accordingly, the test material under this example could be selected on the basis of the test activity falling within a predetermined range of variance about the reference activity. In short, the test material can be deemed acceptable

provided the test activity falls within a predetermined range of activity that is related to the activity of the reference material.

In one embodiment, the methods of the invention provide for comparison between a reference lot of a particular TLR ligand and a test lot of the same particular TLR ligand. Such comparison is useful for quality control assessment of the test lot of material, also referred to herein as validation, e.g., product validation. Such comparison is also useful for process validation.

5

10

15

20

25

30

In another embodiment, the methods of the invention provide for comparison between a reference lot of a particular TLR ligand and a test lot of a different TLR ligand. In a simple example, where a test TLR ligand (T) is expected to have little or no activity characteristic of reference TLR ligand (R), comparison can be made between T and R to confirm the lack of R-like activity possessed by T. In a more complex example, where a test TLR ligand (C) is capable of exerting two different effects, wherein each effect is characteristic of one of two different classes of TLR ligand and is best characterized by one of two different reference TLR ligands (A and B), the test TLR ligand (C) can be compared with either of the two reference TLR ligands (A or B). In this second example, test composition C could be found, for example, to possess 50 percent A-like activity compared with reference A and 70 percent B-like activity compared with reference B. Test composition C could thus independently meet or fail to meet predetermined standards for each of A-like activity and B-like activity. Such comparison is also useful for quality control assessment of the test lot of material, e.g., product validation. Of course test TLR ligand C can alternatively or additionally be compared against reference TLR ligand C, as described in the preceding paragraph.

To facilitate the methods of the invention, certain conditions for carrying out the assays are standardized and used for measurements of both reference activity and test activity. In this way direct comparison between reference activity and test activity can be made readily. Conditions that can be standardized and used in this manner can include, without limitation, readout, temperature, media characteristics, duration (time between introduction of reference composition or test composition and activity measurement), methods of sampling, etc. In some embodiments the methods of the invention can be at least partially automated in order to increase throughput and/or to reduce inter-test variability. For example, robotic devices and workstations with the capacity to dispense and/or sample fluids in a set or programmable fashion are now well known in the art and can be used in performing the methods of the instant invention.

In one embodiment a standard curve of reference composition activity is employed. Typically the standard curve is generated by selecting conditions including concentration of the reference composition such that the dose-response curve is essentially linear (and the slope is non-zero) over a range of concentrations that includes the effective concentration at which activity is 50 percent of maximum (EC50). In one embodiment the standard curve spans a range of concentrations defined by EC50  $\pm$  1 log concentration, e.g.,  $1 \times 10^{-7}$  M  $- 1 \times 10^{-5}$  M, where EC50 is  $1 \times 10^{-6}$  M. In another embodiment the standard curve spans a broader range of concentrations defined by EC50  $\pm$  2 log concentration, e.g.,  $1 \times 10^{-8}$  M  $- 1 \times 10^{-4}$  M, where EC50 is  $1 \times 10^{-6}$  M. In yet another embodiment the standard curve spans a narrower range of concentrations defined by EC50  $\pm$  0.5 log concentration, e.g.,  $3.16 \times 10^{-7}$  M  $- 3.16 \times 10^{-6}$  M, where EC50 is  $1 \times 10^{-6}$  M. The foregoing embodiments are intended to be exemplary and not limiting in any way. One of skill in the art will be able to select, for a given reference composition and without undue experimentation, an appropriate range of concentrations about some middle value in order to generate an essentially linear standard curve with a non-zero slope.

10

15

20

25

30

In one embodiment a non-linear standard curve of reference and test composition activity is employed. The standard curve can be generated by selecting conditions including concentrations of the reference composition such that the dose-response curve is sigmoidal and the EC50 value can be determined. Comparison of reference and test activity can be done by comparing, e.g., the EC50 values of both curves. Concentration range is chosen to yield a complete sigmoidal response, e.g., concentration should include EC50  $\pm$  3 log concentration or EC50  $\pm$  4 log concentration. In the case of testing an inhibitory compound the value determined would be the IC50, i.e., concentration where inhibition of the stimulatory signal is half-maximal.

The methods of the invention can be adapted to be automated or at least partially automated methods, as well as to parallel array or high throughput format methods. For example, the assays can be set up using multiwell plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are

known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

#### Cell lines

5

10

15

20

25

30

The screening methods may use experimental cells. As used herein, an experimental cell is a non-primary cell (i.e., it is not a cell that has been recently harvested from a subject). It excludes, for example, freshly harvested PBMCs. An experimental cell includes a cell from a cell line such as the RPMI 8226 cell line.

In certain embodiments, the cell naturally expresses a functional TLR. In one embodiment relating to the verification and standardization aspects of the invention, the cell may be a PBMC, preferably a PBMC freshly harvested from a subject.

Cells that would be suitable for identification of TLR agonists, antagonists or enhancers according to the invention may possess one or more particular attributes. These attributes include but are not limited to being of human origin, being an immortalized stable cell line, endogenously expressing at least one functional TLR or a combination of functional TLRs, having intact signaling mechanisms, having intact uptake mechanisms, being able to upregulate cytokines, chemokines or cell surface markers, deriving from normal human B cells or from myeloma or B cell leukemia, deriving from human plasmacytoid and myeloid dendritic cells, and readily activatable by TLR ligands such as TLR7 ligands, TLR8 ligands or TLR9 ligands such as CpG nucleic acids or nucleic acids having other immunostimulatory sequence motifs or small molecules such as imidazoquinoline compounds.

In some embodiments, the cell line is the Raji cell line which expresses TLR3, TLR7 and TLR9. This latter cell line secretes, for example, IL-6 and IFN-α2 upon CpG nucleic acid exposure. In other embodiments, the cell line is RPMI 8226 which expresses TLR7 and TLR9. Upon CpG nucleic acid exposure, this cell line expresses, produces and/or secretes IL-8, IL-10, IP-10 and TNF-α. It also expresses at its cell surface CD86, HLA-DR and CD71. In yet other embodiments, the cell line is the RAMOS cell line which expresses TLR3, TLR7 and TLR9. This cell line at least induces CD80 cell surface expression in response to CpG nucleic acid exposure.

10

15

20

25

The cell lines have been observed to respond in a concentration dependent manner to TLR ligands such as but not limited to CpG nucleic acids and some non-CpG nucleic acids including T-rich nucleic acids, poly-T nucleic acids and poly-G nucleic acids. The highest responses have been observed using CpG nucleic acids.

The screening methods employ a variety of cell lines as shown in the Examples. These include A549 (human lung carcinoma, ATCC CCL-185), BeWo (human choriocarcinoma, ATCC CCL-98), HeLa (human cervix carcinoma, ATCC CCL-2), Hep-2 (human cervix carcinoma, ATCC CCL-23), KG-1 (human acute myeloid leukemia, ATCC CCL-246), MUTZ-3 (human acute myelomonocytic leukemia, German Collection of Cell lines and Microorganisms (DSZM) ACC-295), Nalm-6 (human B cell precursor leukemia, DSZM ACC-128), NK-92 (human Natural killer cell line, ATCC CRL-2407), NK-92 MI (IL-2 independent human Natural killer cell line, ATCC CRL-2408), Raji (human B lymphocyte Burkitt's lymphoma, ATCC CCL-86), RAMOS (B lymphocyte Burkitt's lymphoma, ATCC CRL-1596), RPMI 8226 (human B lymphocyte multiple myeloma, ATCC CCL-155), THP-1 (human acute monocytic leukemia, ATCC TIB 202), U937 (human lymphoma, ATCC CRL-1593.2) and Jurkat (human T cell leukemia, ATCC TIB 152).

As shown in the Examples, each of the afore-mentioned cell lines has a particular endogenous TLR expression profile which dictates its suitability in a particular screening assay.

A cell that artificially expresses a functional TLR can be a cell that does not express the functional TLR but for a transfected TLR expression vector. For example, human 293 fibroblasts (ATCC CRL-1573) do not express TLR7, TLR8 or TLR9, and they express very little TLR3. As described in the examples below, such cells can be transiently or stably transfected with suitable expression vector (or vectors) so as to yield cells that do express TLR3, TLR7, TLR8, TLR9, or any combination thereof. Alternatively, a cell that artificially expresses a functional TLR can be a cell that expresses the functional TLR at a significantly higher level with the TLR expression vector than it does without the TLR expression vector. Transfected cells are considered modified cells, as used herein.

A cell that artificially expresses an expression or reporter construct is preferably stably transfected.

The RPMI 8226 cell line is a human multiple myeloma cell line. The cell line was established from the peripheral blood of a 61 year old man at the time of diagnosis for multiple myeloma (IgG lambda type). RPMI 8226 was previously reported as responsive to CpG nucleic acids as evidenced by the production and secretion of IL-6 protein and production of IL-12p40 mRNA. (Takeshita et al. (2000), Eur. J. Immunol. 30, 108-116, and Takeshita et al. (2000) Ibid. 30, 1967-1976) Takeshita et al. however used the cell line solely to study promoter constructs in order to identify transcription factor binding sites important for CpG nucleic acid signaling. It is now known according to the invention that the cell line produces a number of other chemokines and cytokines including IL-8, IL-10 and IP-10. It has also been discovered according to the invention that the cell line responds to immunostimulatory nucleic acids by upregulating cell surface expression of particular markers. Many of these markers, including CD71, CD86 and HLA-DR, are similarly upregulated in PBMCs exposed to immunostimulatory nucleic acids. This has been observed using flow cytometric analysis of the cell line following CpG nucleic acid exposure. In other aspects of the invention, the cell line can be used in similar screening assays that involve secretion of IL-6, IL-12 and/or TNF-α.

It has recently been discovered that R-848 mediates its immunostimulatory effects via other TLR family members, namely TLR7 and TLR8. TLR7 has previously been found expressed on human B cells. It has now also been discovered according to the invention that RPMI 8226 expresses TLR9 as well as TLR7, thus making it a suitable cell line for identifying immunostimulatory nucleic acid and/or imidazoquinoline (e.g., R-848) mimics or other small molecules that also signal through TLR7 and/or TLR9. Incubation of RPMI 8226 cells with the imidazoquinoline R-848 (Resiquimod) induces for example IL-8, IL-10 and IP-10 production.

25

30

20

5

10

15

#### Known TLR Ligands

Ligands for many but not all of the TLRs have been described. For instance, it has been reported that TLR1 and TLR2 signals in response to peptidoglycan and lipopeptides. Yoshimura A et al. (1999) J Immunol 163:1-5; Brightbill HD et al. (1999) Science 285:732-6; Aliprantis AO et al. (1999) Science 285:736-9; Takeuchi O et al. (1999) Immunity 11:443-51; Underhill DM et al. (1999) Nature 401:811-5. TLR4 has been reported to signal in response to lipopolysaccharide (LPS). Hoshino K et al. (1999) J Immunol 162:3749-52; Poltorak A et al. (1998) Science 282:2085-8; Medzhitov R et al. (1997) Nature 388:394-7. Bacterial

flagellin has been reported to be a natural ligand for TLR5. Hayashi F et al. (2001) *Nature* 410:1099-1103. TLR6, in conjunction with TLR2, has been reported to signal in response to proteoglycan. Ozinsky A et al. (2000) *Proc Natl Acad Sci USA* 97:13766-71; Takeuchi O et al. (2001) *Int Immunol* 13:933-40.

TLR9 is a receptor for CpG DNA. Hemmi H et al. (2000) Nature 408:740-5. Other TLR9 ligands are described herein under "Immunostimulatory Nucleic Acids". Certain imidazoquinoline compounds having antiviral activity are ligands of TLR7 and TLR8. Imidazoquinolines are potent synthetic activators of immune cells with antiviral and antitumor properties. R-848 is a ligand for human TLR7 and TLR8. Jurk M et al. (2002) Nat Immunol 3:499. Ligands of TLR3 include poly(I:C) and double-stranded RNA (dsRNA). Alexopoulou et a. (2001) Nature 413:732-738. For purposes of this invention, poly(I:C) and double-stranded RNA (dsRNA) are classified as oligonucleotide molecules. TLR3 may have a role in host defense against viruses.

#### 15 Reference and Test Compounds

5

10

20

25

30

A test and/or reference compound can be a nucleic acid such as an oligonucleotide or a polynucleotide, an oligopeptide, a polypeptide, a lipid such as a lipopolysaccharide, a carbohydrate such as an oligosaccharide or a polysaccharide, or a small molecule.

Alternatively, these compounds may also comprise or be synthesized from elements such as amino acids, carbohydrates, hormones, lipids, organic molecules, and the like.

Small molecules in general include naturally occurring, synthetic, and semisynthetic organic and organometallic compounds with molecular weight less than about 2.5 kDa. Examples of small molecules include most drugs, subunits of polymeric materials, and analogs and derivatives thereof.

Some specific examples of small molecules include the imidazoquinolines. As used herein, an imidazoquinolines include imidazoquinoline amines (imidazoquinolinamines), imidazopyridine amines, 6,7-fused cycloalkylimidazopyridine amines, and 1,2 bridged imidazoquinoline amines. These compounds have been described in U.S. Pat. Nos. 4,689,338; 4,929,624; 5,238,944; 5,266,575; 5,268,376; 5,346,905; 5,352,784; 5,389,640; 5,395,937; 5,482,936; 5,494,916; 5,525,612; 6,039,969 and 6,110,929. Particular species of imidazoquinoline agents include resiquimod (R-848; S-28463; 4-amino-2 ethoxymethyl-α,α-dimethyl-1*H*-imidazo[4,5-c]quinoline-1-ethanol); and imiquimod (R-837; S-26308; 1-(2-methylpropyl)-1*H*-imidazo[4,5-c]quinoline-4-amine). Further examples of specific small

10

15

20

25

30

molecules include 4-aminoquinoline and derivatives thereof, 9-aminoacridine and derivatives thereof, and additional compounds disclosed in U.S. Pat. Nos. 6,221,882; 6,399,630; 6,479,504; and 6,521,637; and published U.S. Pat. Application No. 2002/0151564 A1, the entire contents of which are hereby incorporated by reference.

The test and reference compounds may be formulated for pharmaceutical use or not. For example, a test compound not formulated for pharmaceutical use can be a compound (e.g., a lot or batch of the compound) under evaluation for possible use in preparing a pharmaceutical formulation of the compound.

A reference compound, as used herein, is a compound having a known activity in the presence of a TLR. The reference compound may stimulate TLR signaling (and is therefore regarded as a positive reference compound), or it may be inert in the presence of a TLR (and is therefore regarded as a negative reference compound). If it is a positive reference compound, it need not be the best known stimulator of TLR signaling (i.e., it is possible that other reference compounds and even test compounds will stimulate TLR signaling to a greater extent). The readout of the screening assay may simply be stated relative to the level of signaling that occurs in the presence of the reference compound. Preferably, the reference compound is analyzed prior to the screening assay in order to determine its level of activity on a TLR. In some aspects of the invention, the reference compound and the test compound will be assayed separately (i.e., in separate wells); in other aspects, the reference compound and the test compound will be assayed together (i.e., in the same well). These latter aspects are designed to measure the ability of a test compound to modulate the activity of the reference compound. The activity of the test compound and the reference compound combined (i.e., when assayed together in the same well) may be the same as that of the positive reference compound alone, indicating at a minimum that the test compound is not inhibitory; or it may be less than that of the positive reference compound, indicating at a minimum that it is inhibitory to the effect of the reference compound; or it may be additive or synergistic possibly indicating that the test compound is an enhancer. The effect of an enhance may be due to its ability to stimulate TLR signaling independently of the positive reference compound.

A "reference composition" as used herein refers to a composition that includes a reference compound and optionally another agent, e.g., a pharmaceutically acceptable carrier and/or another biologically active agent. A reference compound may be an immunostimulatory compound or it may be an immunoinhibitory compound.

As discussed further below, in some aspects of the invention the reference compositions include both finished products, e.g., finished pharmaceutical products, as well as raw materials and other in-process materials used for the preparation of such finished products, all of which contain a known TLR ligand. As used herein, a "production lot" shall refer to a batch or lot of a completed product prepared for release as clinical material, e.g., a pharmaceutical product. As used herein, an "in-process lot" shall refer to a batch or lot of unfinished product that is prepared in the course of making a production lot; an "in-process lot" shall also refer to a batch or lot of raw material provided for use in the production of a production lot.

5

10

15

20

25

30

In some aspects of the invention, the reference compositions of the invention are highly characterized in terms of their chemical, physical, and biological properties. A reference composition will be a specific composition previously determined to have a specific activity, or range of specific activity, of the particular known TLR ligand present in the composition. As used herein, "specific activity" refers to an amount of activity per unit mass or per unit volume of the reference composition as a whole, as determined using a defined assay under defined conditions. In one embodiment the reference composition is a representative sample of a particular lot or batch of a specific TLR ligand. In one embodiment the reference composition is a representative sample of a particular lot or batch of a specific TLR ligand formulated for pharmaceutical use, e.g., a sterile solution of the TLR ligand at a determined concentration or activity.

At least the following parameters are typically very well defined for a given reference composition: chemical formula of the active ingredient TLR ligand (e.g., nucleobase sequence and type of backbone of a nucleic acid; structural formula of a small molecule); concentration; diluent composition; and purity. Such parameters as purity and concentration can be determined using any appropriate physicochemical method, e.g., optical spectroscopy including absorbance at one or more specified wavelengths; nuclear magnetic resonance (NMR) spectroscopy; mass spectrometry (MS), including matrix-assisted laser desorption/ionization mass spectrometry (MALDI-MS); melting point; specific gravity; chromatography including as appropriate high pressure liquid chromatography (HPLC), one-and two-dimensional polyacrylamide gel electrophoresis (PAGE), capillary electrophoresis, and the like; as well as other methods known to those of skill in the art.

Reference compositions can also be very well characterized in terms of their biological activity, independent of the methods of the invention, although the methods of the

invention generally include such characterization, at least in part. A reference composition can be very well characterized in terms of its biological activity by characterizing, both qualitatively and quantitatively, the response by sensitive cells to the reference composition under defined conditions. For example, a reference composition can be a specific CpG oligonucleotide such as SEQ ID NO:1 which in a specific assay and under specific conditions of temperature, concentration, duration of contact between the CpG oligonucleotide and a population of TLR9-expressing cells, and particular readout, reliably yields a specific result or range of results. Results can be expressed in any suitable manner, but can include results expressed on a per-cell basis, e.g., picograms of particular cytokine per cell per hour of contact with the reference composition. Reference compositions can be very well characterized in terms of their biological activity according to one or more parameters, for example, according to their capacity to induce each of a plurality of cytokines.

5

10

15

20

25

30

The methods of the invention also involve measurement of a test activity of a test composition containing a known TLR ligand. A "test composition" as used herein refers to a composition that includes a test compound and optionally another agent, e.g., a pharmaceutically acceptable carrier and/or another biologically active agent. A test compound can be an immunostimulatory compound or it can be an immunosinhibitory compound. In some aspects of the invention, the test compound is a known TLR ligand. Test compositions of the invention may comprise known TLR agonist or TLR antagonist compounds, generally but not necessarily nominally the same as the reference compositions against which comparison is to be made according to some aspects of the invention. Thus test compositions may encompass immunostimulatory compounds, immunoinhibitory compounds, known TLR ligands, finished pharmaceutical products, and raw materials and other in-process materials used for the preparation of such finished products.

Unlike a reference composition, a test composition is not characterized at all, or is only partially characterized, or is not as well characterized as the reference composition, in terms of its chemical, physical, or (most particularly) biological properties. The methods of the invention permit further characterization of the test composition by comparison with a reference composition. In some aspects, a test composition will be a specific composition previously determined to be a ligand of a specific TLR. In one embodiment the test composition is a representative sample of a particular lot or batch of a particular lot or batch of

a specific TLR ligand formulated for pharmaceutical use, e.g., a sterile solution of the TLR ligand at a determined concentration or activity.

#### Immunostimulatory and Immunoinhibitory Nucleic Acids

5

10

15

20

25

30

Nucleic acids useful as reference compounds and as test compounds in the methods of the invention include single- and double-stranded natural and synthetic nucleic acids, including those with phosphodiester, stabilized, and chimeric backbones. Also encompassed are at least the following classes of nucleic acids, which are described in detail below: immunostimulatory CpG nucleic acids (CpG nucleic acids), including but not limited to types A, B, and C; immunostimulatory non-CpG nucleic acids, including without limitation methylated CpG nucleic acids, T-rich nucleic acids, TG-motif nucleic acids, CpI motif nucleic acids, and poly-G nucleic acids; and immunoinhibitory nucleic acids. Nucleic acids useful as reference compounds and as test compounds in the methods of the invention also include nucleic acids with modified backbones, including "soft" and "semi-soft" oligonucleotides as described herein. As will be appreciated from the descriptions below, certain of these various classes of nucleic acids can coexist in a given nucleic acid molecule.

A "nucleic acid" as used herein with respect to test compounds and reference compounds used in the methods of the invention, shall refer to any polymer of two or more individual nucleoside or nucleotide units. Typically individual nucleoside or nucleotide units will include any one or combination of deoxyribonucleosides, ribonucleosides, deoxyribonucleotides, and ribonucleotides. The individual nucleotide or nucleoside units of the nucleic acid can be naturally occurring or not naturally occurring. For example, the individual nucleotide units can include deoxyadenosine, deoxycytidine, deoxyguanosine, thymidine, and uracil. In addition to naturally occurring 2'-deoxy and 2'-hydroxyl forms, individual nucleosides also include synthetic nucleosides having modified base moieties and/or modified sugar moieties, e.g., as described in Uhlmann E et al. (1990) Chem Rev 90:543-84. The linkages between individual nucleotide or nucleoside units can be naturally occurring or not naturally occurring. For example, the linkages can be phosphodiester, phosphorothioate, phosphorodithioate, phosphoramidate, as well as peptide linkages and other covalent linkages, known in the art, suitable for joining adjacent nucleoside or nucleotide units. The linkages can also be mixed in a single polymer (e.g., a semi-soft backbone). The nucleic acid test compounds and nucleic acid reference compounds typically range in size from 3-4 units to a few tens of units, e.g., 18-40 units.

10

15

20

25

30

In some embodiments the nucleic acids are oligonucleotides made up of 2 to about 100 nucleotides, and more typically 4 to about 40 nucleotides. Oligonucleotides composed exclusively of deoxynucleotides are termed oligodeoxynibonucleotides or, equivalently, oligodeoxynucleotides (ODN).

A CpG nucleic acid is an immunostimulatory nucleic acid which contains a cytosine-guanine (CG) dinucleotide, the C residue of which is unmethylated. The effects of CpG nucleic acids on immune modulation have been described extensively in U.S. Pat. Nos. 6,194,388; 6,207,646; 6,214,806; 6,218,371; 6,239,116; and 6,339,068; and published patent applications, such as PCT/US95/01570 (WO 96/02555); PCT/US98/04703 (WO 98/40100); and PCT/US99/09863 (WO 99/56755). The entire contents of each of these patents and published patent applications is hereby incorporated by reference. The entire immunostimulatory nucleic acid can be unmethylated or portions can be unmethylated, but at least the C of the 5'-CG-3' must be unmethylated. The CpG nucleic acid sequences of the invention include, without limitation, those broadly described above as well as those disclosed in U.S. Pat. Nos. 6,207,646 and 6,239,116.

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTGTCGTTTTGTCGTT-3' (SEQ ID NO:1).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTGACGTTTTGTCGTT-3' (SEQ ID NO:139).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTTTCGA-3' (SEQ ID NO:140).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTCGTCGTTTCGTCGTTT-3' (SEQ ID NO:141).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTGTCGTTTTGTCGTT-3' (SEQ ID NO:142).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTTCGGTCGTTTTT-3' (SEQ ID NO:143).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTTCGTGCGTTTTT-3' (SEQ ID NO:144).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTCGTTTTCGGCGGCCGCCG-3' (SEQ ID NO:145).

In one embodiment the CpG nucleic acid has a base sequence provided by 5'-TCGTC\_GTTTTAC\_GGCGCC\_GTGCCG-3' (SEQ ID NO:146).

10

15

20

25

30

The oligonucleotides described by SEQ ID NOs: 1, 139-145 are fully stabilized phosphorothicate backbone ODN. The oligonucleotide of SEQ ID NO:146 has a chimeric backbone in which all internucleoside linkages are phosphorothicate except for those indicated by "\_", which are phosphodiester.

CpG nucleic acids have been further classified by structure and function into at least the following three types, all of which are intended to be encompassed within the methods of the instant invention: Type B CpG nucleic acids such as SEQ ID NO:1 include the earliest described CpG nucleic acids and characteristically activate B cells but do not induce or only weakly induce expression of IFN-a. Type B nucleic acids are described in U.S. Patents 6,194,388; 6,207,646; 6,214,806; 6,218,371; 6,239,116; and 6,339,068. Type A CpG nucleic acids, described in published international application PCT/US00/26527 (WO 01/22990), incorporate a CpG motif, include a hybrid phosphodiester/phosphorothioate backbone, and characteristically induce plasmacytoid dendritic cells to express large amounts of IFN-a but do not activate or only weakly activate B cells. Type C oligonucleotides incorporate a CpG, include a chimeric backbone, include a GC-rich palindromic or nearly-palindromic region, and are capable of both activating B cells and inducing expression of IFN-α. These have been described, for example, in copending U.S. Pat. application Ser. No. 10/224,523, filed August 19, 2002. Exemplary sequences of A, B and C class nucleic acids are described in the afore-mentioned references, patents and patent applications, the entire contents of which are hereby incorporated by reference herein.

In other embodiments of the invention, a non-CpG nucleic acid is used. A non-CpG nucleic acid is an immunostimulatory nucleic acid which either does not have a CpG motif in its sequence, or has a CpG motif which contains a methylated C residue. In some instances, the non-CpG nucleic acid may still be immunostimulatory by virtue of its having other immunostimulatory motifs such as those described herein and known in the art. In one embodiment the non-CpG nucleic acid is a methylated CpG nucleic acid. In some instances the non-CpG nucleic acid is still immunostimulatory despite methylation of the C of the CpG motif, even without having another non-CpG immunostimulatory motif described herein and known in the art.

In one embodiment the non-CpG nucleic acid is a methylated CpG nucleic acid having a base sequence provided by 5'-TZGTZGTTTTGTZGTTTTGTZGTT-3' (SEQ ID NO:147), wherein Z represents 5-methylcytosine.

10

15

20

25

30

In one embodiment the non-CpG nucleic acid is a methylated CpG nucleic acid having a base sequence provided by 5'-TZGTZGZTGTZTZZGZTTZTTZTTGZZ-3' (SEQ ID NO:148), wherein Z represents 5-methylcytosine.

In one embodiment the non-CpG nucleic acid is a methylated CpG nucleic acid having a base sequence provided by 5'-GZGTTTGZTZTTZTTGZG-3' (SEQ ID NO:149), wherein Z represents 5-methylcytosine.

In one embodiment the non-CpG nucleic acid is a methylated CpG nucleic acid having a base sequence provided by 5'-GZZZAAGZTGGZATZZGTZA-3' (SEQ ID NO:150), wherein Z represents 5-methylcytosine.

Non-CpG nucleic acids include T-rich immunostimulatory nucleic acids. The T-rich immunostimulatory nucleic acids include those disclosed in published PCT patent application PCT/US00/26383 (WO 01/22972), the entire contents of which are incorporated herein by reference. In some embodiments, T-rich nucleic acids 24 bases in length are used. A T-rich nucleic acid is a nucleic acid which includes at least one poly T sequence and/or which has a nucleotide composition of greater than 25% T nucleotide residues. A nucleic acid having a poly-T sequence includes at least four Ts in a row, such as 5'-TTTT-3'. In some embodiments the T-rich nucleic acid includes more than one poly T sequence. In important embodiments, the T-rich nucleic acid may have 2, 3, 4, or more poly T sequences, such as SEQ ID NO:1.

Non-CpG nucleic acids also include poly-G immunostimulatory nucleic acids. A variety of references describe the immunostimulatory properties of poly-G nucleic acids. Pisetsky DS et al. (1993) *Mol Biol Reports* 18:217-221; Krieger M et al. (1994) *Ann Rev Biochem* 63:601-637; Macaya RF et al. (1993) *Proc Natl Acad Sci USA* 90:3745-3749; Wyatt JR et al. (1994) *Proc Natl Acad Sci USA* 91:1356-1360; Rando and Hogan, 1998, In Applied Antisense Oligonucleotide Technology, Krieg and Stein, eds., pp. 335-352; Kimura Y et al. (1994) *J Biochem (Tokyo)* 116:991-994.

The immunostimulatory nucleic acids of the invention can also be those which do not possess CpG, methylated CpG, T-rich, or poly-G motifs.

Exemplary immunostimulatory nucleic acid sequences include but are not limited to those immunostimulatory sequences described and listed in U.S. Non-Provisional Pat. Application No. 09/669,187, filed on September 25, 2000, and in corresponding published PCT patent application PCT/US00/26383 (WO 01/22972).

Immunoinhibitory nucleic acids have been described in Lenert P et al. (2001)

Antisense Nucleic Acid Drug Dev 11:247-56 and in Stunz L et al. (2002) Eur J Immunol

32:1212-22. These inhibitory phosphorothioate ODN (S-ODN) differ from stimulatory S-ODN by having 2-3 G substitutions in the central motif. As inhibitory S-ODN did not directly interfere with the NF-κB DNA binding but prevented CpG-induced NF-κB nuclear translocation of p50, p65, and c-Rel and blocked p105, IκBα, and IκBβ degradation, Lenert et al. suggested that the putative target of immunoinhibitory ODN would lie upstream of inhibitory kinase (IKK) activation. Stunz et al. reported that replacing GCGTT or ACGTT with GCGGG or ACGGG converted a stimulatory 15-mer ODN into an inhibitory ODN. All inhibitory ODN had three consecutive G, and a fourth G increased inhibitory activity, but a deazaguanosine substitution to prevent planar stacking did not affect activity. Inhibitory ODN blocked apoptosis protection and cell-cycle entry induced by stimulatory ODN, but not that induced by lipopolysaccharide, anti-CD40 or anti-IgM+IL-4. ODN-driven up-regulation of cyclin D(2), c-Myc, c-Fos, c-Jun and Bcl(XL) and down-regulation of cyclin kinase inhibitor p27(kip1) were all blocked by inhibitory ODN. Stunz et al. also reported that interference with uptake of stimulatory ODN did not account for the inhibitory effects of the immunoinhibitory nucleic acids.

5

10

15

20

25

30

In one embodiment the immunoinhibitory nucleic acid has a base sequence provided by 5'-TCCTGGCGGGGAAGT-3' (SEQ ID NO:151).

Immunoinhibitory nucleic acids have also been described in U.S. Pat. No. 6,194,388, issued to Krieg et al. The immunoinhibitory oligonucleotides disclosed by Krieg et al. are oligonucleotides with GCG trinucleotides at or near the ends of the oligonucleotide and are represented by the formula 5'GCGX<sub>n</sub>GCG 3' in which X is a nucleotide and n is an integer between 0 and 50.

The nucleic acids used as either test or reference compounds can be double-stranded or single-stranded. They can be deoxyribonucleotide (DNA) or ribonucleotide (RNA) molecules. Generally, double-stranded molecules are more stable in vivo, while single-stranded molecules have increased immune activity. Thus in some the nucleic acid is single-stranded and in other embodiments the nucleic acid is double-stranded. In certain embodiments, while the nucleic acid is single-stranded, it is capable of forming secondary and tertiary structures (e.g., by folding back on itself, or by hybridizing with itself either throughout its entirety or at select segments along its length). Accordingly, while the primary structure of such a nucleic acid may be single-stranded, its higher order structures may be double- or triple-stranded.

WO 2004/094671 PCT/US2004/012788

For facilitating uptake into cells, the nucleic acids are preferably in the range of 6 to 100 bases in length. However, nucleic acids of any size equal to or greater than 6 nucleotides (even many kb long) are capable of inducing an immune response. Preferably the nucleic acid is in the range of between 8 and 100 and in some embodiments between 8 and 50 or 8 and 30 nucleotides in size.

5

10

15

20

25

30

The terms "nucleic acid" and "oligonucleotide" are used interchangeably to mean multiple nucleotides (i.e., molecules comprising a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)). As used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms "nucleic acid" and "oligonucleotide" shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base containing polymer. Nucleic acid molecules can be obtained from existing nucleic acid sources (e.g., genomic or cDNA), but are preferably synthetic (e.g., produced by nucleic acid synthesis).

The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with substitutions or modifications, such as in the bases and/or sugars. For example, they include nucleic acids having backbone sugars that are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group or hydroxy group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose or 2'-fluoroarabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have an amino acid backbone with nucleic acid bases). Other examples are described in more detail below.

The immunostimulatory and immunoinhibitory nucleic acids can encompass various chemical modifications and substitutions, in comparison to natural RNA and DNA, involving a phosphodiester internucleoside bridge, a β-D-ribose unit and/or a natural nucleoside base (adenine, guanine, cytosine, thymine, uracil). Examples of chemical modifications are known to the skilled person and are described, for example, in Uhlmann E et al. (1990) *Chem Rev* 90:543; "Protocols for Oligonucleotides and Analogs" Synthesis and Properties & Synthesis and Analytical Techniques, S. Agrawal, Ed, Humana Press, Totowa, USA 1993; Crooke ST et al. (1996) *Annu Rev Pharmacol Toxicol* 36:107-129; and Hunziker J et al. (1995) *Mod Synth* 

15

20

25

30

Methods 7:331-417. An oligonucleotide according to the invention may have one or more modifications, wherein each modification is located at a particular phosphodiester internucleoside bridge and/or at a particular  $\beta$ -D-ribose unit and/or at a particular natural nucleoside base position in comparison to an oligonucleotide of the same sequence which is composed of natural DNA or RNA.

For example, the oligonucleotides may comprise one or more modifications and wherein each modification is independently selected from:

- a) the replacement of a phosphodiester internucleoside bridge located at the 3' and/or the 5' end of a nucleoside by a modified internucleoside bridge,
- 10 b) the replacement of phosphodiester bridge located at the 3' and/or the 5' end of a nucleoside by a dephospho bridge,
  - c) the replacement of a sugar phosphate unit from the sugar phosphate backbone by another unit,
  - d) the replacement of a β-D-ribose unit by a modified sugar unit, and
  - e) the replacement of a natural nucleoside base by a modified nucleoside base.

    More detailed examples for the chemical modification of an oligonucleotide are as follows.

The oligonucleotides may include modified internucleotide linkages, such as those described in (a) or (b) above. These modified linkages may be partially resistant to degradation (e.g., are stabilized). A "stabilized oligonucleotide molecule" shall mean an oligonucleotide that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endonuclease) resulting from such modifications. Oligonucleotides having phosphorothioate linkages, in some embodiments, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.

A phosphodiester internucleoside bridge located at the 3' and/or the 5' end of a nucleoside can be replaced by a modified internucleoside bridge, wherein the modified internucleoside bridge is for example selected from phosphorothioate, phosphorodithioate, NR $^1$ R $^2$ -phosphoramidate, boranophosphate,  $\alpha$ -hydroxybenzyl phosphonate, phosphate-(C<sub>1</sub>-C<sub>21</sub>)-O-alkyl ester, phosphate-[(C<sub>6</sub>-C<sub>12</sub>)aryl-(C<sub>1</sub>-C<sub>21</sub>)-O-alkyl]ester, (C<sub>1</sub>-C<sub>8</sub>)alkylphosphonate and/or (C<sub>6</sub>-C<sub>12</sub>)arylphosphonate bridges, (C<sub>7</sub>-C<sub>12</sub>)- $\alpha$ -hydroxymethyl-aryl (e.g., disclosed in WO 95/01363), wherein (C<sub>6</sub>-C<sub>12</sub>)aryl, (C<sub>6</sub>-C<sub>20</sub>)aryl and (C<sub>6</sub>-C<sub>14</sub>)aryl are optionally substituted by halogen, alkyl, alkoxy, nitro, cyano, and where R $^1$  and R $^2$  are, independently of each other, hydrogen, (C<sub>1</sub>-C<sub>18</sub>)-alkyl, (C<sub>6</sub>-C<sub>20</sub>)-aryl, (C<sub>6</sub>-C<sub>14</sub>)-aryl-(C<sub>1</sub>-C<sub>8</sub>)-alkyl, preferably hydrogen,

10

15

20

25

(C1-C8)-alkyl, preferably (C1-C4)-alkyl and/or methoxyethyl, or R1 and R2 form, together with the nitrogen atom carrying them, a 5-6-membered heterocyclic ring which can additionally contain a further heteroatom from the group O, S and N.

The replacement of a phosphodiester bridge located at the 3' and/or the 5' end of a nucleoside by a dephospho bridge (dephospho bridges are described, for example, in Uhlmann E and Peyman A in "Methods in Molecular Biology", Vol. 20, "Protocols for Oligonucleotides and Analogs", S. Agrawal, Ed., Humana Press, Totowa, 1993, Chapter 16, pp. 355 ff), wherein a dephospho bridge is for example selected from the dephospho bridges formacetal, 3'-thioformacetal, methylhydroxylamine, oxime, methylenedimethyl-hydrazo, dimethylenesulfone and/or silyl groups.

A sugar phosphate unit (i.e., a  $\beta$ -D-ribose and phosphodiester internucleoside bridge together forming a sugar phosphate unit) from the sugar phosphate backbone (i.e., a sugar phosphate backbone is composed of sugar phosphate units) can be replaced by another unit, wherein the other unit is for example suitable to build up a "morpholino-derivative" oligomer (as described, for example, in Stirchak EP et al. (1989) Nucleic Acids Res 17:6129-41), that is, e.g., the replacement by a morpholino-derivative unit; or to build up a polyamide nucleic acid ("PNA"; as described for example, in Nielsen PE et al. (1994) Bioconjug Chem 5:3-7), that is, e.g., the replacement by a PNA backbone unit, e.g., by 2-aminoethylglycine. The oligonucleotide may have other carbohydrate backbone modifications and replacements, such as peptide nucleic acids with phosphate groups (PHONA), locked nucleic acids (LNA), and oligonucleotides having backbone sections with alkyl linkers or amino linkers. The alkyl linker may be branched or unbranched, substituted or unsubstituted, and chirally pure or a racemic mixture.

A  $\beta$ -ribose unit or a  $\beta$ -D-2'-deoxyribose unit can be replaced by a modified sugar unit, wherein the modified sugar unit is for example selected from  $\beta$ -D-ribose,  $\alpha$ -D-2'-deoxyribose, L-2'-deoxyribose, 2'-F-2'-deoxyribose, 2'-F-arabinose, 2'-O-(C1-C6)alkyl-ribose, preferably 2'-O-(C1-C6)alkyl-ribose is 2'-O-methylribose, 2'-O-(C2-C6)alkenyl-ribose, 2'-[O-(C1-C6)alkyl- $O-(C_1-C_6)$ alkyl]-ribose, 2'-NH<sub>2</sub>-2'-deoxyribose,  $\beta$ -D-xylo-furanose,  $\alpha$ -arabinofuranose, 2,4-dideoxy-β-D-erythro-hexo-pyranose, and carbocyclic (described, for example, in Froehler J (1992) Am Chem Soc 114:8320) and/or open-chain sugar analogs (described, for example, in 30 Vandendriessche et al. (1993) Tetrahedron 49:7223) and/or bicyclosugar analogs (described, for example, in Tarkov M et al. (1993) Helv Chim Acta 76:481).

In some embodiments the sugar is 2'-O-methylribose, particularly for one or both nucleotides linked by a phosphodiester or phosphodiester-like internucleoside linkage.

In some embodiments, the nucleic acids may be soft or semi-soft nucleic acids. A soft nucleic acid is an immunostimulatory nucleic acid having a partially stabilized backbone, in which phosphodiester or phosphodiester-like internucleotide linkages occur only within and immediately adjacent to at least one internal pyrimidine -purine dinucleotide (YZ). Preferably YZ is YG, a pyrimidine-guanosine (YG) dinucleotide. The at least one internal YZ dinucleotide itself has a phosphodiester or phosphodiester-like internucleotide linkage. A phosphodiester or phosphodiester-like internucleotide linkage occurring immediately adjacent to the at least one internal YZ dinucleotide can be 5', 3', or both 5' and 3' to the at least one internal YZ dinucleotide.

10

15

20

25

30

In particular, phosphodiester or phosphodiester-like internucleotide linkages involve "internal dinucleotides". An internal dinucleotide in general shall mean any pair of adjacent nucleotides connected by an internucleotide linkage, in which neither nucleotide in the pair of nucleotides is a terminal nucleotide, i.e., neither nucleotide in the pair of nucleotides is a nucleotide defining the 5' or 3' end of the nucleic acid. Thus a linear nucleic acid that is n nucleotides long has a total of n-1 dinucleotides and only n-3 internal dinucleotides. Each internucleotide linkage in an internal dinucleotide is an internal internucleotide linkage. Thus a linear nucleic acid that is n nucleotides long has a total of n-1 internucleotide linkages and only n-3 internal internucleotide linkages. The strategically placed phosphodiester or phosphodiester-like internucleotide linkages, therefore, refer to phosphodiester or phosphodiester or phosphodiester-like internucleotide linkages positioned between any pair of nucleotides in the nucleic acid sequence. In some embodiments the phosphodiester or phosphodiester-like internucleotide linkages are not positioned between either pair of nucleotides closest to the 5' or 3' end.

Preferably a phosphodiester or phosphodiester-like internucleotide linkage occurring immediately adjacent to the at least one internal YZ dinucleotide is itself an internal internucleotide linkage. Thus for a sequence  $N_1$  YZ  $N_2$ , wherein  $N_1$  and  $N_2$  are each, independent of the other, any single nucleotide, the YZ dinucleotide has a phosphodiester or phosphodiester-like internucleotide linkage, and in addition (a)  $N_1$  and Y are linked by a phosphodiester or phosphodiester-like internucleotide linkage when  $N_1$  is an internal nucleotide, (b) Z and  $N_2$  are linked by a phosphodiester or phosphodiester-like internucleotide linkage when  $N_2$  is an internal nucleotide, or (c)  $N_1$  and Y are linked by a phosphodiester or

WO 2004/094671 PCT/US2004/012788

phosphodiester-like internucleotide linkage when  $N_1$  is an internal nucleotide and Z and  $N_2$  are linked by a phosphodiester or phosphodiester-like internucleotide linkage when  $N_2$  is an internal nucleotide.

5

10

15

20

25

30

Soft nucleic acids according to the instant invention are believed to be relatively susceptible to nuclease cleavage compared to completely stabilized nucleic acids. Without meaning to be bound to a particular theory or mechanism, it is believed that soft nucleic acids of the invention are cleavable to fragments with reduced or no immunostimulatory activity relative to full-length soft nucleic acids. Incorporation of at least one nuclease-sensitive internucleotide linkage, particularly near the middle of the nucleic acid, is believed to provide an "off switch" which alters the pharmacokinetics of the nucleic acid so as to reduce the duration of maximal immunostimulatory activity of the nucleic acid. This can be of particular value in tissues and in clinical applications in which it is desirable to avoid injury related to chronic local inflammation or immunostimulation, e.g., the kidney.

A semi-soft nucleic acid is an immunostimulatory nucleic acid having a partially stabilized backbone, in which phosphodiester or phosphodiester-like internucleotide linkages occur only within at least one internal pyrimidine-purine (YZ) dinucleotide. Semi-soft nucleic acids generally possess increased immunostimulatory potency relative to corresponding fully stabilized immunostimulatory nucleic acids. Due to the greater potency of semi-soft nucleic acids, semi-soft nucleic acids may be used, in some instances, at lower effective concentations and have lower effective doses than conventional fully stabilized immunostimulatory nucleic acids in order to achieve a desired biological effect.

It is believed that the foregoing properties of semi-soft nucleic acids generally increase with increasing "dose" of phosphodiester or phosphodiester-like internucleotide linkages involving internal YZ dinucleotides. Thus it is believed, for example, that generally for a given nucleic acid sequence with five internal YZ dinucleotides, an nucleic acid with five internal phosphodiester or phosphodiester-like YZ internucleotide linkages is more immunostimulatory than an nucleic acid with four internal phosphodiester or phosphodiester-like YG internucleotide linkages, which in turn is more immunostimulatory than an nucleic acid with three internal phosphodiester or phosphodiester-like YZ internucleotide linkages, which in turn is more immunostimulatory than an nucleic acid with two internal phosphodiester or phosphodiester-like YZ internucleotide linkages, which in turn is more immunostimulatory than an nucleic acid with one internal phosphodiester or phosphodiester-like YZ internucleotide linkage. Importantly, inclusion of even one internal phosphodiester or

WO 2004/094671 PCT/US2004/012788

phosphodiester-like YZ internucleotide linkage is believed to be advantageous over no internal phosphodiester or phosphodiester-like YZ internucleotide linkage. In addition to the number of phosphodiester or phosphodiester-like internucleotide linkages, the position along the length of the nucleic acid can also affect potency.

**5** .

10

15

20

25

The soft and semi-soft nucleic acids will generally include, in addition to the phosphodiester or phosphodiester-like internucleotide linkages at preferred internal positions, 5' and 3' ends that are resistant to degradation. Such degradation-resistant ends can involve any suitable modification that results in an increased resistance against exonuclease digestion over corresponding unmodified ends. For instance, the 5' and 3' ends can be stabilized by the inclusion thereof at least one phosphate modification of the backbone. In a preferred embodiment, the at least one phosphate modification of the backbone at each end is independently a phosphorothioate, phosphorodithioate, methylphosphonate, or methylphosphorothioate internucleotide linkage. In another embodiment, the degradation-resistant end includes one or more nucleotide units connected by peptide or amide linkages at the 3' end.

A phosphodiester internucleotide linkage is the type of linkage characteristic of nucleic acids found in nature. The phosphodiester internucleotide linkage includes a phosphorus atom flanked by two bridging oxygen atoms and bound also by two additional oxygen atoms, one charged and the other uncharged. Phosphodiester internucleotide linkage is particularly preferred when it is important to reduce the tissue half-life of the nucleic acid.

A phosphodiester-like internucleotide linkage is a phosphorus-containing bridging group that is chemically and/or diastereomerically similar to phosphodiester. Measures of similarity to phosphodiester include susceptibility to nuclease digestion and ability to activate RNAse H. Thus for example phosphodiester, but not phosphorothioate, nucleic acids are susceptible to nuclease digestion, while both phosphodiester and phosphorothioate nucleic acids activate RNAse H. In a preferred embodiment the phosphodiester-like internucleotide linkage is boranophosphate (or equivalently, boranophosphonate) linkage. U.S. Patent No. 5,177,198; U.S. Patent No. 5,859,231; U.S. Patent No. 6,160,109; U.S. Patent No. 6,207,819; Sergueev et al., (1998) J Am Chem Soc 120:9417-27. In another preferred embodiment the phosphodiester-like internucleotide linkage is diasteromerically pure Rp phosphorothioate. It is believed that diasteromerically pure Rp phosphorothioate is more susceptible to nuclease digestion and is better at activating RNAse H than mixed or diastereomerically pure Sp phosphorothioate. Stereoisomers of CpG nucleic acids are the subject of co-pending U.S.

10

15

20

25

30

patent application 09/361,575 filed July 27, 1999, and published PCT application PCT/US99/17100 (WO 00/06588). It is to be noted that for purposes of the instant invention, the term "phosphodiester-like internucleotide linkage" specifically excludes phosphorodithioate and methylphosphonate internucleotide linkages.

As described above the soft and semi-soft nucleic acids of the invention may have phosphodiester like linkages between C and G. One example of a phosphodiester-like linkage is a phosphorothioate linkage in an Rp conformation. Nucleic acid p-chirality can have apparently opposite effects on the immune activity of a CpG nucleic acid, depending upon the time point at which activity is measured. At an early time point of 40 minutes, the R<sub>p</sub> but not the S<sub>P</sub> stereoisomer of phosphorothioate CpG nucleic acid induces JNK phosphorylation in mouse spleen cells. In contrast, when assayed at a late time point of 44 hr, the S<sub>P</sub> but not the R<sub>p</sub> stereoisomer is active in stimulating spleen cell proliferation. This difference in the kinetics and bioactivity of the R<sub>p</sub> and S<sub>P</sub> stereoisomers does not result from any difference in cell uptake, but rather most likely is due to two opposing biologic roles of the p-chirality. First, the enhanced activity of the Rp stereoisomer compared to the Sp for stimulating immune cells at early time points indicates that the Rp may be more effective at interacting with the CpG receptor, TLR9, or inducing the downstream signaling pathways. On the other hand, the faster degradation of the Rp PS-nucleic acids compared to the Sp results in a much shorter duration of signaling, so that the Sp PS-nucleic acids appear to be more biologically active when tested at later time points.

A surprisingly strong effect is achieved by the p-chirality at the CpG dinucleotide itself. In comparison to a stereo-random CpG nucleic acid the congener in which the single CpG dinucleotide was linked in Rp was slightly more active, while the congener containing an Sp linkage was nearly inactive for inducing spleen cell proliferation.

Nucleic acids also include substituted purines and pyrimidines such as C-5 propyne pyrimidine and 7-deaza-7-substituted purine modified bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, and thymine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

A modified base is any base which is chemically distinct from the naturally occurring bases typically found in DNA and RNA such as T, C, G, A, and U, but which share basic chemical structures with these naturally occurring bases. The modified nucleoside base may be, for example, selected from hypoxanthine, uracil, dihydrouracil, pseudouracil, 2-thiouracil,

20

4-thiouracil, 5-aminouracil, 5-(C<sub>1</sub>-C<sub>6</sub>)-alkyluracil, 5-(C<sub>2</sub>-C<sub>6</sub>)-alkenyluracil, 5-(C<sub>2</sub>-C<sub>6</sub>)-alkynyluracil, 5-(hydroxymethyl)uracil, 5-chlorouracil, 5-fluorouracil, 5-bromouracil, 5-hydroxycytosine, 5-(C<sub>1</sub>-C<sub>6</sub>)-alkylcytosine, 5-(C<sub>2</sub>-C<sub>6</sub>)-alkenylcytosine, 5-(C<sub>2</sub>-C<sub>6</sub>)-alkynylcytosine, 5-chlorocytosine, 5-fluorocytosine, 5-bromocytosine, N<sup>2</sup>-dimethylguanine,
2,4-diamino-purine, 8-azapurine, a substituted 7-deazapurine, preferably 7-deaza-7-substituted and/or 7-deaza-8-substituted purine, 5-hydroxymethylcytosine, N4-alkylcytosine, e.g., N4-ethylcytosine, 5-hydroxydeoxycytidine, 5-hydroxymethyldeoxycytidine, N4-alkyldeoxycytidine, e.g., N4-ethyldeoxycytidine, 6-thiodeoxyguanosine, and deoxyribonucleosides of nitropyrrole, C5-propynylpyrimidine, and diaminopurine e.g., 2,6-diaminopurine, inosine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, hypoxanthine or other modifications of a natural nucleoside bases. This list is meant to be exemplary and is not to be interpreted to be limiting.

Modified cytosines include but are not limited to 5-substituted cytosines (e.g., 5-methyl-cytosine, 5-fluoro-cytosine, 5-chloro-cytosine, 5-bromo-cytosine, 5-iodo-cytosine, 5-hydroxy-cytosine, 5-hydroxymethyl-cytosine, 5-difluoromethyl-cytosine, and unsubstituted or substituted 5-alkynyl-cytosine), 6-substituted cytosines, N4-substituted cytosines (e.g., N4-ethyl-cytosine), 5-aza-cytosine, 2-mercapto-cytosine, isocytosine, pseudo-isocytosine, cytosine analogs with condensed ring systems (e.g., N,N'-propylene cytosine or phenoxazine), and uracil and its derivatives (e.g., 5-fluoro-uracil, 5-bromo-uracil, 5-bromo-uracil, 4-thio-uracil, 5-hydroxy-uracil, 5-propynyl-uracil). In another embodiment, the cytosine base is substituted by a universal base (e.g., 3-nitropyrrole, P-base), an aromatic ring system (e.g., fluorobenzene or difluorobenzene) or a hydrogen atom (dSpacer).

Modified guanines include but are not limited to 7-deazaguanine,

7-deaza-7-substituted guanine (such as 7-deaza-7-(C2-C6)alkynylguanine),

7-deaza-8-substituted guanine, hypoxanthine, N2-substituted guanines (e.g., N2-methylguanine), 5-amino-3-methyl-3H,6H-thiazolo[4,5-d]pyrimidine-2,7-dione, 2,6-diaminopurine,

2-aminopurine, purine, indole, adenine, substituted adenines (e.g., N6-methyl-adenine, 8-oxoadenine) 8-substituted guanine (e.g., 8-hydroxyguanine and 8-bromoguanine), and

6-thioguanine. In another embodiment, the guanine base is substituted by a universal base (e.g., 4-methyl-indole, 5-nitro-indole, and K-base), an aromatic ring system (e.g., benzimidazole or dichloro-benzimidazole, 1-methyl-1H-[1,2,4]triazole-3-carboxylic acid amide) or a hydrogen atom (dSpacer).

10

15

20

25

30

For use in the instant invention, the oligonucleotide reference compounds and test compounds can be synthesized *de novo* using any of a number of procedures well known in the art, for example, the β-cyanoethyl phosphoramidite method (Beaucage SL et al. (1981) *Tetrahedron Lett* 22:1859), or the nucleoside H-phosphonate method (Garegg et al. (1986) *Tetrahedron Lett* 27:4051-4; Froehler BC et al. (1986) *Nucleic Acids Res* 14:5399-407; Garegg et al (1986) *Tetrahedron Lett* 27:4055-8; Gaffney et al. (1988) *Tetrahedron Lett* 29:2619-22). These chemistries can be performed by a variety of automated nucleic acid synthesizers available in the market. These oligonucleotides are referred to as synthetic oligonucleotides. An isolated oligonucleotide generally refers to an oligonucleotide which is separated from components which it is normally associated with in nature. As an example, an isolated oligonucleotide may be one which is separated from a cell, from a nucleus, from mitochondria or from chromatin.

Modified backbones such as phosphorothioates can be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl-and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Pat. No. 092,574) can be prepared by automated solid phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described (e.g., Uhlmann E et al. (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165).

## TLR expression

The cell lines can be used in their native state without any modification. For example, in the case of the RPMI 8226 cell line, it can be used to identify compounds that signal through at least TLR9 and/or TLR7. In other instances, however, the cell line can be modified to express a TLR that it does not naturally express. In still other instances, the cell to be used in the screening method may express one or more endogenous TLR and yet still be manipulated to express an additional TLR different from those it endogenously expresses. The cell may also be manipulated in order to increase or decrease the level of TLR that it endogenously expresses. The cells may be stably or transiently transfected.

A cell that does not naturally express a protein or polypeptide, but is genetically manipulated to do so is referred to as ectopically expressing the protein or polypeptide.

10

15

20

25

30

The basic screening method remains the same regardless of which TLR is expressed by the cell. However, the reference compound and the readout may vary depending upon the TLR(s) expressed. In the most simple aspect, the screening method is used to identify a compound that signals through a TLR such as for example TLR9. In this case, the positive reference compound may be an immunostimulatory compound already known to act through TLR9 (e.g., CpG nucleic acid).

The methods of the invention involve, in part, contacting a functional TLR with a test composition. A functional TLR is a full-length TLR protein or a fragment thereof capable of inducing or inhibiting a signal in response to interaction with its ligand. Generally the functional TLR will include at least a TLR ligand-binding fragment of the extracellular domain of the full-length TLR and at least a fragment of a TIR domain capable of interacting with another Toll homology domain-containing polypeptide, e.g., MyD88. In various embodiments the functional TLR is a full-length TLR selected from TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9, and TLR10.

To date, there are eleven TLRs known. Nucleic acid and amino acid sequences for ten currently known human TLRs are available from public databases such as GenBank. Similarly, nucleic acid and amino acid sequences for various TLRs from numerous non-human species are also available from public databases including GenBank. For example, nucleic acid and amino acid sequences for human TLR9 (hTLR9) can be found as GenBank accession numbers AF245704 (coding region spanning nucleotides 145-3243) (SEQ ID NO: 60) and AAF78037 (SEQ ID NO: 62), respectively. Nucleic acid and amino acid sequences for murine TLR9 (mTLR9) can be found as GenBank accession numbers AF348140 (coding region spanning nucleotides 40-3138) (SEQ ID NO: 68) and AAK29625 (SEQ ID NO: 72), respectively.

Nucleic acid and amino acid sequences for human TLR8 (hTLR8) can be found as GenBank accession numbers AF245703 (coding region spanning nucleotides 49-3174) (SEQ ID NO: 46) and AAF78036 (SEQ ID NO: 50), respectively. Nucleic acid and amino acid sequences for murine TLR8 (mTLR8) can be found as GenBank accession numbers AY035890 (coding region spanning nucleotides 59-3157) (SEQ ID NO: 55) and AAK62677 (SEQ ID NO: 57), respectively.

Nucleic acid and amino acid sequences for human TLR7 (hTLR7) can be found as GenBank accession numbers AF240467 (coding region spanning nucleotides 135-3285) (SEQ ID NO: 31) and AAF60188 (SEQ ID NO: 34), respectively. Nucleic acid and amino acid

10

15

20

25

30

sequences for murine TLR7 (mTLR7) can be found as GenBank accession numbers AY035889 (coding region spanning nucleotides 49-3201) (SEQ ID NO: 38) and AAK62676 (SEO ID NO: 41), respectively.

Nucleic acid and amino acid sequences for human TLR3 (hTLR3) can be found as GenBank accession numbers NM\_003265 (coding region spanning nucleotides 102-2816) (SEQ ID NO: 7) and NP\_003256 (SEQ ID NO: 8), respectively. Nucleic acid and amino acid sequences for murine TLR3 (hTLR3) can be found as GenBank accession numbers AF355152 (coding region spanning nucleotides 44-2761) (SEQ ID NO: 9) and AAK26117 (SEQ ID NO: 10), respectively.

Nucleic acid and amino acid sequences for human TLR1 (hTLR1) can be found as GenBank accession numbers NM\_003263 and NP\_003254, respectively. Nucleic acid and amino acid sequences for murine TLR1 (mTLR1) can be found as GenBank accession numbers NM\_030682 and NP\_109607, respectively.

The functional TLR also is not limited to native TLR polypeptides. As used herein, a native TLR is one that is naturally occurring. The TLR may be a non-native (or non-naturally occurring TLR). An example is a chimeric TLR having an extracellular domain and the cytoplasmic domain derived from TLRs from different species. Such chimeric TLR polypeptides can include, for example, a human TLR extracellular domain and a murine TLR cytoplasmic domain. In alternative embodiments, such chimeric TLR polypeptides can include chimerae created with different TLR splice variants or allotypes.

## TLR Signaling Pathways

The screening methods provided by the invention measure TLR signaling activity. TLR signaling activity is activity that results from interaction of a TLR with a TLR ligand. TLR signaling can be measured in a number of ways including but not limited to interaction between a TLR and a protein or factor (such as an adaptor protein), interaction between downstream proteins or factors (such as an adaptor protein) with each other, activation of nuclear factors such as transcription factors or transcription complexes, up- or downregulation of genes, phosphorylation or dephosphorylation of proteins or factors in the signaling cascade, expression, production and/or secretion of cytokines and/or chemokines, changes in cell cycle status, up- or down-regulation of cell surface marker expression, and the like. Those of ordinary skill in the art are familiar with assays for measuring these latter

WO 2004/094671 PCT/US2004/012788

- 51 -

events including but not limited to gel shift assays, immunoprecipitations, phosphorylation status analysis of proteins, Northern analysis, RT-PCR analysis, etc.

5

10

15

20

25

30

The following is an exemplary TLR signaling pathway or cascade. It is to be understood that this is meant to be illustrative and that different factors may be involved in the signaling of particular TLR. One TLR signaling pathway is known to use the cytoplasmic Toll/IL-1 receptor (TIR) homology domain, present in all TLRs. This domain interacts (e.g., binds to) and thereby transduces a signal to a similar domain on an adapter protein (e.g., MyD88). This type of interaction is referred to as a like: like interaction of TIR domains. This interaction is followed by an another interaction between the adapter protein and a kinase, through their respective "death domains". In the case of at least TLR4 signaling, the kinase then interacts with tumor necrosis factor (TNF) receptor-associated factor-6 (TRAF6). Medzhitov R et al., Mol Cell 2:253 (1998); Kopp EB et al., Curr Opin Immunol 11:15 (1999). After TRAF6, two sequential kinase activation steps lead to phosphorylation of the inhibitory protein I kappa B and its dissociation from NF-κB. The first kinase is a mitogen-activated kinase kinase kinase (MAPKKK) known as NIK, for NF-kB-inducing kinase. The target of this kinase is another kinase made up of two chains, called I kappa B kinase  $\alpha$  (IKK  $\alpha$ ) and I kappa B kinase  $\beta$  (IKK  $\beta$ ), that together form a heterodimer of IKK $\alpha$ :IKK $\beta$ , which phosphorylates I kappa B. NF-κB translocates to the nucleus to activate genes with kappa B binding sites in their promoters and enhancers such as the genes encoding IL-6, IL-8, the p40 subunit of IL-12, and the costimulatory molecule CD86. The signaling mechanisms of TLRs are not limited to this pathway; other signaling pathways exist and can be used in the screening readouts of the methods provided herein.

The screening assays employ a number of readouts (or parameters). The readouts can be native readouts. A native readout is one that does not rely on introduction of a reporter construct into the cell of interest. The readouts can be artificial. An artificial readout is one that relies on introduction of a reporter construct into the cell of interest. Examples of both are provided herein. In still other embodiments, a given assay may measure one or more native readouts and one or more artificial readouts. Each readout whether native or artificial is related to signaling pathways that ensue after TLR engagement with a ligand.

Each cell line described herein will be associated with a particular set of native readouts which the invention seeks to determine in the screening assays provided. As an example, the response of the RPMI 8226 cell line to an immunomodulatory molecule can be assessed in terms of native readouts such as CD71 expression, CD86 expression, HLA-DR

expression, IL-8 expression, IL-8 production, IL-8 secretion, IL-10 expression, IL-10 production, IL-10 secretion, IP-10 expression, IP-10 production, IP-10 secretion, TNF-α expression, TNF-α production and TNF-α secretion. RAMOS response can be assessed, inter alia, by CD80 cell surface expression. Raji response can be assessed, inter alia, by IL-6 secretion.

5

10

15

20

25

30

As described in greater detail herein, the cell line can be used in an unmodified form. In one respect, an unmodified cell line will naturally respond to a TLR ligand through a native readout system. For example, an RPMI 8226 cell exposed to an immunostimulatory TLR ligand may increase expression of IP-10 from the native gene locus. Alternatively, the cell line may be modified to contain a reporter construct that acts as a surrogate for the IP-10 gene locus. For example, the reporter construct may contain the TLR responsive promoter elements that are naturally found in the native IP-10 locus operably linked to a reporter coding sequence that encodes a gene product that is detectable and quantifiable. The structure and variability of suitable reporter constructs will be discussed in greater detail herein.

Readouts typically include the induction of a gene under control of a specific promoter such as a NF-κB promoter. The gene under the control of the NF-κB promoter can be a gene which naturally includes an NF-κB promoter or it can be a gene in a construct in which an NF-κB promoter has been inserted. Endogenous genes and transfected constructs which include the NF-κB promoter include but are not limited to IL-8, IL-12 p40, NF-κB-luc, IL-12 p40-luc, and TNF-luc.

Increases in cytokine levels can result from increased production, increased stability, increased secretion, or any combination of the forgoing, of the cytokine in response to the TLR-mediated signaling. Cytokines generally include, without limitation, IL-1, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-10, IL-11, IL-12, IL-13, IL-15, IL-18, IFN-α, IFN-γ, TNF-α, GM-CSF, G-CSF, M-CSF. Th1 cytokines include but are not limited to IL-2, IFN-γ, and IL-12. Th2 cytokines include but are not limited to IL-10.

Increases in chemokine levels can result from increased production, increased stability, increased secretion, or any combination of the forgoing, of the chemokine in response to the TLR-mediated signaling. Chemokines of particular significance in the invention include but are not limited to CCL5 (RANTES), CXCL9 (Mig), CXCL10 (IP-10), CXCL11 (I-TAC), IL-8, and MCP-1.

TLR signaling activity can also be measured by phosphorylation, such as total cellular phosphorylation or phosphorylation of specific factors such as but not limited to IRAK, ERK, MyD88, TRAF6, p38, NF-κB subunits, c-Jun and c-Fos.

TLR signaling activity can be measured by changes in gene expression. The expression of CD71, CD86, CD80, CD69, CD54, HLA-DR, HLA class I, IL-6, IL-8, IL-10, IP-9, IP-10, IFN-α, TNF-α, and the like can be assessed as a measure of TLR signaling activity. Gene expression analysis may be performed using microarray techniques.

TLR signaling activity can also be measured by cell proliferation status or changes thereto.

TLR signaling activity can also be measured by cell surface marker expression such as the cell surface expression of markers such as but not limited to CD71, CD86, HLA-DR, CD80, HLA class I, CD54 and CD69.

TLR signaling activity can also be measured by antibody secretion such as but not limited to IgM secretion.

15

20

25

30

5

10

#### Reporter and Expression Constructs

The cells can be manipulated by the introduction of expression and/or reporter constructs. The expression constructs preferably comprise a TLR coding sequence, as described above. The reporter constructs can be used as surrogate measures of native TLR signaling activity. These reporter constructs are intended to substitute for the "native" readouts capable with the cell line. In order to act as substitutes, the reporter constructs include a promoter element derived from a gene known to be modulated following TLR engagement with a TLR ligand. The reporter construct further includes a coding sequence linked to the promoter. The coding sequence is usually that of a reporter (i.e., a protein that is detectable or quantifiable).

The reporter construct generally includes a promoter, a coding sequence and a polyadenylation signal. These nucleic acids shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, in addition to promoter elements that are responsive to TLR signaling. The nucleic acid constructs may optionally include enhancer sequences or upstream activator sequences as desired.

The promoter in the reporter construct will include a TLR responsive promoter element, and will therefore be regarded as a TLR responsive promoter. As used herein, a

10

15

20

35

TLR responsive promoter is a promoter having an activity that is modulated (i.e., either activated or inhibited) by signaling through a TLR (e.g., by TLR interaction with its ligand). In order to be modulated by TLR signaling, the promoter contains sites that are bound by transcription factors modulated by TLR signaling. The factors may be activated or inhibited by TLR signaling. Activation of the transcription factor includes increases in the activity of the transcription factor per se, increases in its ability to interact with other factors or with DNA that serve to increase its activity, and increases in its transcription and translation (i.e., increased mRNA and protein levels of the transcription factor). Conversely, inhibition of the transcription factor includes decreases in the activity of the transcription factor per se, decreases in its ability to interact with other factors or with DNA that serve to decrease its activity, and decreases in its transcription and translation (i.e., decreased mRNA and protein levels of the transcription factor). The effect on the transcription factor is usually the downstream result of other interactions in the signaling pathway. The expression of coding sequences linked to such promoters will therefore be modulated by TLR signaling events, and it is the level of expression of these coding sequences that can be used as a readout of TLR signaling in the screening methods provided herein.

The TLR responsive promoter may comprise a transcription factor binding site selected from the group consisting of a NF-kB binding site, an AP-1 binding site, a CRE, a SRE, an interferon-stimulated response element (ISRE), a GAS, an ATF2 binding site, an IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE, among others. These binding sites and their sequences are known in the art. Below is a exemplary list of these sequences.

W = A or T, R = A or G, Y = C or T

25 NF-κB Binding site:

Consensus p50 subunit 5' GGGGATYCCC 3' (SEQ ID NO:90)

30 Consensus p65 subunit 5' GGGRNTTTCC 3' (SEQ ID NO:91)

Example of p65 subunit binding site 5' AGT TGA GGG GAC TTT CCC AGG C 3' (SEQ ID NO:92)

CREB Binding site:

5'AGA GAT TGC CTG ACG TCA GAG AGC TAG 3' (SEQ ID NO:93)

- 55 -

```
AP-1 Binding site:
             5'- CGC TTG ATG AGT CAG CCG GAA -3' (SEQ ID NO:94)
             5'- CGC ATG AGT CAG ACA -3' (SEQ ID NO:95)
    ISRE:
5
             5'- TGCAGAAGTGAAACTGAGG-3' (SEQ ID NO:96)
             5'- AGAACGAAACA-3' (SEQ ID NO:97)
             5'- GAGAAGTGAAAGTGG-3' (SEQ ID NO:98)
             5'- TAAGAACATGAAACTGAA-3' (SEQ ID NO:99)
             5'- ATGAAACTGAAAGTA-3' (SEQ ID NO:100)
10
             5'- TGAAAACCGAAAGCGC-3' (SEQ ID NO:101)
             5'- AGAAATGGAAAGT-3' (SEQ ID NO:102)
    SRE
             5'- TCACCCCAC-3' (SEQ ID NO:103)
15
             5'- CTCACCCCAC-3' (SEQ ID NO:104)
             5'- GCCACCCTAC-3' (SEQ ID NO:105)
    NFAT:
             5'- TATGAAACAGTTTTTCC -3' (SEQ ID NO:106)
20
             5'- AGGAAACTC -3' (SEQ ID NO:107)
             5'- ARGARATTCC -3' (SEQ ID NO:108)
             5'- CCAGTTGAGCCAGAGA -3' (SEQ ID NO:109)
     GAS:
25
             5'- CTTTCAGTTTCATATTACTCTAAATCCATT -3' (SEQ ID NO:110)
     p53 Binding Site:
             p53 Consensus site:
30
             5'- RRRCWWGYYY -3' (SEQ ID NO:111)
             Examples of p53 binding sites:
             5'- AGGCATGCCT -3' (SEQ ID NO:112)
             5'- GGGCTTGCCC -3' (SEQ ID NO:113)
35
             5'- GGGCTTGCTT -3' (SEQ ID NO:114)
             5'- GCCTGGACTTGCC -3' (SEQ ID NO:115)
             5'- GGACATGCCCGGGCATGTCC -3' (SEQ ID NO:116)
             5'- GTAGCATTAGCCCAGACATGTCC -3' (SEQ ID NO:117)
40
     TARE (TNF-\alpha response element):
     e.g. from the COL1A1 promoter
                5'GAGGTATGCAGACAAGAGTCAGAGTTTCCCCTTGAA 3' (SEQ ID
     NO:118)
45
     SRF
                5'- CCWWWWWWGG -3' (SEQ ID NO:119)
                5'- CCAAATAAGGC -3' (SEQ ID NO:120)
```

10

15

20

25

30

The TLR responsive promoter element can be derived from the promoter of a naturally occurring (i.e., an endogenous) gene that is activated or inhibited by TLR signaling (such as the IL-6 gene, the IL-8 gene, the IL-10 gene, the IL-12 p40 gene, the IP-9 gene, the IP-10 gene, the type 1 IFN gene, the IFN- $\alpha$ 4 gene, the IFN- $\beta$ 6 gene, the TNF- $\alpha$ 6 gene, the TNF- $\alpha$ 6 gene, the RANTES gene, the ITAC gene, the IGFBP4 gene, the CD54 gene, the CD69 gene, the CD71 gene, the CD80 gene, the CD86 gene, the HLA-DR gene, the HLA class I gene, and the like). The afore-mentioned genes are genes that are known to be activated in response to TLR interaction with its ligand.

Suitable promoter regions are described in the Examples. Briefly, the upstream (5') – 620 to +50 promoter region of IFN- $\alpha$ 4 or the upstream (5') –140 to +9 promoter region of IFN- $\alpha$ 1 can be used. In one embodiment, the IFN- $\alpha$ 4 sequence is cloned into the *SmaI* site of the pGL3-Basic Vector (Promega) resulting in an expression vector that includes a luciferase gene under the control of the upstream (5') promoter region of IFN- $\alpha$ 4.

The promoter can also be the upstream (5') –280 to +20 promoter region of IFN- $\beta$ .

The promoter can also be the upstream (5') –397 to +5 promoter region of RANTES. In one embodiment, the RANTES promoter sequence is cloned into the NheI site (filled in with Klenow) of the pGL3-Basic Vector (Promega) resulting in an expression vector that includes a luciferase gene under the control of the upstream (5') –397 to +5 promoter region of RANTES.

The promoter can also be the upstream truncated (-250 to +30) and full length (-860 to +30) promoter regions derived from human IL-12 p40 genomic DNA. In one embodiment, the truncated IL-12 p40 promoter was cloned as a KpnI-XhoI insert into pβgal-Basic (Promega) resulting in an expression vector that includes a β gal gene under the control of the upstream (5') -250 to +30 promoter region of human IL-12 p40. In another embodiment, the full length IL-12 p40 promoter was cloned as a KpnI-XhoI insert into pβgal-Basic (Promega) resulting in an expression vector that includes a β gal gene under the control of the upstream (5') -751 to +30 promoter region of human IL-12 p40. In another embodiment, the truncated -250 to +30 promoter region of human IL-12 p40 was cloned into the pGL3-Basic Vector (Promega) resulting in an expression vector that includes a luciferase gene under the control of the upstream (5') -250 to +30 promoter region of human IL-12 p40. In yet another embodiment, the full length IL-12 p40 promoter of human IL-12 p40 was cloned into the

pGL3-Basic Vector (Promega) resulting in an expression vector that includes a luciferase gene under the control of the upstream (5') -751 to +30 promoter region of human IL-12 p40.

The promoter can also be the upstream (5') -288 to +7 promoter region derived from human IL-6 genomic DNA. The promoter can also be derived from the full-length promoter region of the IL-6 gene from -1174 to +7 (Accession No M22111, SEQ ID NO:129).

The promoter can also be the upstream (5') -734 to +44 or the upstream (5') -162 to +44 promoter region derived from human IL-8 genomic DNA. Mukaida N et al. (1989) J Immunol 143:1366-71.

The promoter can also be derived from the -615 to +30 promoter region of human 10 TNF- $\alpha$ .

5

15

20

25

30

The promoter can also be derived from a promoter region of human TNF-β.

The promoter can also be derived from the -875 to +97 promoter region of human IP
10.

The promoter can also be derived from the -219 to +114 promoter region of human CXCL11 (IP9). The promoter can also be derived from the full length (-934 to +114) promoter region of human CXCL11 (IP9).

The promoter can also be derived from the -289 to +217 promoter region of human IGFBP4 (Insulin growth factor binding protein 4). The promoter can also be derived from the full length (-836 to +217) promoter region of human IGFBP4.

The promoter response element generally will be present in multiple copies, e.g., as tandem repeats. For example, in one reporter construct, coding sequence for luciferase is under control of an upstream 6X tandem repeat of NF-kB response element. In another example, an ISRE-luciferase reporter construct useful in the invention is available from Stratagene (catalog no. 219092) and includes a 5x ISRE tandem repeat joined to a TATA box upstream of a luciferase reporter gene.

The reporter construct coding sequence is preferably any nucleotide sequence that codes for a protein capable of detection or quantification. The protein can be an enzyme (e.g., luciferase, alkaline phosphatase, β-galactosidase, chloramphenicol acetyltransferase (CAT), secreted alkaline phosphatase, etc.), a bioluminescence marker (e.g., green fluorescent protein (GFP, U.S. Pat. No. 5,491,084), etc.), blue fluorescent protein (BFP, e.g., U.S. Pat. No. 6,486,382), etc.), a surface-expressed molecule (e.g., CD25, CD80, CD86), a secreted molecule (e.g., IL-1, IL-6, IL-8, IL-12 p40, TNF-α), a hapten or antigen, and other detectable protein products known to those of skill in the art. For assays relying on enzyme activity

readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using flow cytometry (FACS) analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many of these and other suitable readout systems are well known in the art and are commercially available. Preferably, the coding sequence encodes a protein having a level or an activity that is quantifiable, preferably with a wide linear range.

5

10

15

20

25

30

The expression construct coding sequence is preferably a TLR coding sequence derived from the sequences listed herein. Preferably, the expression construct promoter is a constitutive promoter, although in some embodiments it may be inducible. Those of ordinary skill in the art are familiar with such promoters.

As used herein, a coding sequence and the regulatory sequences (such as promoters) are said to be operably linked when they are covalently linked in such a way as to place the expression or transcription and/or translation of the coding sequence under the influence or control of the regulatory sequence. Two DNA sequences are said to be operably linked if induction of a promoter in the 5' regulatory sequence results in the transcription of the coding sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the coding sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a regulatory sequence would be operably linked to a coding sequence if the gene expression sequence were capable of effecting transcription of that coding sequence such that the resulting transcript is translated into the desired protein or polypeptide.

Methods for nucleic acid introduction into cells are known in the art.

The nucleic acid may be delivered to the cells alone or in association with a vector. In its broadest sense, a vector is any vehicle capable of facilitating the transfer of the nucleic acid to the cells so that the reporter can be expressed. The vector generally transports the nucleic acid to the cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In general, the vectors useful in the invention include, but are not limited to, plasmids, phagemids, viruses, other vehicles derived from viral or bacterial sources that have been manipulated by the insertion or incorporation of the antigen nucleic acid sequences. Viral vectors are a preferred type of vector and include, but are not limited

10

15

20

25

30

to, nucleic acid sequences from the following viruses: retrovirus, such as Moloney murine leukemia virus, Harvey murine sarcoma virus, murine mammary tumor virus, and Rous sarcoma virus; adenovirus, adeno-associated virus; SV40-type viruses; polyoma viruses; Epstein-Barr viruses; papilloma viruses; herpes virus; vaccinia virus; polio virus; and RNA virus such as a retrovirus. One can readily employ other vectors not named but known in the art.

Preferred viral vectors are based on non-cytopathic eukaryotic viruses in which non-essential genes have been replaced with the gene of interest. Non-cytopathic viruses include retroviruses, the life cycle of which involves reverse transcription of genomic viral RNA into DNA with subsequent proviral integration into host cellular DNA. Retroviruses have been approved for human gene therapy trials. Most useful are those retroviruses that are replication-deficient (i.e., capable of directing synthesis of the desired proteins, but incapable of manufacturing an infectious particle). Such genetically altered retroviral expression vectors have general utility for the high-efficiency transduction of genes *in vivo*. Standard protocols for producing replication-deficient retroviruses (including the steps of incorporation of exogenous genetic material into a plasmid, transfection of a packaging cell lined with plasmid, production of recombinant retroviruses by the packaging cell line, collection of viral particles from tissue culture media, and infection of the target cells with viral particles) are provided in Kriegler, M., Gene Transfer and Expression, A Laboratory Manual W.H. Freeman C.O., New York (1990) and Murray, E.J. Methods in Molecular Biology, vol. 7, Humana Press, Inc., Cliffton, New Jersey (1991).

A preferred virus for certain applications is the adeno-associated virus, a double-stranded DNA virus. The adeno-associated virus can be engineered to be replication deficient and is capable of infecting a wide range of cell types and species. It further has advantages such as, heat and lipid solvent stability; high transduction frequencies in cells of diverse lineages, including hemopoietic cells; and lack of superinfection inhibition thus allowing multiple series of transductions. Reportedly, wild-type adeno-associated virus manifest some preference for integration sites into human cellular DNA, thereby minimizing the possibility of insertional mutagenesis and variability of inserted gene expression characteristic of retroviral infection. In addition, wild-type adeno-associated virus infections have been followed in tissue culture for greater than 100 passages in the absence of selective pressure, implying that the adeno-associated virus genomic integration is a relatively stable event. The adeno-associated virus can also function in an extrachromosomal fashion.

10

15

20

25

30

Recombinant adeno-associated viruses that lack the replicase protein apparently lack this integration sequence specificity.

Other vectors include plasmid vectors. Plasmid vectors have been extensively described in the art and are well-known to those of skill in the art. See e.g., Sambrook et al., Molecular Cloning: A Laboratory Manual, Second Edition, Cold Spring Harbor Laboratory Press, 1989. In the last few years, plasmid vectors have been found to be particularly advantageous for delivering genes to cells *in vivo* because of their inability to replicate within and integrate into a host genome. These plasmids, however, having a promoter compatible with the host cell, can express a peptide from a gene operatively encoded within the plasmid. Some commonly used plasmids include pBR322, pUC18, pUC19, pRc/CMV, SV40, and pBlueScript. Other plasmids are well-known to those of ordinary skill in the art. Additionally, plasmids may be custom designed using restriction enzymes and ligation reactions to remove and add specific fragments of DNA.

In general, the vectors useful in the invention are divided into two classes: biological vectors and chemical/physical vectors. Biological vectors and chemical/physical vectors are useful in the delivery and/or uptake of reporter constructs of the invention.

Most biological vectors are used for delivery of nucleic acids and thus would be most appropriate in the delivery of nucleic acids.

As used herein, a "chemical/physical vector" refers to a natural or synthetic molecule, other than those derived from bacteriological or viral sources, capable of delivering the reference and test compound.

A preferred chemical/physical vector of the invention is a colloidal dispersion system. Colloidal dispersion systems include lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system of the invention is a liposome. Liposomes are artificial membrane vessels which are useful as a delivery vector in vivo or in vitro. It has been shown that large unilamellar vessels (LUV), which range in size from 0.2 - 4.0 µm can encapsulate large macromolecules. RNA, DNA and intact virions can be encapsulated within the aqueous interior and be delivered to cells in a biologically active form (Fraley, et al., Trends Biochem. Sci., (1981) 6:77).

Liposomes may be targeted to a particular tissue by coupling the liposome to a specific ligand such as a monoclonal antibody, sugar, glycolipid, or protein. Ligands which may be useful for targeting a liposome to an immune cell include, but are not limited to, intact or fragments of molecules which interact with immune cell specific receptors and molecules,

WO 2004/094671 PCT/US2004/012788

such as antibodies, which interact with the cell surface markers of immune cells. Such ligands may easily be identified by binding assays well known to those of skill in the art. In still other embodiments, the liposome may be targeted to the cancer by coupling it to a one of the immunotherapeutic antibodies discussed earlier. Additionally, the vector may be coupled to a nuclear targeting peptide, which will direct the vector to the nucleus of the host cell.

Lipid formulations for transfection are commercially available from QIAGEN, for example, as EFFECTENE<sup>TM</sup> (a non-liposomal lipid with a special DNA condensing enhancer) and SUPERFECT<sup>TM</sup> (a novel acting dendrimeric technology).

Liposomes are commercially available from Gibco BRL, for example, as LIPOFECTIN<sup>TM</sup> and LIPOFECTACE<sup>TM</sup>, which are formed of cationic lipids such as N-[1-(2, 3 dioleyloxy)-propyl]-N, N, N-trimethylammonium chloride (DOTMA) and dimethyl dioctadecylammonium bromide (DDAB). Methods for making liposomes are well known in the art and have been described in many publications. Liposomes also have been reviewed by Gregoriadis, G. in *Trends in Biotechnology*, (1985) 3:235-241. In some preferred embodiments, the method of choice for delivering DNA (for transfection) to the cells is electroporation, particularly where a stably transfected cell line is sought.

The present invention is further illustrated by the following Examples, which in no way should be construed as further limiting.

20

25

30

5

10

15

#### **Examples**

# Example 1. Biological Activity of Production Lot of CpG ODN (SEQ ID NO:1) Assayed Using Cells Stably Transfected with hTLR9 Expression Vector

CpG ODN (SEQ ID NO:1) is currently in preclinical and clinical trials for a number of clinical applications. SEQ ID NO:1 has been discovered to induce signaling through TLR9. In order to assess different lots of clinical material, the methods of the invention are employed, using a highly characterized lot of SEQ ID NO:1 as a reference.

In a TLR9 assay, the CpG-non-responsive human embryonal kidney cell line HEK293 (e.g., ATCC CRL-1573) was stably transfected with a hTLR9 expression construct and found to express full-length human TLR9 constitutively. The cells also contained a genomic copy of a reporter construct with a 6x NF-κB binding site and a luciferase gene reporter cassette. Incubation of the cells with CpG ODN (SEQ ID NO:1) activates NF-κB driven expression of luciferase, while incubation with medium alone (negative control) does not. The cells are

then lysed and activity of the luciferase protein determined by its catalytic activity of luciferin oxidation which is measured in a luminometer. Results are expressed as fold induction above medium control.

Assay set-up includes a reference standard material which is highly pure and well characterized. The reference material is used to create a standard curve within a defined range where the dose-response curve is linear (e.g., in the range of the EC50 value for SEQ ID NO:1, 70-100 nM). The test material is dissolved for testing and assayed at a defined concentration. Activity of the test material is calculated using the standard curve of the reference material. Quality of the tested material is deemed acceptable if activity of the test material compared to activity of the reference material falls within predetermined limits.

5

10

15

20

25

30

# Example 2. Biological Activity of Production Lot of CpG ODN (SEQ ID NO:1) Assayed Using RPMI 8226 Cells

The assay of Example 1 is performed using RPMI 8226 cells (ATCC CCL-155) in place of the stably transfected HEK cells of Example 1. RPMI 8226 cells naturally express human TLR9. The cells are stably transfected with a 6x NF-kB-luciferase reporter construct. It is to be understood that the assay could also be carried out by measuring a native readout such as IL-10 secretion.

#### Example 3. Expression Vectors for Human TLR3 (hTLR3) and Murine TLR3 (mTLR3)

To create an expression vector for human TLR3, human TLR3 cDNA was amplified by the polymerase chain method (PCR) from a cDNA made from human 293 cells using the primers 5'-GAAACTCGAGCCACCATGAGACAGACTTTGCCTTGTATCTAC-3' (sense, SEQ ID NO:152) and 5'-GAAAGAATTCTTAATGTACAGAGTTTTTGGATCCAAG-3' (antisense, SEQ ID NO:153). The primers introduce *XhoI* and *EcoRI* restriction endonuclease sites at their 5' ends for use in subsequent cloning into the expression vector. The resulting amplification product fragment was cloned into pGEM-T Easy vector (Promega), isolated, cut with *XhoI* and *EcoRI* restriction endonucleases, ligated into an *XhoI/EcoRI*-digested pcDNA3.1 expression vector (Invitrogen). The insert was fully sequenced and translated into protein. The cDNA sequence corresponds to the published cDNA sequence for hTLR3, available as GenBank accession no. NM\_003265 (SEQ ID NO:7). The open reading frame codes for a protein 904 amino acids long, having the sequence corresponding to GenBank accession no. NP\_003256 (SEQ ID NO:8).

Corresponding nucleotide and amino acid sequences for murine TLR3 (mTLR3) are known. The nucleotide sequence of mTLR3 cDNA has been reported as GenBank accession no. AF355152 (SEQ ID NO:9), and the amino acid sequence of mTLR3 has been reported as GenBank accession no. AAK26117 (SEQ ID NO:10).

5

10

15

20

30

#### Example 4. Reconstitution of TLR3 Signaling in 293 Fibroblasts

Human TLR3 cDNA and murine TLR3 cDNA in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the *EcoR*I site. The resulting expression vectors mentioned above were transfected into CpG-DNA non-responsive human 293 fibroblast cells (ATCC, CRL-1573) using the calcium phosphate method. Utilizing a "gain of function" assay it was possible to reconstitute human TLR3 (hTLR3) and murine TLR3 (mTLR3) signaling in 293 fibroblast cells.

Since NF-κB activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-8; Muzio M et al. (1998) *J Exp Med* 187:2097-101), in a first set of experiments human 293 fibroblast cells were transfected with hTLR3 alone or co-transfected with hTLR3 and an NF-κB-driven luciferase reporter construct.

Likewise, in a second set of experiments, 293 fibroblast cells were transfected with hTLR3 alone or co-transfected with hTLR3 and an IFN- $\alpha$ 4-driven luciferase reporter construct (described in Example 8 below).

In a third group of experiments, 293 fibroblast cells were transfected with hTLR3 alone or co-transfected with hTLR3 and a RANTES-driven luciferase reporter construct (described in Example 14 below).

#### 25 Example 5. Reconstitution of TLR7 Signaling

Methods for cloning murine and human TLR7 have been described in pending U.S. Pat. Application No. 09/954,987 and corresponding published PCT application PCT/US01/29229 (WO 02/22809), both filed September 17, 2001, the contents of which are incorporated herein by reference. Human TLR7 cDNA and murine TLR7 cDNA in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR7 (hTLR7) and murine TLR7 (mTLR7) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors

WO 2004/094671 PCT/US2004/012788

- 64 -

mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

## Example 6. Reconstitution of TLR8 Signaling

Methods for cloning murine and human TLR8 have been described in pending U.S. Pat. Application No. 09/954,987 and corresponding published PCT application PCT/US01/29229 (WO 02/22809), both filed September 17, 2001, the contents of which are incorporated by reference. Human TLR8 cDNA and murine TLR8 cDNA in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR8 (hTLR8) and murine TLR8 (mTLR8) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

15

20

25

30

5

10

## Example 7. Reconstitution of TLR9 Signaling in 293 Fibroblasts

Methods for cloning murine and human TLR9 have been described in pending U.S. Pat. Application No. 09/954,987 and corresponding published PCT application PCT/US01/29229 (WO 02/22809), both filed September 17, 2001, the contents of which are incorporated by reference. Human TLR9 cDNA and murine TLR9 cDNA in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF-κB-luc reporter plasmid, 293 cells were transfected in 10 cm plates (2x10<sup>6</sup> cells/plate) with 16 μg of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR, for example as shown in Fig. 21. The clones were also screened for IL-8 production or NF-κB-luciferase activity after stimulation with ODN. Four different types of clones were generated.

WO 2004/094671 PCT/US2004/012788

- 65 -

293-hTLR9-luc: expressing human TLR9 and 6x NF-kB-luciferase reporter

293-mTLR9-luc: expressing murine TLR9 and 6x NF-kB-luciferase reporter

293-hTLR9: expressing human TLR9

293-mTLR9: expressing murine TLR9

5

15

20

25

30

Human 293 fibroblast cells were transiently transfected with hTLR9 and a 6x NF-κB-luciferase reporter plasmid (NF-κB-luc, kindly provided by Patrick Baeuerle, Munich, Germany) (Fig. 18A) or with hTLR9 alone (Fig. 18B). After stimulus with CpG-ODN (2μM, TCGTCGTTTTGTCGTTT, SEQ ID NO:1), GpC-ODN (2μM,

TGCTGCTTTTGTGCTTT, SEQ ID NO:154), LPS (100 ng/ml) or media, NF-κB activation by luciferase readout (8h, Fig. 18A) or IL-8 production by ELISA (48h, Fig. 18B) was monitored. Results are representative of three independent experiments. Fig. 18 shows that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Human 293 fibroblast cells were transiently transfected with mTLR9 and the NF-κB-luc construct. Similar data was obtained for IL-8 production (not shown). Thus expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG DNA stimulation similar to hTLR4 reconstitution of LPS responses.

Figs. 19 and 20 demonstrate the responsiveness of a stable 293-mTLR9-luc and 293-hTLR9-luc clones after stimulation with CpG-ODN (2μM, SEQ ID NO:1), GpC-ODN (2μM, SEQ ID NO:154), Me-CpG-ODN (2μM; TZGTZGTTTTGTZGTTTTGTZGTT, Z = 5-methylcytidine, SEQ ID NO:147), LPS (100 ng/ml) or media, as measured by monitoring NF-κB activation. Similar results were obtained utilizing IL-8 production with the stable clones. These results demonstrate that CpG-DNA non-responsive cell lines can be stably genetically complemented with TLR9 to become responsive to CpG DNA in a motif-specific manner.

#### Example 8. Method of Making IFN-\alpha 4 Reporter Vector

A number of reporter vectors may be used in the practice of the invention. Some of the reporter vectors are commercially available, e.g., the luciferase reporter vectors pNF-kB-Luc (Stratagene) and pAP1-Luc (Stratagene). These two reporter vectors place the luciferase gene under control of an upstream (5') promoter region derived from genomic DNA for NF-kB or AP1, respectively. Other reporter vectors can be constructed following standard

methods using the desired promoter and a vector containing a suitable reporter, such as luciferase,  $\beta$ -galactosidase ( $\beta$ -gal), chloramphenicol acetyltransferase (CAT), and other reporters known by those skilled in the art. Following are some examples of reporter vectors constructed for use in the present invention.

IFN- $\alpha 4$  is an immediate-early type 1 IFN. Sequence-specific PCR products for the – 620 to +50 promoter region of IFN- $\alpha 4$  were derived from genomic DNA of human 293 cells and cloned into the *SmaI* site of the pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') –620 to +50 promoter region of IFN- $\alpha 4$ . The sequence of the –620 to +50 promoter region of IFN- $\alpha 4$  is provided as SEQ ID NO:121.

## Example 9. Method of Making IFN-al Reporter Vector

5

10

15

20

25

30

IFN- $\alpha 1$  is a late type 1 IFN. Sequence-specific PCR products for the -140 to +9 promoter region of IFN- $\alpha 1$  were derived from genomic DNA of human 293 cells and cloned into *SmaI* site of the pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') -140 to +9 promoter region of IFN- $\alpha 1$ . A sequence of the -140 to +9 promoter region of IFN- $\alpha 1$  is provided as SEQ ID NO:122.

#### Example 10. Method of Making IFN-β Reporter Vector

IFN- $\beta$  is an immediate-early type 1 IFN. The –280 to +20 promoter region of IFN- $\beta$  was derived from the pUCβ26 vector (Algarté M et al. (1999) *J Virol* 73:2694-702) by restriction at *EcoR*I and *Taq*I sites. The 300 bp restriction fragment was filled in by Klenow enzyme and cloned into *Nhe*I-digested and filled in pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') –280 to +20 promoter region of IFN- $\beta$ . A sequence of the –280 to +20 promoter region of IFN- $\beta$  is provided as SEQ ID NO:123.

## Example 11. Method of Making Human IL-6 Reporter Vectors

Reporter constructs are made using the -285 to +7 promoter region derived from human IL-6 genomic DNA. (Takeshita et al. Eur. J. Immunol. 2000. 30: 108–116.) In one reporter construct the IL-6 promoter region is cloned as a *KpnI-XhoI* insert into pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of

an upstream (5') -288 to +7 promoter region derived from human IL-6 genomic DNA. A sequence of the -288 to +7 promoter region of human IL-6 is provided as SEQ ID NO:128.

The promoter can also be derived from the full-length promoter region of the IL-6 gene from -1174 to +7 (GenBank Accession No M22111) as shown below as SEQ ID NO:129.

## Example 12. Method of Making Human IL-8 Reporter Vectors

Reporter constructs have been made using a -546 to +44 and a truncated -133 to +44 promoter region derived from human IL-8 genomic DNA. Mukaida N et al. (1989) JImmunol 143:1366-71. In each reporter construct the IL-8 promoter region was cloned as a KpnI-XhoI insert into pGL3-Basic Vector (Promega). One of the resulting expression vectors includes a luciferase gene under control of an upstream (5') -546 to +44 promoter region derived from human IL-8 genomic DNA. Another of the resulting expression vectors includes a luciferase gene under control of an upstream (5') -133 to +44 promoter region derived from human IL-8 genomic DNA.

The promoter can also be the upstream (5') -734 to +44 or the upstream (5') -162 to +44 promoter region derived from human IL-8 genomic DNA. Mukaida N et al. (1989) JImmunol 143:1366-71. A sequence of the -734 to +44 promoter region derived from human IL-8 is provided below as SEQ ID NO: 130.

20

25

30

)

15

5

10

## Example 13. Method of Making Human IL-12 p40 Reporter Vectors

Reporter constructs have been made using truncated (-250 to +30, SEQ ID NO:127) and full length (-751 to +30, SEQID NO:126) promoter regions derived from human IL-12 p40 genomic DNA. (Takeshita et al. Eur. J. Immunol. 2000. 30: 108-116.) In one reporter construct the truncated IL-12 p40 promoter was cloned as a KpnI-XhoI insert into pβgal-Basic (Promega). The resulting expression vector includes a  $\beta$  gal gene under control of an upstream (5') -250 to +30 promoter region of human IL-12 p40. In a second reporter construct the full length IL-12 p40 promoter was cloned as a KpnI-XhoI insert into pβgal-Basic (Promega). The resulting expression vector includes a β gal gene under control of an upstream (5') -751 to +30 promoter region of human IL-12 p40. In a third reporter construct the truncated -250 to +30 promoter region of human IL-12 p40 was cloned into the pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') -250 to +30 promoter region of human IL-12 p40. In a

10

15

20

25

30

fourth reporter construct the full length IL-12 p40 promoter of human IL-12 p40 was cloned into the pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') -751 to +30 promoter region of human IL-12 p40. A sequence of the -751 to +30 promoter region of human IL-12 p40 is provided as SEQ ID NO: 126.

## Example 14. Method of Making RANTES Reporter Vector

Transcription of the chemokine RANTES is believed to be regulated at least in part by IRF3 and by NF-κB. Lin R et al. (1999) *J Mol Cell Biol* 19(2):959-66; Genin P et al. (2000) *J Immunol* 164:5352-61. A 483 bp sequence-specific PCR product including the –397 to +5 promoter region of RANTES was derived from genomic DNA of human 293 cells, restricted with *Pst*I and cloned into pCAT-Basic Vector (Promega) using *Hind*III (filled in with Klenow) and *Pst*I sites (filled in). The –397 to +5 promoter region of RANTES was then isolated from the resulting RANTES/chloramphenicol acetyltransferase (CAT) reporter plasmid by restriction with *BgI*II and *SaI*I, filled in with Klenow enzyme, and cloned into the *Nhe*I site (filled in with Klenow) of the pGL3-Basic Vector (Promega). The resulting expression vector includes a luciferase gene under control of an upstream (5') –397 to +5 promoter region of RANTES. Comparison of the insert sequence –397 to +5 of Genin P et al. (2000) *J Immunol* 164:5352-61 and GenBank accession no. AB023652 (SEQ ID NO:125) revealed two point deletions (at positions 105 and 273 of SEQ ID NO:125) which do not create new restriction sites. A sequence of the –397 to +5 promoter region of RANTES is provided as SEQ ID NO:125.

## Example 15. RT-PCR Analysis of Cell Lines for TLR Expression

TLR expression was determined using total RNA of cells prepared by standard methods (QIAGEN). RNA was transcribed to cDNA using AMV Reverse Transcriptase (Roche). Quantitative PCR was performed with TLR-gene specific primer sets using a LightCycler Instrument (Roche). Controls for genomic DNA impurities were performed by a similar PCR method using RNA (but without reverse transcriptase).

A variety of cell lines was screened for their expression of TLR3, 7, 8 and 9. These cell lines are A549 (human lung carcinoma), BeWo (human choriocarcinoma), HeLa (human cervix carcinoma), Hep-2 (human cervix carcinoma), KG-1 (human acute myeloid leukemia), MUTZ-3 (human acute myelomonocytic leukemia), Nalm-6 (human B cell precursor

PCT/US2004/012788

leukemia), NK-92 (human Natural killer cell line), NK-92 MI (human Natural killer cell line, IL-2 independent), Raji (human Burkitt's lymphoma, B lymphocyte), RAMOS (Burkitt's lymphoma, B lymphocyte), RPMI 8226 (human multiple myeloma, B lymphocyte), THP-1 (human acute monocytic leukemia), U937 (human lymphoma) and Jurkat (human T cell leukemia).

All B cell lines express, as determined by Real Time-PCR (RT-PCR), endogenous TLR9. In addition, all lines except NALM co-express TLR7. Nevertheless, none of the other cell lines appeared to express TLR7, whereas low TLR9 expression on the mRNA level was observed for KG-1 and THP-1. TLR3 appeared to be expressed in most of these cell lines, with the highest mRNA levels for example in the NK cell lines (e.g., NK-92).

Raji cells contain high levels of TLR9 mRNA and low levels of TLR3 and TLR7 mRNA suggesting high expression of TLR9 protein and lower levels of TLR3 and TLR7 protein.

These results indicate that the cell lines expressing TLR9 can be used to screen potential new TLR9 ligands (CpG ODN, etc.), cell lines expressing TLR7 to screen potential new TLR7 ligands (ORN (oligoribonucleotides), small molecules, etc.), and cell lines expressing both receptors may be used to screen for "hybrid" TLR7 and 9 agonists. In addition, cell lines lacking TLR8 expression (i.e., all cell lines tested) can be used to confirm the specificity of a TLR7 versus a TLR8 ligand (i.e., the latter should not be able to stimulate TLR7-expressing cells). In contrast, cell lines expressing TLR3 (e.g., Raji cells) may be used to screen for potential new TLR3 ligands (dsRNA, etc.).

## Example 16. Screening of Various Cell Lines for Responses to TLR Ligands

Except where otherwise indicated, the following general methods were used.

Cells were plated at 5 x 10<sup>5</sup>/ml in 48 well plates in RPMI medium with 10% FBS. Stimulation was performed by addition of the oligonucleotides or other compounds diluted to the test concentrations in TE. Cells were incubated for 24 or 48h and the supernatants were taken to analyse for the presence of cytokines or chemokines.

The TLR ligands used are as follows:

30 TLR3: Poly I:C

5

10

15

20

25

TLR7, TLR8: R-848

TLR9:

T\*C\*C\*A\*G\*G\*A\*C\*T\*T\*C\*T\*C\*T\*C\*A\*G\*G\*T\*T (SEQ ID NO: 2);

15

20 -

25

addition of ODN.

Increased expression of cell surface markers was determined using cells stimulated as described above and then stained with different monoclonal antibody combinations specific for the cell surface markers. Analysis of the cells was performed by flow cytometry.

Changes in reporter gene activity were determined using cells transfected with a NF- $\kappa$ B reporter construct (Stratagene) and a  $\beta$ -galactosidase reporter control plasmid (Invitrogen) using electroporation. For NF- $\kappa$ B analysis, a 5 $\kappa$  NF- $\kappa$ B-Luciferase Vector (Stratagene) was used. The amount of DNA transfected as well as cell concentration was varied. Stimulation was performed 24h after transfection. Cells were stimulated with the indicated amounts of ODN, R-848, LPS, TNF- $\alpha$ , or IL-1  $\beta$  for the indicated incubation times. Cell extracts were prepared by lysing the cells in 100  $\mu$ l reporter lysis buffer (Promega) using the freeze-thaw method. All data were normalized for  $\beta$ -galactosidase expression. Stimulation indices were calculated in reference to luciferase activity of medium without

Stimulation of the Raji cell line with a TLR9 ligand (CpG ODN), a TLR3 ligand (poly I:C) or a TLR7 ligand (R-848) results in the ligand-specific secretion of cytokines. Figs. 14 and 15 show IL-6 production of Raji cells upon stimulation with ODN, poly I:C or R-848. Fig. 16 shows IFN-o2 production of Raji cells upon stimulation with ODN, poly I:C or R-848. In all assays, cells were incubated with Na-Butyrate for 48h before stimulation with TLR ligands. CpG stimulation of the RAMOS cell lines can result in the CpG-specific upregulation of cell surface markers such as CD80, as shown in Fig. 17.

# 30 Example 17. Inhibition of a Positive Reference Compound Response with an Inhibitory Test Compound

Inhibition of CpG mediated chemokine production was determined using RPMI 8226 cells incubated with increasing amounts of SEQ ID NO:1 in the presence of an

- 71 -

immunoinhibitory ODN (SEQ ID NO: 151). IP-10 production was measured 24h later by ELISA (Fig. 9).

## **Equivalents**

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages and objects of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

15

5

10

We claim:

- 72 -

## **Claims**

1. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising

contacting an RPMI 8226 cell that expresses a TLR with a test compound and measuring a test level of TLR signaling activity,

5

10

15

25

wherein a test level that is positive is indicative of a test compound that is a TLR agonist, and

wherein the TLR signaling activity is selected from the group consisting of CD71 expression, CD86 expression, HLA-DR expression, IL-8 expression, IL-8 production, IL-10 secretion, IL-10 expression, IL-10 production, IL-10 secretion, IP-10 expression, IP-10 production, IP-10 secretion, TNF-α expression, TNF-α production and TNF-α secretion.

2. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising

contacting a cell that expresses a TLR with a test compound and measuring a test level of TLR signaling activity,

wherein a test level that is positive is indicative of an immunostimulatory compound, and

wherein the cell is a Raji cell, a RAMOS cell, a Nalm cell, a THP-1 cell, or a KG-20 1 cell.

- 3. The method of claim 1 or 2, wherein the test level is positive relative to a reference level determined by contacting the cell with a reference compound and measuring a reference TLR signaling activity.
- 4. The method of claim 3, wherein the reference compound is a positive reference compound
- 5. The method of claim 4, wherein the positive reference compound is selected from the group consisting of an immunostimulatory nucleic acid and an imidazoquinoline compound.

WO 2004/094671

10

20

6. The method of claim 3, wherein the reference compound is a negative reference compound.

- 73 -

- 7. The method of claim 6, wherein the negative reference compound is medium alone.
  - 8. The method of claim 5, wherein the immunostimulatory nucleic acid is selected from the group consisting of a CpG nucleic acid, a T-rich nucleic acid, a poly-T nucleic acid and a poly-G nucleic acid.

9. The method of claim 5, wherein the imidazoquinoline compound is selected from the group consisting of R-848 and R-847.

The method of claim 1 or 2, wherein the test compound is a nucleic acid.

11. The method of claim 10, wherein the nucleic acid does not comprise a motif selected from the group consisting of a CpG motif, a poly-T motif, a T-rich motif and a poly-G motif.

12. The method of claim 10, wherein the nucleic acid comprises a phosphorothioate backbone linkage.

13. The method of claim 10, wherein the nucleic acid is a DNA, an RNA or 25 a DNA-RNA hybrid.

- 14. The method of claim 1 or 2, wherein the test compound is a non-nucleic acid small molecule.
- 30 15. The method of claim 1 or 2, wherein the test compound comprises an amino acid, a carbohydrate, a lipid, or a hormone.
  - 16. The method of claim 15, wherein the carbohydrate is a polysaccharide.

- 74 -

17.	The method of claim 1 or 2, wherein the test compound is derived from
a molecular library.	

- The method of claim 1, wherein the cell is transfected with a nucleic acid.
  - 19. The method of claim 18, wherein the nucleic acid encodes a TLR or a reporter construct.
  - 20. The method of claim 2, wherein the cell is transfected with a nucleic acid.

10

20

- The method of claim 20, wherein the nucleic acid encodes a TLR or a reporter construct.
  - The method of claim 19 or 21, wherein the TLR is selected from the group consisting of TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9 and TLR10.
    - 23. The method of claim 22, wherein the TLR is a human TLR.
- 24. The method of claim 19 or 21, wherein the reporter construct is selected from the group consisting of a luciferase reporter construct, a β-galactosidase reporter construct, a chloramphenical acetyltransferase reporter construct, a green fluorescent protein reporter construct, and a secreted alkaline phosphatase construct.
  - 25. The method of claim 19 or 21, wherein the reporter construct comprises a TLR responsive promoter.
  - 26. The method of claim 25, wherein the TLR responsive promoter comprises a transcription factor binding site selected from the group consisting of a NF-kB binding site, an AP-1 binding site, a CRE, a SRE, an ISRE, a GAS, an ATF2 binding site, an

IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE.

- 27. The method of claim 25, wherein the TLR responsive promoter is a
  5 promoter region selected from the group consisting of an IL-1 promoter region, an IL-6 promoter region, an IL-8 promoter region, an IL-10 promoter region, an IL-12 p40 promoter region, an IFN-α1 promoter region, an IFN-α4 promoter region, an IFN-β promoter region, an IFN-γ promoter region, a TNF-α promoter region, a TNF-β promoter region, an IP-9 promoter region, an IP-10 promoter region, a RANTES promoter region, an ITAC promoter region, a
  10 MCP-1 promoter region, an IGFBP4 promoter region, a CD54 promoter region, a CD69 promoter region, a CD71 promoter region, a CD80 promoter region, a CD86 promoter region, a HLA-DR promoter region, and a HLA class I promoter region.
  - 28. The method of claim 18 or 20, wherein the cell is stably transfected.

15

- 29. The method of claim 1 or 2, wherein the TLR signaling activity is measured by cytokine secretion or chemokine secretion.
- 30. The method of claim 1, wherein the TLR signaling activity is selected
   20 from the group consisting of IL-8 secretion, IL-10 secretion, IP-10 secretion and TNF-α secretion.
  - 31. The method of claim 2, wherein the TLR signaling activity is selected from the group consisting of IL-6 expression, IL-6 production, IL-6 secretion, IL-8 expression, IL-8 production, IL-8 secretion, IL-10 expression, IL-10 production, IL-10 secretion, IL-10 expression, IL-12 expression, IL-12 production, IL-12 secretion, TNF-α expression, TNF-α production and TNF-α secretion.
- 32. The method of claim 2, wherein the TLR signaling activity is measured by phosphorylation.
  - 33. The method of claim 32, wherein phosphorylation is total cellular phosphorylation.

34. The method of claim 32, wherein phosphorylation is phosphorylation of a factor selected from the group consisting of IRAK, ERK, MyD88, TRAF6, p38, NFkB subunits, c-Jun and c-Fos.

5

- 35. The method of claim 1 or 2, wherein the TLR signaling activity is measured by gene expression.
- 36. The method of claim 1, wherein the TLR signaling activity is measured by gene expression selected from the group consisting of CD71 expression, CD86 expression, HLA-DR expression, IL-8 expression, IL-10 expression, IP-10 expression, and TNF-α expression.
- 37. The method of claim 35, wherein TLR signaling activity is measured by microarray techniques.
  - 38. The method of claim 2, wherein the TLR signaling activity is measured by cell proliferation.
- 20 39. The method of claim 1 or 2, wherein TLR signaling activity is measured by cell surface marker expression.
  - 40. The method of claim 1, wherein TLR signaling activity is measured by cell surface expression of CD71, CD86 or HLA-DR.

25

41. The method of claim 2, wherein TLR signaling activity is measured by CD71 cell surface expression, CD86 cell surface expression, HLA-DR cell surface expression, CD80 cell surface expression, HLA class I cell surface expression, CD54 cell surface expression and CD69 cell surface expression.

30

42. The method of claim 2, wherein TLR signaling activity is measured by antibody secretion.

- 43. The method of claim 42, wherein the antibody secretion is IgM secretion.
- 44. A composition comprising
  an RPMI 8226 cell stably transfected with a nucleic acid encoding a TLR
  5 polypeptide, or a fragment thereof.
  - 45. The composition of claim 44, further comprising a reporter construct comprising a promoter and a reporter sequence wherein the promoter is a TLR responsive promoter.

10

15

- 46. The composition of claim 45, wherein the TLR responsive promoter comprises a nucleic acid sequence selected from the group consisting of an NF-κB binding site, an AP-1 binding site, a CRE, a SRE, an ISRE, a GAS, an ATF2 binding site, an IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE.
- 47. The composition of claim 45, wherein the reporter sequence is selected from the group consisting of a luciferase sequence, a  $\beta$ -galactosidase sequence, a green fluorescent protein sequence, a secreted alkaline phosphatase sequence and a chloramphenicol transferase sequence.
- 48. The composition of claim 44, wherein the TLR polypeptide or fragment thereof is a human TLR polypeptide or fragment thereof.
- 25 49. The composition of claim 44, wherein the TLR polypeptide or fragment thereof is selected from the group consisting of TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9 and TLR10.
- 50. The composition of claim 44, wherein the TLR polypeptide or fragment thereof is a human TLR polypeptide.
  - 51. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising

25

contacting an cell that ectopically expresses a TLR with a test compound and measuring a test level of TLR signaling activity,

wherein a test level that is positive is indicative of a test compound that is a TLR agonist, and

wherein the cell that ectopically expresses a TLR is selected from the group consisting of RPMI 8226, RAMOS, Raji, Nalm, THP-1, KG-1 and 293 HEK.

- 52. The method of claim 51, wherein the test level is positive relative to a reference level determined by contacting the cell with a reference compound and measuring a reference TLR signaling activity.
- 53. The method of claim 52, wherein the reference compound is a positive reference compound.
- 15 54. The method of claim 53, wherein the positive reference compound is selected from the group consisting of an immunostimulatory nucleic acid and an imidazoquinoline compound.
- 55. The method of claim 54, wherein the immunostimulatory nucleic acid is selected from the group consisting of a CpG nucleic acid, a T-rich nucleic acid, a poly-T nucleic acid and a poly-G nucleic acid.
  - 56. The method of claim 54, wherein the imidazoquinoline compound is selected from the group consisting of R-848 and R-847.
  - 57. The method of claim 52, wherein the reference compound is negative reference compound.
- 58. The method of claim 57, wherein the negative reference compound is medium alone.
  - 59. The method of claim 51, wherein the test compound is a nucleic acid.

- 60. The method of claim 59, wherein the nucleic acid does not comprise a motif selected from the group consisting of a CpG motif, a poly-T motif, a T-rich motif and a poly-G motif.
- 5 61. The method of claim 59, wherein the nucleic acid comprises a phosphorothioate backbone linkage.
  - 62. The method of claim 59, wherein the nucleic acid is a DNA, an RNA, or a DNA-RNA hybrid.
- 63. The method of claim 51, wherein the test compound is a non-nucleic acid small molecule.
- The method of claim 51, wherein the test compound comprises an amino acid, a carbohydrate, a lipid, or a hormone.
  - 65. The method of claim 64, wherein the carbohydrate is a polysaccharide.
- The method of claim 51, wherein the test compound is derived from a molecular library.
  - 67. The method of claim 51, wherein the TLR signaling activity is selected from the group consisting of CD71 expression, CD86 expression, HLA-DR expression, IL-6 expression, IL-6 production, IL-6 secretion, IL-8 expression, IL-8 production, IL-8 secretion, IL-10 expression, IL-10 production, IL-10 secretion, IL-12 expression, IL-12 production, IL-12 secretion, IP-10 expression, IP-10 production, IP-10 secretion, TNF- $\alpha$  expression, TNF- $\alpha$  production and TNF- $\alpha$  secretion.
- 68. The method of claim 51, wherein the TLR is selected from the group consisting of TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9 and TLR10.
  - 69. The method of claim 51, wherein the TLR is a human TLR.

- 70. The method of claim 51, wherein the cell is transfected with a reporter construct.
- 71. The method of claim 70, wherein the reporter construct is selected from the group consisting of a luciferase reporter construct, a β-galactosidase reporter construct, a chloramphenical acetyltransferase reporter construct, a green fluorescent protein reporter construct, and a secreted alkaline phosphatase construct.
- 72. The method of claim 71, wherein the TLR signaling activity is measured by luciferase expression, β-galactosidase expression, chloramphenicol expression, acetyltransferase expression, green fluorescent protein expression, alkaline phosphatase expression and alkaline phosphatase secretion.
- 73. The method of claim 71, wherein the reporter construct comprises a TLR responsive promoter.
  - 74. The method of claim 25 or 73, wherein the TLR responsive promoter is a TLR1 responsive promoter, a TLR2 responsive promoter, a TLR3 responsive promoter, a TLR4 responsive promoter, a TLR5 responsive promoter, a TLR6 responsive promoter, a TLR7 responsive promoter, a TLR8 responsive promoter, a TLR9 responsive promoter and a TLR10 responsive promoter.
    - 75. The method of claim 73, wherein the TLR responsive promoter comprises a transcription factor binding site selected from the group consisting of an NF-kB binding site, an AP-1 binding site, a CRE, a SRE, an ISRE, a GAS, an ATF2 binding site, an IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE.
- 76. The method of claim 73, wherein the TLR responsive promoter is a promoter region selected from the group consisting of an IL-1 promoter region, an IL-6 promoter region, an IL-8 promoter region, an IL-10 promoter region, an IL-12 p40 promoter region, an IFN-α1 promoter region, an IFN-α4 promoter region, an IFN-β promoter region, an IP-9 promoter

WO 2004/094671

region, an IP-10 promoter region, a RANTES promoter region, an ITAC promoter region, a MCP-1 promoter region, an IGFBP4 promoter region, a CD54 promoter region, a CD69 promoter region, a CD71 promoter region, a CD80 promoter region, a CD86 promoter region, a HLA-DR promoter region, and a HLA class I promoter region.

- 77. The method of claim 51, wherein the cell is stably transfected with a TLR nucleic acid.
- 78. The method of claim 70, wherein the cell is stably transfected with the reporter construct.
  - 79. The method of claim 51, wherein the TLR signaling activity is measured by cytokine secretion or chemokine secretion.
- 15 80. The method of claim 79, wherein the cytokine secretion or chemokine secretion is selected from the group consisting of IL-8 secretion, TNF- $\alpha$  secretion, IL-10 secretion and IP-10 secretion.
- 81. The method of claim 79, wherein the cytokine secretion or chemokine secretion is selected from the group consisting of IL-6 secretion and IL-12 secretion.
  - 82. The method of claim 51, wherein the TLR signaling activity is measured by phosphorylation.
- 25 83. The method of claim 82, wherein phosphorylation is total cellular phosphorylation.
- 84. The method of claim 82, wherein phosphorylation is phosphorylation of a factor selected from the group consisting of IRAK, ERK, MyD88, TRAF6, p38, NF-κB subunits, c-Jun and c-Fos.
  - 85. The method of claim 51, wherein the TLR signaling activity is measured by gene expression.

86. The method of claim 85, wherein the gene expression is selected from the group consisting of IL-8 expression, IL-10 expression, IP-10 expression, CD71 expression, CD86 expression and HLA-DR expression.

5

WO 2004/094671

- 87. The method of claim 85, wherein the gene expression is selected from the group consisting of IL-6 expression, IL-12 expression and TNF- $\alpha$  expression.
- 88. The method of claim 51, wherein the TLR signaling activity is measured by microarray techniques.
  - 89. The method of claim 51, wherein the TLR signaling activity is measured by cell proliferation.
- 15 90. The method of claim 51, wherein the TLR signaling activity is measured by cell surface marker expression.
  - 91. The method of claim 90, wherein the cell surface marker expression is selected from the group consisting of CD71 cell surface expression, CD86 cell surface expression and HLA-DR cell surface expression.
    - 92. The method of claim 90, wherein the cell surface marker expression is selected from the group consisting of CD80 cell surface expression, HLA class I cell surface expression, CD54 cell surface expression and CD69 cell surface expression.

25

- 93. The method of claim 51, wherein the TLR signaling activity is measured by antibody secretion.
- 94. The method of claim 93, wherein the antibody secretion is IgM 30 secretion.
  - 95. A screening method for identifying antagonists of Toll-like receptor (TLR) signaling activity, comprising

contacting a cell with a positive reference compound and measuring a reference level of TLR signaling activity,

contacting the cell with the positive reference compound and a test compound, and measuring a test level of TLR signaling activity,

wherein a test level that is less than a reference level is indicative of test compound that is a TLR antagonist, and

wherein the cell is selected from the group consisting of a RPMI 8226 cell, a RAMOS cell, a Raji cell, a THP-1 cell, a Nalm cell and a KG-1 cell.

- 10 96. The method of claim 95, wherein the positive reference compound is selected from the group consisting of an immunostimulatory nucleic acid and an immunostimulatory imidazoquinoline compound.
- 97. The method of claim 96, wherein the immunostimulatory nucleic acid is selected from the group consisting of a CpG nucleic acid, a T-rich nucleic acid, a poly-T nucleic acid and a poly-G nucleic acid.
  - 98. The method of claim 96, wherein the imidazoquinoline compound is selected from the group consisting of R-848 and R-847.
    - 99. The method of claim 95, wherein the test compound is a nucleic acid.
- 100. The method of claim 99, wherein the nucleic acid does not comprise a motif selected from the group consisting of a CpG motif, a poly-T motif, a T-rich motif and a poly-G motif.
  - 101. The method of claim 99, wherein the nucleic acid comprises a phosphorothicate backbone linkage.
- The method of claim 99, wherein the nucleic acid is a DNA, an RNA or a DNA-RNA hybrid.

15

- 103. The method of claim 95, wherein the test compound is a non-nucleic acid small molecule.
- 104. The method of claim 95, wherein the test compound comprises an amino acid, a carbohydrate, a lipid, or a hormone.
  - The method of claim 104, wherein the carbohydrate is a polysaccharide.
- 10 106. The method of claim 95, wherein the test compound is derived from a molecular library.
  - The method of claim 95, wherein the experimental cell is transfected with a nucleic acid.

108. The method of claim 107, wherein the nucleic acid encodes a TLR or a reporter construct.

- 109. The method of claim 108, wherein the TLR is selected from the group consisting of TLR1, TLR2, TLR3, TLR4, TLR5, TLR6, TLR7, TLR8, TLR9 and TLR10.
  - 110. The method of claim 108, wherein the TLR is a human TLR.
- 111. The method of claim 108, wherein the reporter construct is selected
  25 from the group consisting of a luciferase reporter construct, a β-galactosidase reporter construct, a chloramphenical acetyltransferase reporter construct, a green fluorescent protein reporter construct, and a secreted alkaline phosphatase construct.
- 112. The method of claim 111, wherein the TLR signaling activity is selected from the group consisting of luciferase expression, β-galactosidase expression, chloramphenical acetyltransferase expression, green fluorescent protein expression, alkaline phosphatase expression and alkaline phosphatase secretion.

- 113. The method of claim 108, wherein the reporter construct comprises a TLR responsive promoter.
- 114. The method of claim 113, wherein the TLR responsive promoter
  5 comprises a transcription factor binding site selected from the group consisting of an NF-κB binding site, an AP-1 binding site, a CRE, a SRE, an ISRE, a GAS, an ATF2 binding site, an IRF3 binding site, an IRF7 binding site, an NFAT binding site, a p53 binding site, an SRF binding site, and a TARE.
- 115. The method of claim 113, wherein the TLR responsive promoter is a promoter region selected from the group consisting of an IL-1 promoter region, an IL-6 promoter region, an IL-8 promoter region, an IL-10 promoter region, an IL-12 p40 promoter region, an IFN-α1 promoter region, an IFN-α4 promoter region, an IFN-β promoter region, an IFN-γ promoter region, a TNF-α promoter region, a TNF-β promoter region, an IP-9 promoter region, an IP-10 promoter region, a RANTES promoter region, an ITAC promoter region, a MCP-1 promoter region, an IGFBP4 promoter region, a CD54 promoter region, a CD69 promoter region, a CD71 promoter region, a CD80 promoter region, a CD86 promoter region, a HLA-DR promoter region, and a HLA class I promoter region.
- 20 116. The method of claim 113, wherein the TLR responsive promoter is selected from the group consisting of a TLR1 responsive promoter, TLR2 responsive promoter, a TLR3 responsive promoter, a TLR4 responsive promoter, a TLR5 responsive promoter, a TLR6 responsive promoter, a TLR7 responsive promoter, a TLR8 responsive promoter, a TLR9 responsive promoter and a TLR10 responsive promoter.
  - The method of claim 107, wherein the cell is stably transfected with the nucleic acid.
- The method of claim 95, wherein the TLR signaling activity is measured by cytokine secretion or chemokine secretion.

- 119. The method of claim 118, wherein the cytokine secretion or chemokine secretion is selected from the group consisting of IL-6 secretion, IL-12 secretion and TNF- $\alpha$  secretion.
- The method of claim 118, wherein the cytokine secretion or chemokine secretion is selected from the group consisting of IL-8 secretion, IL-10 secretion and IP-10 secretion.
- The method of claim 95, wherein the TLR signaling activity is measured by phosphorylation.
  - 122. The method of claim 121, wherein phosphorylation is total cellular phosphorylation.
- 15 123. The method of claim 122, wherein phosphorylation is phosphorylation of a factor selected from the group consisting of IRAK, ERK, MyD88, TRAF6, p38, NF-κB subunits, c-Jun and c-Fos.
- The method of claim 95, wherein the TLR signaling activity is measured by gene expression.
  - 125. The method of claim 124, wherein the gene expression is selected from the group consisting of CD71 expression, CD86 expression, HLA-DR expression, IL-8 expression and IP-10 expression.

- 126. The method of claim 124, wherein the gene expression is selected from the group consisting of IL-6 expression, IL-12 expression and TNF- $\alpha$  expression.
- The method of claim 95, wherein the TLR signaling activity is measured by microarray techniques.
  - 128. The method of claim 95, wherein the TLR signaling activity is measured by cell proliferation.

- 129. The method of claim 95, wherein the TLR signaling activity is measured by cell surface marker expression.
- 5 130. The method of claim 129, wherein the cell surface marker expression is selected from the group consisting of CD71 cell surface expression, CD86 cell surface expression and HLA-DR MHC class II cell surface expression.
- 131. The method of claim 129, wherein the cell surface marker expression is selected from the group consisting of CD80 cell surface expression, HLA class I cell surface expression, CD54 cell surface expression and CD69 cell surface expression.
  - 132. The method of claim 95, wherein the TLR signaling activity is measured by antibody secretion.
  - 133. The method of claim 132, wherein the antibody secretion is IgM secretion.
- The method of claim 95, wherein the cell is contacted to the positive reference compound and the test compound simultaneously.
  - 135. The method of claim 95, wherein the cell is contacted to the positive reference compound prior to contact with the test compound.
- 25 136. The method of claim 95, wherein the cell is contacted to the test compound prior to contact with the positive reference compound.
  - 137. A method for quality assessment of a test composition containing a known Toll like receptor (TLR) ligand, comprising:
- measuring a reference activity of a reference composition comprising a known TLR ligand, wherein the known TLR ligand is a nucleic acid molecule;

measuring a test activity of a test composition comprising the known TLR ligand; and comparing the test activity to the reference activity.

138. The method of claim 137, further comprising selecting the test composition if the test activity falls within a predetermined range of variance about the reference activity.

5

139. The method of claim 1, wherein the reference composition is a first production lot of a pharmaceutical composition comprising the known TLR ligand, and wherein the test composition is a second production lot of a pharmaceutical composition comprising the known TLR ligand.

10

140. The method of claim 137, wherein the reference composition is a first in-process lot of a composition comprising the known TLR ligand, and wherein the test composition is a second in-process lot of a composition comprising the known TLR ligand.

15

141. The method of claim 137, wherein the measuring the reference activity comprises contacting the reference composition with an isolated cell expressing a TLR responsive to the known TLR ligand, and wherein the measuring the test activity comprises contacting the test composition with the isolated cell expressing a TLR responsive to the known TLR ligand.

20

142. The method of claim 141, wherein the isolated cell expressing the TLR responsive to the known TLR ligand comprises an expression vector for the TLR responsive to the known TLR ligand.

25

143. The method of claim 141, wherein the isolated cell expressing the TLR responsive to the known TLR ligand naturally expresses the TLR responsive to the known TLR ligand.

The method of claim 141, wherein the isolated cell expressing the TLR

30 responsive to the known TLR ligand is RPMI 8226.

144.

- 89 -

- 145. The method of claim 137, wherein the measuring the reference activity and the measuring the test activity each comprise measuring signaling activity mediated by a TLR responsive to the known TLR ligand.
- 5 146. The method of claim 145, wherein the signaling activity is activity of a reporter construct under control of NF-κB response element.
  - 147. The method of claim 145, wherein the signaling activity is activity of a reporter construct under control of interferon-stimulated response element (ISRE).

148. The method of claim 145, wherein the signaling activity is activity of a reporter gene under control of an IFN-α promoter.

10

- The method of claim 145, wherein the signaling activity is activity of a
   reporter gene under control of an IFN-β promoter.
  - 150. The method of claim 145, wherein the signaling activity is activity of a reporter gene under control of an IL-6 promoter.
- 20 151. The method of claim 145, wherein the signaling activity is activity of a reporter gene under control of an IL-8 promoter.
  - 152. The method of claim 145, wherein the signaling activity is activity of a reporter gene under control of an IL-12 p40 promoter.
  - 153. The method of claim 145, wherein the signaling activity is activity of a reporter gene under control of a RANTES promoter.
- The method of claim 137, wherein the known TLR ligand is a TLR9 ligand.
  - 155. The method of claim 137, wherein the known TLR ligand is a TLR3 ligand.

30 NO:1).

		156.	The method of claim 137, wherein the known TLR ligand is a TLR7	
	ligand.			
5	ligand.	157.	The method of claim 137, wherein the known TLR ligand is a TLR8	
		158.	The method of claim 137, wherein the known TLR ligand is an	
	immunos	timulatory	nucleic acid.	
10		159.	The method of claim 137, wherein the known TLR ligand is a CpG	
	nucleic a	eid.		
		160.	The method of claim 137, wherein the known TLR ligand is an	
15	immunoi		ucleic acid.	
		-		
		161.	A method for quality assessment of a test lot of a pharmaceutical	
	product c	ontaining a	a known TLR9 ligand, comprising:	
		meas	suring a reference activity of a reference lot of a pharmaceutical product	
20	comprising a known TLR9 ligand, wherein the known TLR9 ligand is a nucleic acid			
	molecule	-		
	measuring a test activity of a test lot of a pharmaceutical product comprisin			
	the known TLR9 ligand;			
		•	paring the test activity to the reference activity; and	
25		rejec	ting the test lot if the test activity falls outside of a predetermined range of	
	variance	about the r	reference activity.	
		162.	The method of claim 161, wherein the known TLR9 ligand is an	
oligonucleotide comprising a base sequence			mprising a base sequence TCGTCGTTTTGTCGTTTGTCGTT (SEQ ID	

- 163. The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence 5'-TCGTCGTTTTGACGTTTTGTCGTT-3' (SEQ ID NO:139).
- 5 164. The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence 5'-TCGTCGTTTTTTTCGA-3' (SEQ ID NO:140).
- 165. The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence 5'-TCGTCGTTTCGTCGTTTTCGTCGTTT-3' (SEQ ID NO:141).
  - The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence 5'-TCGTCGTTTCGTCGTTTTGTCGTT-3' (SEQ ID NO:142).
    - 167. The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence 5'-TCGTCGTTTTTCGGTCGTTTTT-3' (SEQ ID NO:143).
    - 168. The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence 5'-TCGTCGTTTTTCGTGCGTTTTT-3' (SEQ ID NO:144).
- 25 169. The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence 5'-TCGTCGTTTTCGGCGGCCGCCG-3' (SEQ ID NO:145).
- 170. The method of claim 161, wherein the known TLR9 ligand is an oligonucleotide comprising a base sequence 5'-TCGTC\_GTTTTAC\_GGCGCC\_GTGCCG-3' (SEQ ID NO:146), wherein every internucleoside linkage is phosphorothioate except for those indicated by "\_", which are phosphodiester.

- 92 -

171. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising

contacting a cell that expresses a TLR with a test compound and measuring a test level of TLR signaling activity.

wherein a test level that is positive is indicative of a test compound that is a TLR agonist, and

5

15

25

wherein the cell is a Raji cell, a RAMOS cell, a Nalm cell, a THP-1 cell, or a KG-1 cell, and the TLR is TLR9.

10 172. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising

contacting a cell that expresses a TLR with a test compound and measuring a test level of TLR signaling activity,

wherein a test level that is positive is indicative of a test compound that is a TLR agonist, and

wherein the cell is a Raji cell or a RAMOS cell, and the TLR is TLR7.

- 173. A screening method for identifying agonists of Toll-like receptor (TLR) signaling activity, comprising
- 20 contacting a cell that expresses a TLR with a test compound and measuring a test level of TLR signaling activity.

wherein a test level that is positive is indicative of a test compound that is a TLR agonist, and

wherein the cell is a Raji cell, a RAMOS cell, a KG-1 cell, a Nalm-6 cell, a Jurkat cell, a Hela cell, a Hep-2 cell, an A549 cell, a Bewo cell, an NK-92 cell or an NK-92 MI cell, and the TLR is TLR3.

- 174. A screening method for identifying antagonists of Toll-like receptor (TLR) signaling activity, comprising
- 30 contacting a cell with a positive reference compound and measuring a reference level of TLR signaling activity,

contacting the cell with the positive reference compound and a test compound, and measuring a test level of TLR signaling activity,

wherein a test level that is less than a reference level is indicative of a test compound that is a TLR antagonist, and

wherein the cell is selected from the group consisting of a RPMI 8226 cell, a RAMOS cell, a Raji cell, a THP-1 cell, a Nalm cell and a KG-1 cell, and the TLR is TLR9.

5

15

20

25

A screening method for identifying antagonists of Toll-like receptor 175. (TLR) signaling activity, comprising

contacting a cell with a positive reference compound and measuring a reference level of TLR signaling activity,

10

contacting the cell with the positive reference compound and a test compound, and measuring a test level of TLR signaling activity,

wherein a test level that is less than a reference level is indicative of a test compound that is a TLR antagonist, and

wherein the cell is selected from the group consisting of a RPMI 8226 cell, a RAMOS cell and a Raji cell, and the TLR is TLR7.

A screening method for identifying antagonists of Toll-like receptor 175. (TLR) signaling activity, comprising

contacting a cell with a positive reference compound and measuring a reference level of TLR signaling activity,

contacting the cell with the positive reference compound and a test compound, and measuring a test level of TLR signaling activity,

wherein a test level that is less than a reference level is indicative of a test compound that is a TLR antagonist, and

wherein the cell is selected from the group consisting of a Raji cell, a RAMOS cell, a KG-1 cell, a Nalm-6 cell, a Jurkat cell, a Hela cell, a Hep-2 cell, an A549 cell, a Bewo cell, an NK-92 cell and an NK-92 MI cell, and the TLR is TLR3.

A screening method for identifying an enhancer of a Toll-like receptor 176. (TLR) agonist, comprising 30

contacting a cell with a positive reference compound and measuring a reference level of TLR signaling activity, and


contacting a cell with the positive reference compound and a test compound and measuring a test level of TLR signaling activity,

wherein the positive reference compound is a TLR agonist, and a test level that is greater than the reference level is indicative of a test compound that is an enhancer of a TLR agonist.


5

15


- 177. The method of claim 176, wherein the positive reference compound is an immunostimulatory nucleic acid.
- 10 178. The method of claim 176, wherein the positive reference compound is an imidazoquinoline compound.
  - 180. The method of claim 176, wherein the cell is selected from the group consisting of a KG-1 cell, a Nalm-6 cell, a Raji cell, a RAMOS cell, a Jurkat cell, a Hela cell, a Hep-2 cell, an A549 cell, a Bewo cell, an NK-92 cell and an NK-92 MI cell, and the TLR is TLR3.
  - 181. The method of claim 176, wherein the cell is selected from the group consisting of a KG-1 cell, a Nalm-6 cell, a Raji cell, an RPMI 8226 cell, a RAMOS cell, and a THP-1 cell, and the TLR is TLR9.
  - 182. The method of claim 176, wherein the cell is selected from the group consisting of a Raji cell, an RPMI 8226 cell and a RAMOS cell, and the TLR is TLR7.
- 25 183. The method of claim 1, wherein the TLR is TLR7 or TLR9.
  - 184. The method of claim 172-175 or 176, wherein the cell is unmodified.




SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)








Fig. 6



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)







Fig. 9






SUBSTITUTE SHEET (RULE 26)



RELATIVE COPY NUMBER TLR3 SUBSTITUTE SHEET (RULE 26)







Fig. 14

SUBSTITUTE SHEET (RULE 26)

13/15






Fig. 17
SUBSTITUTE SHEET (RULE 26)

WO 2004/094671 PCT/US2004/012788

14/15




Fig. 18A




Fig. 18B

SUBSTITUTE SHEET (RULE 26)

PCT/US2004/012788







Fig. 19



(FOLD INDUCTION)

Fig. 20



SUBSTITUTE 191 (RULE 26)

## SEQUENCE LISTING

<110>	COLEY PHARMACEUTICAL COLEY PHARMACEUTICAL C		INC.						
<120>	METHODS AND PRODUCTS F	OR II	DENTIFICATI	ON AND	ASSE	SSMENT	OF	TLR	
<130>	C1041.70024WO00								
	not yet assigned 2004-04-22								
	US 60/464,586 2003-04-22								
	US 60/464,588 2003-04-22								
<160>	161								
<170>	PatentIn version 3.2								
<210><211><212><212><213>									
<220>									
<223>	oligonucleotide								
<400> tcgtcgf	1 Ettt gtegttttgt egtt								24
<210><211><211><212><213>	20								
<220>									
<223>	oligonucleotide								
<400> tccagg	2 actt ctctcaggtt								20
<210><211><211><212><213>	3 2600 DNA Homo sapiens								
<400> ggatcc	3 aaag gagacctata gtgacto	ccca ç	ggagctctta	gtgacca	aagt	gaaggta	acct		60
gtgggg	ctca ttgtgcccat tgctctt	tca (	ctgctttcaa	ctggtag	gttg	tgggtt	gaag	ſ	120
cactgg	acaa tgccacatac tttgtgg	gatg q	gtgtgggtct	tgggggt	cat	catcage	ccto	:	180
tecaage	gaag aatootooaa toaggot	tct /	ctatcttata	accocas	ataa	tatete	raac	r	240

ggcagctcag	gatctttaaa	ctccattccc	tcagggctca	cagaagctgt	aaaaagcctt	300
gacctgtcca	acaacaggat	cacctacatt	agcaacagtg	acctacagag	gtgtgtgaac	360
ctccaggctc	tggtgctgac	atccaatgga	attaacacaa	tagaggaaga	ttcttttct	420
tecetgggca	gtcttgaaca	tttagactta	tcctataatt	acttatctaa	tttatcgtct	480
tcctggttca	agcccctttc	ttctttaaca	ttcttaaact	tactgggaaa	tccttacaaa	540
accctagggg	aaacatctct	tttttctcat	ctcacaaaat	tgcaaatcct	gagagtggga	600
aatatggaca	ccttcactaa	gattcaaaga	aaagattttg	ctggacttac	cttccttgag	660
gaacttgaga	ttgatgcttc	agatctacag	agctatgagc	caaaaagttt	gaagtcaatt	720
cagaacgtaa	gtcatctgat	ccttcatatg	aagcagcata	ttttactgct	ggagattttt	780
gtagatgtta	caagttccgt	ggaatgtttg	gaactgcgag	atactgattt	ggacactttc	840
catttttcag	aactatccac	tggtgaaaca	aattcattga	ttaaaaagtt	tacatttaga	900
aatgtgaaaa	tcaccgatga	aagtttgttt	caggttatga	aacttttgaa	tcagatttct	960
ggattgttag	aattagagtt	tgatgactgt	acccttaatg	gagttggtaa	ttttagagca	1020
tctgataatg	acagagttat	agatccaggt	aaagtggaaa	cgttaacaat	ccggaggctg	1080
catattccaa	ggttttactt	attttatgat	ctgagcactt	tatattcact	tacagaaaga	1140
gttaaaagaa	tcacagtaga	aaacagtaaa	gtttttctgg	ttccttgttt	actttcacaa	1200
catttaaaat	cattagaata	cttggatctc	agtgaaaatt	tgatggttga	agaatacttg	1260
aaaaattcag	cctgtgagga	tgcctggccc	tctctacaaa	ctttaatttt	aaggcaaaat	1320
catttggcat	cattggaaaa	aaccggagag	actttgctca	ctctgaaaaa	cttgactaac	1380
attgatatca	gtaagaatag	ttttcattct	atgcctgaaa	cttgtcagtg	gccagaaaag	. 1440
atgaaatatt	tgaacttatc	cagcacacga	atacacagtg	taacaggctg	cattcccaag	1500
acactggaaa	ttttagatgt	tagcaacaac	aatctcaatt	tattttcttt	gaatttgccg	1560
caactcaaag	aactttatat	ttccagaaat	aagttgatga	ctctaccaga	tgcctccctc	1620
ttacccatgt	tactagtatt	gaaaatcagt	aggaatgcaa	taactacgtt	ttctaaggag	1680
caacttgact	catttcacac	actgaagact	ttggaagctg	gtggcaataa	cttcatttgc	1740
tcctgtgaat	tectetectt	cactcaggag	cagcaagcac	tggccaaagt	cttgattgat	1800
tggccagcaa	attacctgtg	tgactctcca	tcccatgtgc	gtggccagca	ggttcaggat	1860
gtccgcctct	cggtgtcgga	atgtcacagg	acagcactgg.	tgtctggcat	gtgctgtgct	1920
ctgttcctgc	tgatcctgct	cacgggggtc	ctgtgccacc	gtttccatgg	cctgtggtat	1980
atgaaaatga	tgtgggcctg	gctccaggcc	aaaaggaagc	ccaggaaagc	tcccagcagg	2040
aacatctgct	atgatgcatt	tgtttcttac	agtgagcggg	atgcctactg	ggtggagaac	2100

cttatggtcc aggagctgga gaacttcaat cccccttca agttgtgtct tcataagcgg 2160 gacttcattc ctggcaagtg gatcattgac aatatcattq actccattga aaagagccac 2220 aaaactgtct ttgtgctttc tgaaaacttt gtgaagagtg agtggtgcaa gtatgaactg 2280 gacttctccc atttccgtct ttttgaagag aacaatgatg ctgccattct cattcttctg 2340 gageceattg agaaaaaage catteeceag egettetgea agetgeggaa gataatgaae 2400 accaagacct acctggagtg gcccatggac gaggctcagc gggaaggatt ttgggtaaat 2460 ctgagagctg cgataaagtc ctaggttccc atatttaaga ccagtctttg tctagttggg 2520 atctttatgt cactagttat agttaagttc attcagacat aattatataa aaactacgtg 2580 gatgtaccgt catttgagga 2600

<210> 4

<211> 784

<212> PRT

<213> Homo sapiens

<400> 4

Met Pro His Thr Leu Trp Met Val Trp Val Leu Gly Val Ile Ile Ser
1 5 10 15

Leu Ser Lys Glu Glu Ser Ser Asn Gln Ala Ser Leu Ser Cys Asp Arg
20 25 30

Asn Gly Ile Cys Lys Gly Ser Ser Gly Ser Leu Asn Ser Ile Pro Ser 35 40 45

Gly Leu Thr Glu Ala Val Lys Ser Leu Asp Leu Ser Asn Asn Arg Ile 50 55 60

Thr Tyr Ile Ser Asn Ser Asp Leu Gln Arg Cys Val Asn Leu Gln Ala 70 75 80

Leu Val Leu Thr Ser Asn Gly Ile Asn Thr Ile Glu Glu Asp Ser Phe 85 90 95

Ser Ser Leu Gly Ser Leu Glu His Leu Asp Leu Ser Tyr Asn Tyr Leu 100 105 110

Ser Asn Leu Ser Ser Ser Trp Phe Lys Pro Leu Ser Ser Leu Thr Phe 115 120 125

Leu Asn Leu Leu Gly Asn Pro Tyr Lys Thr Leu Gly Glu Thr Ser Leu 130 135 140

Phe Ser His Leu Thr Lys Leu Gln Ile Leu Arg Val Gly Asn Met Asp 145 150 155 160

Thr Phe Thr Lys Ile Gln Arg Lys Asp Phe Ala Gly Leu Thr Phe Leu 165 170 175

Glu Glu Leu Glu Ile Asp Ala Ser Asp Leu Gln Ser Tyr Glu Pro Lys 180 185 190

## WO 2004/094671 - 4 - PCT/US2004/012788

Ser	Leu	Lys 195	Ser	Ile	Gln	Asn	Val 200	Ser	His	Leu	Ile	Leu 205	His	Met	Lýs
Gln	His 210	Ile	Leu	Leu	Leu	Glu 215	Ile	Phe	Val	qaA	Val 220	Thr	Ser	Ser	Val
Glu 225	Cys	Leu	Glu	Leu	Arg 230	Asp	Thr	Asp	Leu	Asp 235	Thr	Phe	His	Phe	Ser 240
Glu	Leu	Ser	Thr	Gly 245	Glu	Thr	Asn	Ser	Leu 250	Ile	ГÀЗ	Lys	Phe	Thr 255	Phe
Arg	Asn	Val	Lys 260	Ile	Thr	Asp	Glu	Ser 265	Leu	Phe	Gln	Val	Met 270	Lys	Leu
Leu	Asn	Gln 275	Ile	Ser	Gly	Leu	Leu 280	Glu	Leu	Glu	Phe	Asp 285	Asp	Cys	Thr
Leu	Asn 290	Gly	Val	Gly	Asn	Phe 295	Arg	Ala	Ser	Asp	Asn 300	Asp	Arg	Val	Ile
Asp 305	Pro	Gly	Lys	Val	Glu 310	Thr	Leu	Thr	Ile	Arg 315	Arg	Leu	His	Ile	Pro 320
Arg	Phe	Tyr	Leu	Phe 325	Tyr	Asp	Leu	Ser	Thr 330	Leu	Tyr	Ser	Leu	Thr 335	Glu
Arg	Val	Lys	Arg 340	Ile	Thr	Val	Glu	Asn 345	Ser	Ŀуs	Val	Phe	Leu 350	Val	Pro
Cys	Leu	Leu 355	Ser	Gln	His	Leu	Lys 360	Ser	Leu	Glu	Tyr	Leu 365	Asp	Leu	Ser
Glu	Asn 370	Leu	Met	Val	Glu	Glu 375	Tyr	Leu	Lys	Asn	Ser 380	Ala	Cys	Glu	Asp
Ala 385	Trp	Pro	Ser	Leu	Gln 390	Thr	Leu	Ile	Leu	Arg 395	Gln	Asn	His	Leu	Ala 400
Ser	Leu	Glu	Lys	Thr 405	Gly	Glu	Thr	Leu	Leu 410	Thr	Leu	ГÀа	Asn	Leu 415	Thr
Asn	Ile	Asp	Ile 420	Ser	Lys	Asn	Ser	Phe 425	His	Ser	Met	Pro	Glu 430	Thr	Cys
Gln	Trp	Pro 435	Glu	Lys	Met	Lys	Tyr 440	Leu	Asn	Leu	Ser	Ser 445	Thr	Arg	Ile
His	Ser 450	Val	Thr	Gly	Сув	Ile 455	Pro	Lys	Thr	Leu	Glu 460	Ile	Leu	Asp	Val
Ser 465	Asn	Asn	Asn	Leu	Asn 470	Leu	Phe	Ser	Leu	Asn 475	Leu	Pro	Gln	Leu	Lys 480
Glu	Leu	Tyr	Ile	Ser 485	Arg	Asn	Lys	Leu	Met 490	Thr	Leu	Pro	Asp	Ala 495	Ser
Leu	Leu	Pro	Met 500	Leu	Leu	Val	Leu	<b>Lys</b> 505	Ile	Ser	Arg	Asn	Ala 510	Ile	Thr
Thr	Phe	Ser	Lys	Glu	Gln	Leu	Asp	ser	Phe	His	Thr	Leu	Lys	Thr	Leu

Glu	Ala 530	515 Gly	Gly	Asn	Asn	Phe 535	520 Ile	Сув	Ser	Cys	Glu 540	525 Phe	Leu	Ser	Phe
Thr 545	Gln	Glu	Gln	Gln	Ala 550	Leu	Ala	Lys	Val	Leu 555	Ile	Asp	Trp	Pro	Ala 560
Asn	Tyr	Leu	Сув	Asp 565	Ser	Pro	Ser	His	Val 570	Arg	Gly	Gln	Gln	Val 575	Gln
Asp	Val	Arg	Leu 580	Ser	Val	Ser	Glu	Суз 585	His	Arg	Thr	Ala	Leu 590	Val	Ser
Gly	Met	Сув 595	Сув	Ala	Leu	Phe	Leu 600	Leu	Ile	Leu	Leu	Thr 605	Gly	Val	Leu
Cys	His 610	Arg	Phe	His	Gly	Leu 615	Trp	Tyr	Met	ГÀЗ	Met 620	Met	Trp	Ala	Trp
Leu 525	Gln	Ala	Lys	Arg	Lys 630	Pro	Arg	Lys	Ala	Pro 635	Ser	Arg	Asn	Ile	Cys 640
		Ala		645					650				_	655	
Asn	Leu	Met	<b>Val</b> 660	Gln	Glu	Leu	Glú	Asn 665	Phe	Asn	Pro	Pro	Phe 670	Lys	Leu
Сув	Leu	His 675	Lys	Arg	Asp	Phe	Ile 680	Pro	Gly	Lys	Trp	Ile 685	Ile	Asp	Asn
Ile	Ile 690	Asp	Ser	Ile	Glu	Lys 695	Ser	His	Lys	Thr	Val 700	Phe	Val	Leu	Ser
3lu 705	Asn	Phe	Val	ГÀЗ	Ser 710	Glu	Trp	Сув	ГÀЗ	Tyr 715	Glu	Leu	Asp	Phe	Ser 720
lis	Phe	Arg	Leu	Phe 725	Glu	Glu	Asn	Asn	Asp 730	Ala	Ala	Ile	Leu	Ile 735	Leu
Leu	Glu	Pro	Ile 740	Glu	Lys	ГÀв	Ala	Ile 745	Pro	Gln	Arg	Phe	Суs 750	Lys	Leu
Arg	Lys	Ile 755	Met	Asn	Thr	Lys	Thr 760	Tyr	Leu	Glu	Trp	Pro 765	Met	Asp	Glu
Ma	Gln 770	Arg	Glu	Gly	Phe	Trp 775	Val	Asn	Leu	Arg	Ala 780	Ala	Ile	Lys	Ser
:210 :211 :212 :213	> 2 > I	824 NA wrin	ıe												

<400> 5
gccccccatg gccatatggg caccggggag cggcggctgg aggactccta ggctcctggg 60
caggcggtca catggcagaa gatgtgtccg caatcatagt ttctgatggt gaaggttgga 120
cggcagtctc tgcgacctag aagtggaaaa gatgtcgttc aaggaggtgc ggactgtttc 180

	ggatc'ttgtt ccgaattgca					240 300
cgtcaaatct	cagaggatgc	tacgagctct	ttggctcttc	tggatcttgg	tggccataac	360
agtcctcttc	agcaaacgct	gttctgctca	ggagtctctg	tcatgtgatg	cttctggggt	420
gtgtgatggc	cgctccaggt	ctttcacctc	tattccctcc	ggactcacag	cagccatgaa	480
aagccttgac	ctgtctttca	acaagatcac	ctacattggc	catggtgacc	tccgagcgtg	540
tgcgaacctc	caggttctga	ttttgaagtc	cagcagaatc	aatacaatag	agggagacgc	600
cttttattct	ctgggcagtc	ttgaacattt	ggatttgtct	gataatcacc	tatctagttt	660
atcttcctcc	tggttcgggc	ccctttcctc	tttgaaatac	ttaaacttaa	tgggaaatcc	720
ttaccagaca	ctgggggtaa	catcgctttt	tcccaatctc	acaaatttac	aaaccctcag	780
gataggaaat	gtagagactt	tcagtgagat	aaggagaata	gattttgctg	ggctgacttc	840
tctcaatgaa	cttgaaatta	aggcattaag	tctccggaat	tatcagtccc	aaagtctaaa	900
gtcgatccgc	gacatccatc	acctgactct	tcacttaagc	gagtctgctt	tcctgctgga	960
gatttttgca	gatattctga	gttctgtgag	atatttagaa	ctaagagata	ctaacttggc	1020
caggttccag	ttttcaccac	tgcccgtaga	tgaagtcagc	tcaccgatga	agaagctggc	1080
attccgaggc	teggttetca	ctgatgaaag	ctttaacgag	ctcctgaagc	tgttgcgtta	1140
catcttggaa	ctgtcggagg	tagagttcga	cgactgtacc	ctcaatgggc	tcggcgattt	1200
caacccctcg	gagtcagacg	tagtgagcga	gctgggtaaa	gtagaaacag	tcactatccg	1260
gaggttgcat	atcccccagt	tctatttgtt	ttatgacctg	agtactgtct	attccctcct	1320
ggagaaggtg	aagcgaatca	cagtagagaa	cagcaaggtc	tteetggtte	cctgctcgtt	1380
ctcccagcat	ttaaaatcat	tagaattctt	agaceteage	gaaaatctga	tggttgaaga	1440
atatttgaag	aactcagcct	gtaagggagc	ctggccttct	ctacaaacct	tagttttgag	1500
ccagaatcat	ttgagatcaa	tgcaaaaaac	aggagagatt	ttgctgactc	tgaaaaacct	1560
gacctccctt	gacatcagca	ggaacacttt	tcatccgatg	cccgacagct	gtcagtggcc	1620
agaaaagatg	cgcttcctga	atttgtccag	tacagggatc	cgggtggtaa	aaacgtgcat	1680
tcctcagacg	ctggaggtgt	tggatgttag	taacaacaat	cttgactcat	tttctttgtt	1740
cttgcctcgg	ctgcaagagc	tctatatttc	cagaaataag	ctgaaaacac	tcccagatgc	1800
ttcgttgttc	cctgtgttgc	tggtcatgaa	aatcagagag	aatgcagtaa	gtactttctc	1860
taaagaccaa	cttggttctt	ttcccaaact	ggagactctg	gaagcaggcg	acaaccactt	1920
tgtttgctcc	tgcgaactcc	tatcctttac	tatggagacg	ccagctctgg	ctcaaatcct	1980
ggttgactgg	ccagacagct	acctgtgtga	ctctccgcct	cgcctgcacg	gccacaggct	2040
tcaggatgcc	cggccctccg	tcttggaatg	tcaccaggct	gcactggtgt	ctggagtctg	2100

ctgtgccctt	ctcctgttga	tcttgctcgt	aggtgccctg	tgccaccatt	tccacgggct	2160
gtggtacctg	agaatgatgt	gggcgtggct	ccaggccaag	aggaagccca	agaaagctcc	2220
ctgcagggac	gtttgctatg	atgcctttgt	ttcctacagt	gagcaggatt	cccattgggt	2280
ggagaacctc	atggtccagc	agctggagaa	ctctgacccg	ccctttaagc	tgtgtctcca	2340
caagcgggac	ttegtteegg	gcaaatggat	cattgacaac	atcatcgatt	ccatcgaaaa	2400
gagccacaaa	actgtgttcg	tgctttctga	gaacttcgta	cggagcgagt	ggtgcaagta	2460
cgaactggac	ttctcccact	tcaggetett	tgacgagaac	aacgacgcgg	ccatccttgt	2520
tttgctggag	cccattgaga	ggaaagccat	tccccagcgc	ttctgcaaac	tgcgcaagat	2580
aatgaacacc	aagacctacc	tggagtggcc	cttggatgaa	ggccagcagg	aagtgttttg	2640
ggtaaatctg	agaactgcaa	taaagtccta	ggttctccac	ccagttcctg	acttccttaa	2700
ctaaggtctt	tgtgacacaa	actgtaacaa	agtttataag	taacatagaa	ttgtattatt	2760
gaggatatta	actatgggtt	ttgtcttgaa	tactgttata	taaatatgtg	acatcaggct	2820
ttag						2824

<211> . 784

<212> PRT

<213> murine

<400> 6

Met Leu Arg Ala Leu Trp Leu Phe Trp Ile Leu Val Ala Ile Thr Val 1 5 10 15

Leu Phe Ser Lys Arg Cys Ser Ala Gln Glu Ser Leu Ser Cys Asp Ala 20 25 30

Ser Gly Val Cys Asp Gly Arg Ser Arg Ser Phe Thr Ser Ile Pro Ser 35 40 45

Gly Leu Thr Ala Ala Met Lys Ser Leu Asp Leu Ser Phe Asn Lys Ile 50 55 60

Thr Tyr Ile Gly His Gly Asp Leu Arg Ala Cys Ala Asn Leu Gln Val 65 70 75 80

Leu Ile Leu Lys Ser Ser Arg Ile Asn Thr Ile Glu Gly Asp. Ala Phe
85 90 95

Tyr Ser Leu Gly Ser Leu Glu His Leu Asp Leu Ser Asp Asn His Leu 100 105 110

Ser Ser Leu Ser Ser Ser Trp Phe Gly Pro Leu Ser Ser Leu Lys Tyr 115 120 125

Leu Asn Leu Met Gly Asn Pro Tyr Gln Thr Leu Gly Val Thr Ser Leu 130 135 140

	Phe 145	Pro	Asn	Leu	Thr	Asn 150	Leu	Gln	Thr	Leu	Arg 155	Ile	Gly	Asn	Val	Glu 160
7	Fhr	Phe	Ser	Glu	Ile 165	Arg	Arg	Ile	Asp	Phe 170	Ala	Gly	Leu	Thr	Ser 175	Leu
1	Asn	Glu	Leu	Glu 180	Ile	Lys	Ala	Leu	Ser 185	Leu	Arg	Asn	Tyr	Gln 190	Ser	Gln
8	Ser	Leu	Lys 195	Ser	Ile	Arg	Asp	Ile 200	His	His	Leu	Thr	Leu 205	His	Leu	Ser
(	Glu	Ser 210	Ala	Phe	Leu	Leu	Glu 215	Ile	Phe	Ala	Asp	Ile 220	Leu	Ser	Ser	Val
	Arg 225	Tyr	Leu	Glu	Leu	Arg 230	Asp	Thr	Asn	Leu	Ala 235	Arg	Phe	Gln	Phe	Ser 240
3	Pro	Leu	Pro	Val	Asp 245	Glu	Val	Ser	Ser	Pro 250	Met	Lys	Lys	Leu	Ala 255	Phe
2	Arg	Gly	Ser	Val 260	Leu	Thr	Asp	Ġlu	Ser 265	Phe	Asn	Glu	Leu	Leu 270	Lys	Leu
]	Leu	Arg	Tyr 275	Ile	Leu	Glu	Leu	Ser 280	Glu	Val	Glu	Phe	Asp 285	Asp	Cys	Thr
]	Leu	Asn 290	Gly	Leu	Gly	Asp	Phe 295	Asn	Pro	Ser	Glu	Ser 300	Asp	Val	Val	Ser
	305	Leu	Gly	Lys	Val	Glu 310	Thr	Val	Thr	Ile	Arg 315	_	Leu	His	Ile	Pro 320
(	3ln	Phe	Tyr	Leu	Phe 325	Tyr	Asp	Leu	Ser	Thr 330	Val	Tyr	Ser	Leu	Leu 335	Glu
]	Гув	Val	Lys	Arg 340	Ile	Thr	Val	Glu	Asn 345	Ser	Lys	Val	Phe	Leu 350	Val	Pro
(	Cys	Ser	Phe 355	Ser	Gln	His	Leu	Lys 360	Ser	Leu	Glu	Phe	Leu 365	Asp	Leu	Ser
(	Glu	Asn 370	Leu	Met	Val	Glu	Glu 375	Tyr	Leu	Lys	Asn	Ser 380	Ala	Сув	ГÀв	Gly
	Ala 385	Trp	Pro	Ser	Leu	Gln 390	Thr	Leu	Val	Leu	Ser 395	Gln	Asn	His	Leu	Arg 400
:	Ser	Met	Gln	Lys	Thr 405	Gly	Glu	Ile	Leu	Leu 410	Thr	Leu	Lys	Asn	Leu 415	Thr
:	Ser	Leu	Asp	Ile 420	Ser	Arg	Asn	Thr	Phe 425	His	Pro	Met	Pro	Asp 430	Ser	Сув
(	Gln	Trp	Pro 435	Glu	Lys	Met	Arg	Phe 440	Leu	Asn	Leu	Ser	Ser 445	Thr	Gly	Ile
i	Arg	Val 450	Val	Lys	Thr	Суз	Ile 455	Pro	Gln	Thr	Leu	Glu 460	Val	Leu	Asp	Val
:	Ser	Asn	Asn	Asn	Leu	Asp	Ser	Phe	Ser	Leu	Phe	Leu	Pro	Arg	Leu	Gln

- 465 470 475 480 Glu Leu Tyr Ile Ser Arg Asn Lys Leu Lys Thr Leu Pro Asp Ala Ser 485 490 495
- Leu Phe Pro Val Leu Leu Val Met Lys Ile Arg Glu Asn Ala Val Ser 500 505 510
- Thr Phe Ser Lys Asp Gln Leu Gly Ser Phe Pro Lys Leu Glu Thr Leu 515 520 525
- Glu Ala Gly Asp Asn His Phe Val Cys Ser Cys Glu Leu Leu Ser Phe 530 540
- Thr Met Glu Thr Pro Ala Leu Ala Gln Ile Leu Val Asp Trp Pro Asp 545 550 555 560
- Ser Tyr Leu Cys Asp Ser Pro Pro Arg Leu His Gly His Arg Leu Gln 565 570 575
- Asp Ala Arg Pro Ser Val Leu Glu Cys His Gln Ala Ala Leu Val Ser 580 585 590
- Gly Val Cys Cys Ala Leu Leu Leu Leu Leu Leu Leu Val Gly Ala Leu 595 600 605
- Cys His His Phe His Gly Leu Trp Tyr Leu Arg Met Met Trp Ala Trp 610 615 620
- Leu Gln Ala Lys Arg Lys Pro Lys Lys Ala Pro Cys Arg Asp Val Cys 625 630 635 640
- Tyr Asp Ala Phe Val Ser Tyr Ser Glu Gln Asp Ser His Trp Val Glu 645 650 655
- Asn Leu Met Val Gln Gln Leu Glu Asn Ser Asp Pro Pro Phe Lys Leu 660 665 670
- Cys Leu His Lys Arg Asp Phe Val Pro Gly Lys Trp Ile Ile Asp Asn 675 680 685
- Ile Ile Asp Ser Ile Glu Lys Ser His Lys Thr Val Phe Val Leu Ser 690 695 700
- Glu Asn Phe Val Arg Ser Glu Trp Cys Lys Tyr Glu Leu Asp Phe Ser 705 710 715 720
- His Phe Arg Leu Phe Asp Glu Asn Asn Asp Ala Ala Ile Leu Val Leu 725 730 735
- Leu Glu Pro Ile Glu Arg Lys Ala Ile Pro Gln Arg Phe Cys Lys Leu 740 745 750
- Arg Lys Ile Met Asn Thr Lys Thr Tyr Leu Glu Trp Pro Leu Asp Glu
  755 760 765
- Gly Gln Gln Glu Val Phe Trp Val Asn Leu Arg Thr Ala Ile Lys Ser 770 775 780

<211> 3029

<212> DNA

	<213> Homo	sapiens					
		cgacgaaatg	tctggatttg	gactaaagaa	aaaaggaaag	gctagcagtc	60
	atccaacaga	atcatgagac	agactttgcc	ttgtatctac	ttttgggggg	gccttttgcc	120
	ctttgggatg	ctgtgtgcat	cctccaccac	caagtgcact	gttagccatg	aagttgctga	180
•	ctgcagccac	ctgaagttga	ctcaggtacc	cgatgatcta	cccacaaaca	taacagtgtt	240
	gaaccttacc	cataatcaac	tcagaagatt	accagccgcc	aacttcacaa	ggtatagcca	300
	gctaactagc	ttggatgtag	gatttaacac	catctcaaaa	ctggagccag	aattgtgcca	360
	gaaacttccc	atgttaaaag	ttttgaacct	ccagcacaat	gagctatctc	aactttctga	420
	taaaaccttt	gccttctgca	cgaatttgac	tgaactccat	ctcatgtcca	actcaatcca	480
	gaaaattaaa	aataatccct	ttgtcaagca	gaagaattta	atcacattag	atctgtctca	540
	taatggcttg	tcatctacaa	aattaggaac	tcaggttcag	ctggaaaatc	tccaagagct	600
	tctattatca	aacaataaaa	ttcaagcgct	aaaaagtgaa	gaactggata	tctttgccaa	660
	ttcatcttta	aaaaaattag	agttgtcatc	gaatcaaatt	aaagagtttt	ctccagggtg	720
	ttttcacgca	attggaagat	tatttggcct	ctttctgaac	aatgtccagc	tgggtcccag	780
	ccttacagag	aagctatgtt	tggaattagc	aaacacaagc	attcggaatc	tgtctctgag	840
	taacagccag	ctgtccacca	ccagcaatac	aactttcttg	ggactaaagt	ggacaaatct	900
	cactatgctc	gatctttcct	acaacaactt	aaatgtggtt	ggtaacgatt	cctttgcttg	960
	gcttccacaa	ctagaatatt	tcttcctaga	gtataataat	atacagcatt	tgttttctca	1020
	ctctttgcac	gggcttttca	atgtgaggta	cctgaatttg	aaacggtctt	ttactaaaca	1080
	aagtatttcc	cttgcctcac	tccccaagat	tgatgatttt	tcttttcagt	ggctaaaatg	1140
	tttggagcac	cttaacatgg	aagataatga	tattccaggc	ataaaaagca	atatgttcac	1200
	aggattgata	aacctgaaat	acttaagtct	atccaactcc	tttacaagtt	tgcgaacttt	1260
	gacaaatgaa	acatttgtat	cacttgctca	ttctccctta	cacatactca	acctaaccaa	1320
	gaataaaatc	tcaaaaatag	agagtgatgc	tttctcttgg	ttgggccacc	tagaagtact	1380
	tgacctgggc	cttaatgaaa	ttgggcaaga	actcacaggc	caggaatgga	gaggtctaga	1440
	aaatattttc	gaaatctatc	tttcctacaa	caagtacctg	cagetgaeta	ggaactcctt	1500
	tgccttggtc	ccaagccttc	aacgactgat	gctccgaagg	gtggccctta	aaaatgtgga	1560
	tagctctcct	tcaccattcc	agcctcttcg	taacttgacc	attctggatc	taagcaacaa	1620
	caacatagcc	aacataaatg	atgacatgtt	ggagggtctt	gagaaactag	aaattctcga	1680
	tttgcagcat	aacaacttag	cacggctctg	gaaacacgca	aaccctggtg	gtcccattta	1740
	tttcctaaag	ggtctgtctc	acctccacat	ccttaacttg	gagtccaacg	gctttgacga	1800

gatcccagtt gaggtcttca aggattt taatttaaac acacttccag catctgt	att tgaactaaag atcatcgatt taggattgaa ett taataatcag gtgtctctaa agtcattgaa	1860 1920
ccttcagaag aatctcataa catccgt	ga gaagaaggtt ttcgggccag ctttcaggaa	1980
cctgactgag ttagatatgc gctttaa	cc ctttgattgc acgtgtgaaa gtattgcctg	2040
gtttgttaat tggattaacg agaccca	ac caacatecet gagetgteaa gecactacet	2100
ttgcaacact ccacctcact atcatgg	gtt cccagtgaga ctttttgata catcatcttg	2160
caaagacagt gccccctttg aactctt	tt catgatcaat accagtatee tgttgatttt	2220
tatctttatt gtacttctca tccactti	ga gggctggagg atatcttttt attggaatgt	2280
ttcagtacat cgagttcttg gtttcaaa	aga aatagacaga cagacagaac agtttgaata	2340
tgcagcatat ataattcatg cctataaa	aga taaggattgg gtctgggaac atttctcttc	2400
aatggaaaag gaagaccaat ctctcaaa	att ttgtctggaa gaaagggact ttgaggcggg	2460
tgtttttgaa ctagaagcaa ttgttaad	cag catcaaaaga agcagaaaaa ttatttttgt	2520
tataacacac catctattaa aagaccca	att atgcaaaaga ttcaaggtac atcatgcagt	2580
tcaacaagct attgaacaaa atctgga	tc cattatattg gttttccttg aggagattcc	2640
agattataaa ctgaaccatg cactctg	tt gcgaagagga atgtttaaat ctcactgcat	2700
cttgaactgg ccagttcaga aagaacgg	gat aggtgccttt cgtcataaat tgcaagtagc	2760
acttggatcc aaaaactctg tacattaa	aat ttatttaaat attcaattag caaaggagaa	2820
actttctcaa tttaaaaagt tctatggo	aa atttaagttt tccataaagg tgttataatt	2880
tgtttattca tatttgtaaa tgattata	att ctatcacaat tacatctctt ctaggaaaat	2940
gtgtctcctt atttcaggcc tatttttc	gac aattgactta attttaccca aaataaaaca	3000
tataagcacg caaaaaaaaa aaaaaaaa	aa ·	3029

<211> 904 <212> PRT

<213> Homo sapiens

Met Arg Gln Thr Leu Pro Cys Ile Tyr Phe Trp Gly Gly Leu Leu Pro

Phe Gly Met Leu Cys Ala Ser Ser Thr Thr Lys Cys Thr Val Ser His

Glu Val Ala Asp Cys Ser His Leu Lys Leu Thr Gln Val Pro Asp Asp 40

Leu Pro Thr Asn Ile Thr Val Leu Asn Leu Thr His Asn Gln Leu Arg

Arg Leu Pro Ala Ala Asn Phe Thr Arg Tyr Ser Gln Leu Thr Ser Leu

70 Asp Val Gly Phe Asn Thr Ile Ser Lys Leu Glu Pro Glu Leu Cys Gln Lys Leu Pro Met Leu Lys Val Leu Asn Leu Gln His Asn Glu Leu Ser Gln Leu Ser Asp Lys Thr Phe Ala Phe Cys Thr Asn Leu Thr Glu Leu His Leu Met Ser Asn Ser Ile Gln Lys Ile Lys Asn Asn Pro Phe Val Lys Gln Lys Asn Leu Ile Thr Leu Asp Leu Ser His Asn Gly Leu Ser Ser Thr Lys Leu Gly Thr Gln Val Gln Leu Glu Asn Leu Gln Glu Leu Leu Leu Ser Asn Asn Lys Ile Gln Ala Leu Lys Ser Glu Glu Leu Asp Ile Phe Ala Asn Ser Ser Leu Lys Lys Leu Glu Leu Ser Ser Asn Gln 200 Ile Lys Glu Phe Ser Pro Gly Cys Phe His Ala Ile Gly Arg Leu Phe 215 Gly Leu Phe Leu Asn Asn Val Gln Leu Gly Pro Ser Leu Thr Glu Lys Leu Cys Leu Glu Leu Ala Asn Thr Ser Ile Arg Asn Leu Ser Leu Ser 250 Asn Ser Gln Leu Ser Thr Thr Ser Asn Thr Thr Phe Leu Gly Leu Lys Trp Thr Asn Leu Thr Met Leu Asp Leu Ser Tyr Asn Asn Leu Asn Val 280 Val Gly Asn Asp Ser Phe Ala Trp Leu Pro Gln Leu Glu Tyr Phe Phe 295 Leu Glu Tyr Asn Asn Ile Gln His Leu Phe Ser His Ser Leu His Gly Leu Phe Asn Val Arg Tyr Leu Asn Leu Lys Arg Ser Phe Thr Lys Gln 330 Ser Ile Ser Leu Ala Ser Leu Pro Lys Ile Asp Asp Phe Ser Phe Gln Trp Leu Lys Cys Leu Glu His Leu Asn Met Glu Asp Asn Asp Ile Pro 360 Gly Ile Lys Ser Asn Met Phe Thr Gly Leu Ile Asn Leu Lys Tyr Leu 370 Ser Leu Ser Asn Ser Phe Thr Ser Leu Arg Thr Leu Thr Asn Glu Thr 390 395 Phe Val Ser Leu Ala His Ser Pro Leu His Ile Leu Asn Leu Thr Lys

405 410 Asn Lys Ile Ser Lys Ile Glu Ser Asp Ala Phe Ser Trp Leu Gly His 425 Leu Glu Val Leu Asp Leu Gly Leu Asn Glu Ile Gly Gln Glu Leu Thr Gly Gln Glu Trp Arg Gly Leu Glu Asn Ile Phe Glu Ile Tyr Leu Ser 455 Tyr Asn Lys Tyr Leu Gln Leu Thr Arg Asn Ser Phe Ala Leu Val Pro 470 Ser Leu Gln Arg Leu Met Leu Arg Arg Val Ala Leu Lys Asn Val Asp 490 Ser Ser Pro Ser Pro Phe Gln Pro Leu Arg Asn Leu Thr Ile Leu Asp 500 505 Leu Ser Asn Asn Asn Ile Ala Asn Ile Asn Asp Asp Met Leu Glu Gly 520 Leu Glu Lys Leu Glu Ile Leu Asp Leu Gln His Asn Asn Leu Ala Arg 535 Leu Trp Lys His Ala Asn Pro Gly Gly Pro Ile Tyr Phe Leu Lys Gly • 550 555 Leu Ser His Leu His Ile Leu Asn Leu Glu Ser Asn Gly Phe Asp Glu Ile Pro Val Glu Val Phe Lys Asp Leu Phe Glu Leu Lys Ile Ile Asp Leu Gly Leu Asn Asn Leu Asn Thr Leu Pro Ala Ser Val Phe Asn Asn Gln Val Ser Leu Lys Ser Leu Asn Leu Gln Lys Asn Leu Ile Thr Ser 615 Val Glu Lys Lys Val Phe Gly Pro Ala Phe Arg Asn Leu Thr Glu Leu Asp Met Arg Phe Asn Pro Phe Asp Cys Thr Cys Glu Ser Ile Ala Trp 650 Phe Val Asn Trp Ile Asn Glu Thr His Thr Asn Ile Pro Glu Leu Ser Ser His Tyr Leu Cys Asn Thr Pro Pro His Tyr His Gly Phe Pro Val 680 Arg Leu Phe Asp Thr Ser Ser Cys Lys Asp Ser Ala Pro Phe Glu Leu 695 Phe Phe Met Ile Asn Thr Ser Ile Leu Leu Ile Phe Ile Phe Ile Val 705 710 715 Leu Leu Ile His Phe Glu Gly Trp Arg Ile Ser Phe Tyr Trp Asn Val

Ser Val His Arg Val Leu Gly Phe Lys Glu Ile Asp Arg Gln Thr Glu

740 745 750 Gln Phe Glu Tyr Ala Ala Tyr Ile Ile His Ala Tyr Lys Asp Lys Asp 765 Trp Val Trp Glu His Phe Ser Ser Met Glu Lys Glu Asp Gln Ser Leu Lys Phe Cys Leu Glu Glu Arg Asp Phe Glu Ala Gly Val Phe Glu Leu Glu Ala Ile Val Asn Ser Ile Lys Arg Ser Arg Lys Ile Ile Phe Val Ile Thr His His Leu Leu Lys Asp Pro Leu Cys Lys Arg Phe Lys Val 825 His His Ala Val Gln Gln Ala Ile Glu Gln Asn Leu Asp Ser Ile Ile 840 Leu Val Phe Leu Glu Glu Ile Pro Asp Tyr Lys Leu Asn His Ala Leu 850 855 Cys Leu Arg Arg Gly Met Phe Lys Ser His Cys Ile Leu Asn Trp Pro Val Gln Lys Glu Arg Ile Gly Ala Phe Arg His Lys Leu Gln Val Ala 885 890 Leu Gly Ser Lys Asn Ser Val His 900 <210> 9 3310 <211> <212> DNA <213> murine <400> 9 tagaatatga tacagggatt gcacccataa tctgggctga atcatgaaag ggtgttcctc ttatctaatg tactcctttg ggggactttt gtccctatgg attcttctgg tgtcttccac

60 120 aaaccaatgc actgtgagat acaacgtagc tgactgcagc catttgaagc taacacacat 180 acctgatgat cttccctcta acataacagt gttgaatctt actcacaacc aactcagaag 240 attaccacct accaacttta caagatacag ccaacttgct atcttggatg caggatttaa 300 ctccatttca aaactggagc cagaactgtg ccaaatactc cctttgttga aagtattgaa 360 cctgcaacat aatgagctct ctcagatttc tgatcaaacc tttgtcttct gcacgaacct 420 gacagaactc gatctaatgt ctaactcaat acacaaaatt aaaagcaacc ctttcaaaaa 480 ccagaagaat ctaatcaaat tagatttgtc tcataatggt ttatcatcta caaagttggg 540 aacgggggtc caactggaga acctccaaga actgctctta gcaaaaaata aaatccttgc 600 gttgcgaagt gaagaacttg agtttcttgg caattcttct ttacgaaagt tggacttgtc 660 atcaaatcca cttaaagagt tctccccggg gtgtttccag acaattggca agttattcgc 720

cctcctcttg ttcaaacaca	aacaacgccc agcatccaga	aactgaaccc atctctctct	ccacctcaca ggctaacaac	gagaagcttt cagctgctgg	gctgggaact ccaccagcga	780 840
gagcactttc	tctgggctga	agtggacaaa	tctcacccag	ctcgatcttt	cctacaacaa	900
cctccatgat	gtcggcaacg	gttccttctc	ctatctccca	agcctgaggt	atctgtctct	960
ggagtacaac	aatatacagc	gtctgtcccc	tcgctctttt	tatggactct	ccaacctgag	1020
gtacctgagt	ttgaagcgag	catttactaa	gcaaagtgtt	tcacttgctt	cacatcccaa	1080
cattgacgat	ttttcctttc	aatggttaaa	atatttggaa	tatctcaaca	tggatgacaa	1140
taatattcca	agtaccaaaa	gcaatacctt	cacgggattg	gtgagtctga	agtacctaag	1200
tctttccaaa	actttcacaa	gtttgcaaac	tttaacaaat	gaaacatttg	tgtcacttgc	1260
tcattctccc	ttgctcactc	tcaacttaac	gaaaaatcac	atctcaaaaa	tagcaaatgg	1320
tactttctct	tggttaggcc	aactcaggat	acttgatctc	ggccttaatg	aaattgaaca	1380
aaaactcagc	ggccaggaat	ggagaggtct	gagaaatata	tttgagatct	acctatccta	1440
taacaaatac	ctccaactgt	ctaccagttc	ctttgcattg	gtccccagcc	ttcaaagact	1500
gatgctcagg	agggtggccc	ttaaaaatgt	ggatatctcc	ccttcacctt	teegeeetet	1560
tcgtaacttg	accattctgg	acttaagcaa	caacaacata	gccaacataa	atgaggactt	1620
gctggagggt	cttgagaatc	tagaaatcct	ggattttcag	cacaataact	tagccaggct	1680
ctggaaacgc	gcaaaccccg	gtggtcccgt	taatttcctg	aaggggctgt	ctcacctcca	1740
catcttgaat	ttagagtcca	acggcttaga	tgaaatccca	gtcggggttt	tcaagaactt	1800
attcgaacta	aagagcatca	atctaggact	gaataactta	aacaaacttg	aaccattcat	1860
ttttgatgac	cagacatctc	taaggtcact	gaacctccag	aagaacctca	taacatctgt	1920
tgagaaggat	gttttcgggc	cgccttttca	aaacctgaac	agtttagata	tgcgcttcaa	1980
tccgttcgac	tgcacgtgtg	aaagtattto	ctggtttgtt	aactggatca	accagaccca	2040
cactaatato	tttgagctgt	ccactcacta	cctctgtaac	actccacatc	attattatgg	2100
cttccccctg	aagcttttcg	atacatcatc	ctgtaaagac	agegeeect	ttgaactcct	2160
cttcataato	: agcaccagta	tgctcctggt	tttatactt	gtggtactgc	tcattcacat	2220
cgagggctgg	aggatetett	tttactggaa	tgtttcagtg	categgatte	ttggtttcaa	2280
ggaaatagac	acacaggetg	agcagtttga	atatacaged	: tacataatto	atgcccataa	2340
agacagagac	: tgggtctggg	aacatttctc	: cccaatggaa	gaacaagaco	: aatctctcaa	2400
attttgccta	gaagaaaggg	actttgaago	aggegteett	ggacttgaag	g caattgttaa	2460
tagcatcaaa	agaagccgaa	aaatcatttt	: cgttatcaca	caccatttat	taaaagaccc	2520
tctgtgcaga	agattcaagg	tacatcacgo	agttcagcaa	gctattgago	: aaaatctgga	2580
ttcaattata	a ctgatttttc	: tccagaatat	: tccagattat	aaactaaacc	atgcactctg	2640

tttgcgaaga	ggaatgttta	aatctcattg	catcttgaac	tggccagttc	agaaagaacg	2700
gataaatgcc	tttcatcata	aattgcaagt	agcacttgga	tctcggaatt	cagcacatta	2760
aactcatttg	aagatttgga	gtcggtaaag	ggatagatcc	aatttataaa	ggtccatcat	2820
gaatctaagt	tttacttgaa	agttttgtat	atttatttat	atgtatagat	gatgatatta	2880
catcacaatc	caatctcagt	tttgaaatat	ttcggcttat	ttcattgaca	tctggtttat	2940
tcactccaaa	taaacacatg	ggcagttaaa	aacatcctct	attaatagat	tacccattaa	3000
ttcttgaggt	gtatcacagc	tttaaagggt	tttaaatatt	tttatataaa	taagactgag	3060
agttttataa	atgtaatttt	ttaaaactcg	agtcttactg	tgtagctcag	aaaggcctgg	3120
aaattaatat	attagagagt	catgtcttga	acttatttat	ctctgcctcc	ctctgtctcc	3180
agagtgttgc	ttttaagggc	atgtagcacc	acacccagct	atgtacgtgt	gggattttat	3240
aatgctcatt	tttgagacgt	ttatagaata	aaagataatt	gcttttatgg	tataaggcta	3300
cttgaggtaa						3310

<211> 905

<212> PRT

<213> murine

<400> 10

Met Lys Gly Cys Ser Ser Tyr Leu Met Tyr Ser Phe Gly Gly Leu Leu 1 5 10 15

Ser Leu Trp Ile Leu Leu Val Ser Ser Thr Asn Gln Cys Thr Val Arg 20 25 30

Tyr Asn Val Ala Asp Cys Ser His Leu Lys Leu Thr His Ile Pro Asp 35 40 45

Asp Leu Pro Ser Asn Ile Thr Val Leu Asn Leu Thr His Asn Gln Leu 50 55 60

Arg Arg Leu Pro Pro Thr Asn Phe Thr Arg Tyr Ser Gln Leu Ala Ile 65 70 75 80

Leu Asp Ala Gly Phe Asn Ser Ile Ser Lys Leu Glu Pro Glu Leu Cys 85 90 95

Gln Ile Leu Pro Leu Leu Lys Val Leu Asn Leu Gln His Asn Glu Leu 100 105 110

Ser Gln Ile Ser Asp Gln Thr Phe Val Phe Cys Thr Asn Leu Thr Glu 115 120 125

Leu Asp Leu Met Ser Asn Ser Ile His Lys Ile Lys Ser Asn Pro Phe 130 135 140

Lys Asn Gln Lys Asn Leu Ile Lys Leu Asp Leu Ser His Asn Gly Leu 145 150 155 160

- Ser Ser Thr Lys Leu Gly Thr Gly Val Gln Leu Glu Asn Leu Gln Glu 165 170 175
- Leu Leu Ala Lys Asn Lys Ile Leu Ala Leu Arg Ser Glu Glu Leu 180 185 190
- Glu Phe Leu Gly Asn Ser Ser Leu Arg Lys Leu Asp Leu Ser Ser Asn 195 200 205
- Pro Leu Lys Glu Phe Ser Pro Gly Cys Phe Gln Thr Ile Gly Lys Leu 210 215 220
- Phe Ala Leu Leu Leu Asn Asn Ala Gln Leu Asn Pro His Leu Thr Glu 225 230 235 235
- Lys Leu Cys Trp Glu Leu Ser Asn Thr Ser Ile Gln Asn Leu Ser Leu 245 250 255
- Ala Asn Asn Gln Leu Leu Ala Thr Ser Glu Ser Thr Phe Ser Gly Leu 260 265 270
- Lys Trp Thr Asn Leu Thr Gln Leu Asp Leu Ser Tyr Asn Asn Leu His 275 280 285
- Asp Val Gly Asn Gly Ser Phe Ser Tyr Leu Pro Ser Leu Arg Tyr Leu 290 295 300
- Ser Leu Glu Tyr Asn Asn Ile Gln Arg Leu Ser Pro Arg Ser Phe Tyr 305 310 315 320
- Gly Leu Ser Asn Leu Arg Tyr Leu Ser Leu Lys Arg Ala Phe Thr Lys 325 330 335
- Gln Ser Val Ser Leu Ala Ser His Pro Asn Ile Asp Asp Phe Ser Phe 340 345 350
- Gln Trp Leu Lys Tyr Leu Glu Tyr Leu Asn Met Asp Asp Asn Asn Ile 355 360 365
- Pro Ser Thr Lys Ser Asn Thr Phe Thr Gly Leu Val Ser Leu Lys Tyr 370 375 380
- Leu Ser Leu Ser Lys Thr Phe Thr Ser Leu Gln Thr Leu Thr Asn Glu 385 390 395 400
- Thr Phe Val Ser Leu Ala His Ser Pro Leu Leu Thr Leu Asn Leu Thr 405 410 415
- Lys Asn His Ile Ser Lys Ile Ala Asn Gly Thr Phe Ser Trp Leu Gly 420 425 430
- Gln Leu Arg Ile Leu Asp Leu Gly Leu Asn Glu Ile Glu Gln Lys Leu 435 440 445
- Ser Gly Gln Glu Trp Arg Gly Leu Arg Asn Ile Phe Glu Ile Tyr Leu 450 455 460
- Ser Tyr Asn Lys Tyr Leu Gln Leu Ser Thr Ser Ser Phe Ala Leu Val
- Pro Ser Leu Gln Arg Leu Met Leu Arg Arg Val Ala Leu Lys Asn Val

490 Asp Ile Ser Pro Ser Pro Phe Arg Pro Leu Arg Asn Leu Thr Ile Leu Asp Leu Ser Asn Asn Asn Ile Ala Asn Ile Asn Glu Asp Leu Leu Glu Gly Leu Glu Asn Leu Glu Ile Leu Asp Phe Gln His Asn Asn Leu Ala Arg Leu Trp Lys Arg Ala Asn Pro Gly Gly Pro Val Asn Phe Leu Lys Gly Leu Ser His Leu His Ile Leu Asn Leu Glu Ser Asn Gly Leu Asp Glu Ile Pro Val Gly Val Phe Lys Asn Leu Phe Glu Leu Lys Ser Ile 585 Asn Leu Gly Leu Asn Asn Leu Asn Lys Leu Glu Pro Phe Ile Phe Asp Asp Gln Thr Ser Leu Arg Ser Leu Asn Leu Gln Lys Asn Leu Ile Thr Ser Val Glu Lys Asp Val Phe Gly Pro Pro Phe Gln Asn Leu Asn Ser Leu Asp Met Arg Phe Asn Pro Phe Asp Cys Thr Cys Glu Ser Ile Ser Trp Phe Val Asn Trp Ile Asn Gln Thr His Thr Asn Ile Phe Glu Leu 665 Ser Thr His Tyr Leu Cys Asn Thr Pro His His Tyr Tyr Gly Phe Pro 680 Leu Lys Leu Phe Asp Thr Ser Ser Cys Lys Asp Ser Ala Pro Phe Glu 695 Leu Leu Phe Ile Ile Ser Thr Ser Met Leu Leu Val Phe Ile Leu Val Val Leu Leu Ile His Ile Glu Gly Trp Arg Ile Ser Phe Tyr Trp Asn Val Ser Val His Arg Ile Leu Gly Phe Lys Glu Ile Asp Thr Gln Ala Glu Gln Phe Glu Tyr Thr Ala Tyr Ile Ile His Ala His Lys Asp Arg Asp Trp Val Trp Glu His Phe Ser Pro Met Glu Glu Gln Asp Gln Ser 775 Leu Lys Phe Cys Leu Glu Glu Arg Asp Phe Glu Ala Gly Val Leu Gly 785 Leu Glu Ala Ile Val Asn Ser Ile Lys Arg Ser Arg Lys Ile Ile Phe 810 Val Ile Thr His His Leu Leu Lys Asp Pro Leu Cys Arg Arg Phe Lys

820 825 830

Val His His Ala Val Gln Gln Ala Ile Glu Gln Asn Leu Asp Ser Ile
835 840 845

Ile Leu Ile Phe Leu Gln Asn Ile Pro Asp Tyr Lys Leu Asn His Ala 850 855 860

Leu Cys Leu Arg Arg Gly Met Phe Lys Ser His Cys Ile Leu Asn Trp 865 870 875 886

Pro Val Gln Lys Glu Arg Ile Asn Ala Phe His His Lys Leu Gln Val 885 890 895

Ala Leu Gly Ser Arg Asn Ser Ala His 900 905

<210> 11

<211> 3811

<212> DNA

<213> Homo sapiens

<400> 11

acagggccac tgctgctcac agaagcagtg aggatgatgc caggatgatg tctgcctcgc 60 gcctggctgg gactctgatc ccagccatgg ccttcctctc ctgcgtgaga ccagaaagct 120 gggagcctg cgtggagact tggccctaaa ccacacagaa gagctggcat gaaacccaga 180 gettteagae teeggageet eageeettea eeeegattee attgettett getaaatget 240 gccgttttat cacggaggtg gttcctaata ttacttatca atgcatggag ctgaatttct 300 acaaaatccc cgacaacctc cccttctcaa ccaagaacct ggacctgagc tttaatcccc 360 tgaggcattt aggcagctat agcttcttca gtttcccaga actgcaggtg ctggatttat 420 ccaggtgtga aatccagaca attgaagatg gggcatatca gagcctaagc cacctctcta 480 ccttaatatt gacaggaaac cccatccaga gtttagccct gggagccttt tctggactat 540 caagtttaca gaagctggtg gctgtggaga caaatctagc atctctagag aacttcccca 600 ttggacatet caaaaetttg aaagaaetta atgtggetea caatettate caatetttea 660 aattacctga gtatttttct aatctgacca atctagagca cttggacctt tccagcaaca 720 agattcaaag tatttattgc acagacttgc gggttctaca tcaaatgccc ctactcaatc 780 tetetttaga eetgteeetg aaccetatga aetttateea aecaggtgea tttaaagaaa 840 ttaggcttca taagctgact ttaagaaata attttgatag tttaaatgta atgaaaactt 900 gtattcaagg totggctggt ttagaagtcc ategtttggt totgggagaa tttagaaatg 960 aaggaaactt ggaaaagttt gacaaatctg ctctagaggg cctgtgcaat ttgaccattg 1020 aagaatteeg attageatae ttagaetaet acetegatga tattattgae ttatttaatt 1080 gtttgacaaa tgtttcttca ttttccctgg tgagtgtgac tattgaaagg gtaaaagact 1140 tttcttataa tttcggatgg caacatttag aattagttaa ctgtaaattt ggacagtttc 1200

ccacattgaa	actcaaatct	ctcaaaaggc	ttactttcac	ttccaacaaa	ggtgggaatg	1260
ctttttcaga	agttgatcta	ccaagccttg	agtttctaga	tctcagtaga	aatggcttga	1320
gtttcaaagg	ttgctgttct	caaagtgatt	ttgggacaac	cagcctaaag	tatttagatc	1380
tgagcttcaa	tggtgttatt	accatgagtt	caaacttctt	gggcttagaa	caactagaac	1440
atctggattt	ccagcattcc	aatttgaaac	aaatgagtga	gttttcagta	ttcctatcac	1500
tcagaaacct	catttacctt	gacatttctc	atactcacac	cagagttgct	ttcaatggca	1560
tcttcaatgg	cttgtccagt	ctcgaagtct	tgaaaatggc	tggcaattct	ttccaggaaa	1620
acttccttcc	agatatette	acagagctga	gaaacttgac	cttcctggac	ctctctcagt	1680
gtcaactgga	gcagttgtct	ccaacagcat	ttaactcact	ctccagtctt	caggtactaa	1740
atatgagcca	caacaacttc	ttttcattgg	atacgtttcc	ttataagtgt	ctgaactccc	1800
tccaggttct	tgattacagt	ctcaatcaca	taatgacttc	caaaaaacag	gaactacagc	1860
attttccaag	tagtctagct	ttcttaaatc	ttactcagaa	tgactttgct	tgtacttgtg	1920
aacaccagag	tttcctgcaa	tggatcaagg	accagaggca	gctcttggtg	gaagttgaac	1980
gaatggaatg	tgcaacacct	tcagataagc	agggcatgcc	tgtgctgagt	ttgaatatca	2040
cctgtcagat	gaataagacc	atcattggtg	tgtcggtcct	cagtgtgctt	gtagtatctg	2100
ttgtagcagt	tctggtctat	aagttctatt	ttcacctgat	gcttcttgct	ggctgcataa	2160
agtatggtag	aggtgaaaac	atctatgatg	cctttgttat	ctactcaagc	caggatgagg	2220
actgggtaag	gaatgagcta	gtaaagaatt	tagaagaagg	ggtgcctcca	tttcagctct	2280
gccttcacta	cagagacttt	attcccggtg	tggccattgc	tgccaacatc	atccatgaag	2340
gtttccataa	aagccgaaag	gtgattgttg	tggtgtccca	gcacttcatc	cagageeget	2400
ggtgtatctt	tgaatatgag	attgctcaga	cctggcagtt	tctgagcagt	cgtgctggta	2460
tcatcttcat	tgtcctgcag	aaggtggaga	agaccctgct	caggcagcag	gtggagctgt	2520
accgccttct	cagcaggaac	acttacctgg	agtgggagga	cagtgtcctg	gggcggcaca	2580
tcttctggag	acgactcaga	aaagccctgc	tggatggtaa	atcatggaat	ccagaaggaa	2640
cagtgggtac	aggatgcaat	tggcaggaag	caacatctat	ctgaagagga	aaaataaaaa	2700
cctcctgagg	catttcttgc	ccagctgggt	ccaacacttg	ttcagttaat	aagtattaaa	2760
tgctgccaca	tgtcaggcct	tatgctaagg	gtgagtaatt	ccatggtgca	ctagatatgc	2820
agggctgcta	atctcaagga	gcttccagtg	cagagggaat	aaatgctaga	ctaaaataca	2880
gagtcttcca	ggtgggcatt	tcaaccaact	cagtcaagga	acccatgaca	aagaaagtca	2940
tttcaactct	tacctcatca	agttgaataa	agacagagaa	aacagaaaga	gacattgttc	3000
ttttcctgag	tcttttgaat	ggaaattgta	ttatgttata	gccatcataa	aaccattttg	3060

gtagttttga	ctgaactggg	tgttcacttt	ttcctttttg	attgaataca	atttaaattc	3120
tacttgatga	ctgcagtcgt	caaggggctc	ctgatgcaag	atgccccttc	cattttaagt	3180
ctgtctcctt	acagaggtta	aagtctaatg	gctaattcct	aaggaaacct	gattaacaca	3240
tgctcacaac	catcctggtc	attctcgaac	atgttctatt	ttttaactaa	tcacccctga	3300
tatattttta	tttttatata	tccagttttc	atttttttac	gtcttgccta	taagctaata	3360
tcataaataa	ggttgtttaa	gacgtgcttc	aaatatccat	attaaccact	atttttcaag	3420
gaagtatgga	aaagtacact	ctgtcacttt	gtcactcgat	gtcattccaa	agttattgcc	3480
tactaagtaa	tgactgtcat	gaaagcagca	ttgaaataat	ttgtttaaag	ggggcactct	3540
tttaaacggg	aagaaaattt	ccgcttcctg	gtcttatcat	ggacaatttg	ggctataggc	3600
atgaaggaag	tgggattacc	tcaggaagtc	accttttctt	gattccagaa	acatatgggc	3660
tgataaaccc	ggggtgacct	catgaaatga	gttgcagcag	atgtttattt	ttttcagaac	3720
aagtgatgtt	tgatggacct	atgaatctat	ttagggagac	acagatggct	gggatecete	3780
ccctgtaccc	ttctcactga	caggagaact	a			3811

<211> 2845

<212> DNA

<213> Homo sapiens

<400> 12

cctctcaccc tttagcccag aactgctttg aatacaccaa ttgctgtggg gcggctcgag 60 gaagagaaga caccagtgcc tcagaaactg ctcggtcaga cggtgatagc gagccacgca 120 ttcacagggc cactgctgct cacagaagca gtgaggatga tgccaggatg atgtctgcct 180 egegeetgge tgggaetetg ateccageea tggeetteet etectgegtg agaccagaaa 240 gctgggagcc ctgcgtggag gtgtgaaatc cagacaattg aagatggggc atatcagagc 300 ctaagccacc tototacctt aatattgaca ggaaacccca tocagagttt agccctggga 360 gccttttctg gactatcaag tttacagaag ctggtggctg tggagacaaa tctagcatct 420 ctagagaact tccccattgg acatctcaaa actttgaaag aacttaatgt ggctcacaat 480 cttatccaat ctttcaaatt acctgagtat ttttctaatc tgaccaatct agagcacttg 540 gacctttcca gcaacaagat tcaaagtatt tattgcacag acttgcgggt tctacatcaa 600 atgcccctac tcaatctctc tttagacctg tccctgaacc ctatgaactt tatccaacca 660 ggtgcattta aagaaattag gcttcataag ctgactttaa gaaataattt tgatagttta 720 aatgtaatga aaacttgtat tcaaggtctg gctggtttag aagtccatcg tttggttctg 780 ggagaattta gaaatgaagg aaacttggaa aagtttgaca aatctgctct agagggcctg 840

	ccattgaaga ttaattgttt					900 960
gaaagggtaa	aagacttttc	ttataatttc	ggatggcaac	atttagaatt	agttaactgt	1020
aaatttggac	agtttcccac	attgaaactc	aaatctctca	aaaggcttac	tttcacttcc	1080
aacaaaggtg	ggaatgcttt	ttcagaagtt	gatctaccaa	gccttgagtt	tctagatctc	1140
agtagaaatg	gcttgagttt	caaaggttgc	tgttctcaaa	gtgattttgg	gacaaccagc	1200
ctaaagtatt	tagatctgag	cttcaatggt	gttattacca	tgagttcaaa	cttcttgggc	1260
ttagaacaac	tagaacatct	ggatttccag	cattccaatt	tgaaacaaat	gagtgagttt	1320
tcagtattcc	tatcactcag	aaacctcatt	taccttgaca	tttctcatac	tcacaccaga	1380
gttgctttca	atggcatctt	caatggcttg	tccagtctcg	aagtcttgaa	aatggctggc	1440
aattctttcc	aggaaaactt	ccttccagat	atcttcacag	agctgagaaa	cttgaccttc	1500
ctggacctct	ctcagtgtca	actggagcag	ttgtctccaa	cagcatttaa	ctcactctcc	1560
agtcttcagg	tactaaatat	gagccacaac	aacttctttt	cattggatac	gtttccttat	1620
aagtgtctga	actccctcca	ggttcttgat	tacagtctca	atcacataat	gacttccaaa	1680
aaacaggaac	tacagcattt	tccaagtagt	ctagctttct	taaatcttac	tcagaatgac	1740
tttgcttgta	cttgtgaaca	ccagagtttc	ctgcaatgga	tcaaggacca	gaggcagctc	1800
ttggtggaag	ttgaacgaat	ggaatgtgca	acaccttcag	ataagcaggg	catgcctgtg	1860
ctgagtttga	atatcacctg	tcagatgaat	aagaccatca	ttggtgtgtc	ggtcctcagt	1920
gtgcttgtag	tatctgttgt	agcagttctg	gtctataagt	tctattttca	cctgatgctt	1980
cttgctggct	gcataaagta	tggtagaggt	gaaaacatct	atgatgcctt	tgttatctac	2040
tcaagccagg	atgaggactg	ggtaaggaat	gagctagtaa	agaatttaga	agaaggggtg	2100
cctccatttc	agctctgcct	tcactacaga	gactttattc	ccggtgtggc	cattgctgcc	2160
aacatcatcc	atgaaggttt	ccataaaagc	cgaaaggtga	ttgttgtggt	gtcccagcac	2220
ttcatccaga	gccgctggtg	tatctttgaa	tatgagattg	ctcagacctg	gcagtttctg	2280
agcagtcgtg	ctggtatcat	cttcattgtc	ctgcagaagg	tggagaagac	cctgctcagg	2340
cagcaggtgg	agctgtaccg	ccttctcagc	aggaacactt	acctggagtg	ggaggacagt	2400
gtcctggggc	ggcacatctt	ctggagacga	ctcagaaaag	ccctgctgga	tggtaaatca	2460
tggaatccag	aaggaacagt	gggtacagga	tgcaattggc	aggaagcaac	atctatctga	2520
agaggaaaaa	taaaaacctc	ctgaggcatt	tcttgcccag	ctgggtccaa	cacttgttca	2580
gttaataagt	attaaatgct	gccacatgtc	aggccttatg	ctaagggtga	gtaattccat	2640
ggtgcactag	atatgcaggg	ctgctaatct	caaggagctt	ccagtgcaga	gggaataaat	2700
gctagactaa	aatacagagt	cttccaggtg	ggcatttcaa	ccaactcagt	caaggaaccc	2760

atgacaaaga aagtcatttc aactc	ttacc tcatcaagtt	gaataaagac	agagaaaaca	2820
gaaaaaaaaa aaaaaaaaaa aaaaa				2845
<210> 13 <211> 3767 <212> DNA <213> Homo sapiens				
<400> 13 cctctcaccc tttagcccag aactgo	ctttg aatacaccaa	ttgctgtggg	gcggctcgag	60
gaagagaaga caccagtgcc tcagaa	aactg ctcggtcaga	cggtgatagc	gagccacgca	120
ttcacagggc cactgctgct cacaga	aagca gtgaggatga	tgccaggatg	atgtctgcct	180
cgcgcctggc tgggactctg atccc	agcca tggccttcct	ctcctgcgtg	agaccagaaa	240
gctgggagcc ctgcgtggag acttg	gccct aaaccacaca	gaagagctgg	catgaaaccc	300
agagetttca gacteeggag ceteag	geeet teaceeegat	tccattgctt	cttgctaaat	360
gctgccgttt tatcacggag gtgtga	aaatc cagacaattg	aagatggggc	atatcagagc	420
ctaagccacc tctctacctt aatat	tgaca ggaaacccca	tccagagttt	agccctggga	480
gccttttctg gactatcaag tttaca	agaag ctggtggctg	tggagacaaa	tctagcatct	540
ctagagaact tccccattgg acatc	tcaaa actttgaaag	aacttaatgt	ggctcacaat	600
cttatccaat ctttcaaatt acctga	agtat ttttctaatc	tgaccaatct	agagcacttg	660
gacctttcca gcaacaagat tcaaa	gtatt tattgcacag	acttgcgggt	tctacatcaa	720
atgcccctac tcaatctctc tttag	acctg tccctgaacc	ctatgaactt	tatccaacca	780
ggtgcattta aagaaattag gcttca	ataag ctgactttaa	gaaataattt	tgatagttta	840
aatgtaatga aaacttgtat tcaagg	gtetg getggtttag	aagtccatcg	tttggttctg	900
ggagaattta gaaatgaagg aaact	tggaa aagtttgaca	aatctgctct	agagggcctg	960
tgcaatttga ccattgaaga attcc	gatta gcatacttag	actactacct	cgatgatatt	1020
attgacttat ttaattgttt gacaa	atgtt tcttcatttt	ccctggtgag	tgtgactatt	1080
gaaagggtaa aagacttttc ttataa	atttc ggatggcaac	atttagaatt	agttaactgt	1140
aaatttggac agtttcccac attga	aactc aaatctctca	aaaggcttac	tttcacttcc	1200
aacaaaggtg ggaatgcttt ttcaga	aagtt gatctaccaa	gccttgagtt	tctagatctc	1260
agtagaaatg gcttgagttt caaagg	gttgc tgttctcaaa	gtgattttgg	gacaaccagc	1320
ctaaagtatt tagatctgag cttcaa	atggt gttattacca	tgagttcaaa	cttcttgggc	1380
ttagaacaac tagaacatct ggatt	tccag cattccaatt	tgaaacaaat	gagtgagttt	1440
tcagtattcc tatcactcag aaacc	tcatt taccttgaca	tttctcatac	tcacaccaga	1500

	atggcatctt aggaaaactt					1560 1620
ctggacctct	ctcagtgtca	actggagcag	ttgtctccaa	cagcatttaa	ctcactctcc	1680
agtcttcagg	tactaaatat	gagccacaac	aacttcttt	cattggatac	gtttccttat	1740
aagtgtctga	actccctcca	ggttcttgat	tacagtctca	atcacataat	gacttccaaa	1800
aaacaggaac	tacagcattt	tccaagtagt	ctagctttct	taaatcttac	tcagaatgac	1860
tttgcttgta	cttgtgaaca	ccagagtttc	ctgcaatgga	tcaaggacca	gaggcagctc	1920
ttggtggaag	ttgaacgaat	ggaatgtgca	acaccttcag	ataagcaggg	catgcctgtg	1980
ctgagtttga	atatcacctg	tcagatgaat	aagaccatca	ttggtgtgtc	ggtcctcagt	2040
gtgcttgtag	tatctgttgt	agcagttctg	gtctataagt	tctattttca	cctgatgctt	2100
cttgctggct	gcataaagta	tggtagaggt	gaaaacatct	atgatgcctt	tgttatctac	2160
tcaagccagg	atgaggactg	ggtaaggaat	gagctagtaa	agaatttaga	agaaggggtg	2220
cctccatttc	agctctgcct	tcactacaga	gactttattc	ccggtgtggc	cattgctgcc	2280
aacatcatcc	atgaaggttt	ccataaaagc	cgaaaggtga	ttgttgtggt	gtcccagcac	2340
ttcatccaga	gccgctggtg	tatctttgaa	tatgagattg	ctcagacctg	gcagtttctg	2400
agcagtcgtg	ctggtatcat	cttcattgtc	ctgcagaagg	tggagaagac	cctgctcagg	2460
cagcaggtgg	agctgtaccg	ccttctcagc	aggaacactt	acctggagtg	ggaggacagt	2520
gtcctggggc	ggcacatctt	ctggagacga	ctcagaaaag	ccctgctgga	tggtaaatca	2580
tggaatccag	aaggaacagt	gggtacagga	tgcaattggc	aggaagcaac	atctatctga	2640
agaggaaaaa	taaaaacctc	ctgaggcatt	tcttgcccag	ctgggtccaa	cacttgttca	2700
gttaataagt	attaaatgct	gccacatgtc	aggccttatg	ctaagggtga	gtaattccat	2760
ggtgcactag	atatgcaggg	ctgctaatct	caaggagctt	ccagtgcaga	gggaataaat	2820
gctagactaa	aatacagagt	cttccaggtg	ggcatttcaa	ccaactcagt	caaggaaccc	2880
atgacaaaga	aagtcatttc	aactcttacc	tcatcaagtt	gaataaagac	agagaaaaca	2940
gaaagagaca	ttgttctttt	cctgagtctt	ttgaatggaa	attgtattat	gttatagcca	3000
tcataaaacc	attttggtag	ttttgactga	actgggtgtt	cactttttcc	tttttgattg	3060
aatacaattt	aaattctact	tgatgactgc	agtcgtcaag	gggctcctga	tgcaagatgc	3120
cccttccatt	ttaagtctgt	ctccttacag	aggttaaagt	ctagtggcta	attcctaagg	3180
aaacctgatt	aacacatgct	cacaaccatc	ctggtcattc	tcgagcatgt	tctattttt	3240
aactaatcac	ccctgatata	tttttattt	tatatatcca	gttttcattt	ttttacgtct	3300
tgcctataag	ctaatatcat	aaataaggtt	gtttaagacg	tgcttcaaat	atccatatta	3360
accactattt	ttcaaggaag	tatggaaaag	tacactctgt	cactttgtca	ctcgatgtca	3420

ttccaaagtt	attgcctact	aagtaatgac	tgtcatgaaa	gcagcattga	aataatttgt	3480
ttaaaggggg	cactctttta	aacgggaaga	aaatttccgc	ttcctggtct	tatcatggac	3540
aatttgggct	agaggcagga	aggaagtggg	atgacctcag	gaggtcacct	tttcttgatt	3600
ccagaaacat	atgggctgat	aaacccgggg	tgacctcatg	aaatgagttg	cagcagaagt	3660
ttatttttt	cagaacaagt	gatgtttgat	ggacctctga	atctctttag	ggagacacag	3720
atggctggga	tccctcccct	gtacccttct	cactgccagg	agaacta		3767

<211> 3814

<212> DNA

<213> Homo sapiens

<400> 14

ceteteacce tttageccag aactgetttg aatacaccaa ttgetgtggg geggetegag 60 gaagagaaga caccagtgcc tcagaaactg ctcggtcaga cggtgatagc gagccacgca 120 ttcacagggc cactgctgct cacagaagca gtgaggatga tgccaggatg atgtctgcct 180 cgcgcctggc tgggactctg atcccagcca tggccttcct ctcctgcgtg agaccagaaa 240 gctgggagcc ctgcgtggag gtggttccta atattactta tcaatgcatg gagctgaatt 300 tctacaaaat ccccgacaac ctccccttct caaccaagaa cctggacctg agctttaatc 360 ccctgaggca tttaggcagc tatagcttct tcagtttccc agaactgcag gtgctggatt 420 tatccaggtg tgaaatccag acaattgaag atggggcata tcagagccta agccacctct 480 ctaccttaat attgacagga aaccccatcc agagtttagc cctgggagcc ttttctggac 540 tatcaagttt acagaagctg gtggctgtgg agacaaatct agcatctcta gagaacttcc 600 ccattggaca tctcaaaact ttgaaagaac ttaatgtggc tcacaatctt atccaatctt 660 tcaaattacc tgagtatttt tctaatctga ccaatctaga gcacttggac ctttccagca 720 acaagattca aagtatttat tgcacagact tgcgggttct acatcaaatg cccctactca 780 atctctcttt agacctgtcc ctgaacccta tgaactttat ccaaccaggt gcatttaaag 840 aaattagget teataagetg aetttaagaa ataattttga tagtttaaat gtaatgaaaa 900 cttgtattca aggtctggct ggtttagaag tccatcgttt ggttctggga gaatttagaa 960 atgaaggaaa cttggaaaag tttgacaaat ctgctctaga gggcctgtgc aatttgacca 1020 ttgaagaatt ccgattagca tacttagact actacctcga tgatattatt gacttattta 1080 attgtttgac aaatgtttct tcattttccc tggtgagtgt gactattgaa agggtaaaag 1140 acttttctta taatttcgga tggcaacatt tagaattagt taactgtaaa tttggacagt 1200 ttcccacatt gaaactcaaa tctctcaaaa ggcttacttt cacttccaac aaaggtggga 1260

atgctttttc tgagtttcaa	agaagttgat aggttgctgt	ctaccaagcc tctcaaagtg	ttgagtttct attttgggac	agatctcagt aaccagccta	agaaatggct aagtatttag	1320 1380
atctgagctt	caatggtgtt	attaccatga	gttcaaactt	cttgggctta	gaacaactag	1440
aacatctgga	tttccagcat	tccaatttga	aacaaat <u>g</u> ag	tgagttttca	gtattcctat	1500
cactcagaaa	cctcatttac	cttgacattt	ctcatactca	caccagagtt	gctttcaatg	1560
gcatcttcaa	tggcttgtcc	agtctcgaag	tcttgaaaat	ggctggcaat	tctttccagg	1620
aaaacttcct	tccagatatc	ttcacagagc	tgagaaactt	gaccttcctg	gacctctctc	1680
agtgtcaact	ggagcagttg	tetccaacag	catttaactc	actctccagt	cttcaggtac	1740
taaatatgag	ccacaacaac	ttcttttcat	tggatacgtt	tccttataag	tgtctgaact	1800
ccctccaggt	tcttgattac	agtctcaatc	acataatgac	ttccaaaaaa	caggaactac	1860
agcattttcc	aagtagtcta	gctttcttaa	atcttactca	gaatgacttt	gcttgtactt	1920
gtgaacacca	gagtttcctg	caatggatca	aggaccagag	gcagctcttg	gtggaagttg	1980
aacgaatgga	atgtgcaaca	ccttcagata	agcagggcat	geetgtgetg	agtttgaata	2040
tcacctgtca	gatgaataag	accatcattg	gtgtgtcggt	cctcagtgtg	cttgtagtat	2100
ctgttgtagc	agttctggtc	tataagttct	attttcacct	gatgcttctt	gctggctgca	2160
taaagtatgg	tagaggtgaa	aacatctatg	atgcctttgt	tatctactca	agccaggatg	2220
aggactgggt	aaggaatgag	ctagtaaaga	atttagaaga	aggggtgcct	ccatttcagc	2280
tctgccttca	ctacagagac	tttattcccg	gtgtggccat	tgctgccaac	atcatccatg	2340
aaggtttcca	taaaagccga	aaggtgattg	ttgtggtgtc	ccagcacttc	atccagagcc	2400
gctggtgtat	ctttgaatat	gagattgctc	agacctggca	gtttctgagc	agtcgtgctg	2460
gtatcatctt	cattgtcctg	cagaaggtgg	agaagaccct	gctcaggcag	caggtggagc	2520
tgtaccgcct	tctcagcagg	aacacttacc	tggagtggga	ggacagtgtc	ctggggcggc	2580
acatcttctg	gagacgactc	agaaaagccc	tgctggatgg	taaatcatgg	aatccagaag	2640
gaacagtggg	tacaggatgc	aattggcagg	aagcaacatc	tatctgaaga	ggaaaaataa	2700
aaacctcctg	aggcatttct	tgcccagctg	ggtccaacac	ttgttcagtt	aataagtatt	2760
aaatgctgcc	acatgtcagg	ccttatgcta	agggtgagta	attccatggt	gcactagata	2820
tgcagggctg	ctaatctcaa	ggagcttcca	gtgcagaggg	aataaatgct	agactaaaat	2880
acagagtctt	ccaggtgggc	atttcaacca	actcagtcaa	ggaacccatg	acaaagaaag	2940
tcatttcaac	tcttacctca	tcaagttgaa	taaagacaga	gaaaacagaa	agagacattg	3000
ttcttttcct	gagtcttttg	aatggaaatt	gtattatgtt	atagccatca	taaaaccatt	3060
ttggtagttt	tgactgaact	gggtgttcac	tttttccttt	ttgattgaat	acaatttaaa	3120
ttctacttga	tgactgcagt	cgtcaagggg	ctcctgatgc	aagatgcccc	ttccatttta	3180

agtctgtctc	cttacagagg	ttaaagtcta	gtggctaatt	cctaaggaaa	cctgattaac	3240
acatgctcac	aaccatcctg	gtcattctcg	agcatgttct	attttttaac	taatcacccc	3300
tgatatattt	ttatttttat	atatccagtt	ttcattttt	tacgtcttgc	ctataagcta	3360
atatcataaa	taaggttgtt	taagacgtgc	ttcaaatatc	catattaacc	actatttttc	3420
aaggaagtat	ggaaaagtac	actctgtcac	tttgtcactc	gatgtcattc	caaagttatt	3480
gcctactaag	taatgactgt	catgaaagca	gcattgaaat	aatttgttta	aagggggcac	3540
tcttttaaac	gggaagaaaa	tttccgcttc	ctggtcttat	catggacaat	ttgggctaga	3600
ggcaggaagg	aagtgggatg	acctcaggag	gtcacctttt	cttgattcca	gaaacatatg	3660
ggctgataaa	cccggggtga	cctcatgaaa	tgagttgcag	cagaagttta	ttttttcag	3720
aacaagtgat	gtttgatgga	cctctgaatc	tetttaggga	gacacagatg	gctgggatcc	3780
ctcccctgta	cccttctcac	tgccaggaga	acta			3814

<211> 3934

<212> DNA <213> Homo spaiens

<400> 15

cctctcaccc tttagcccag aactgctttg aatacaccaa ttgctgtggg gcggctcgag 60 gaagagaaga caccagtgcc tcagaaactg ctcggtcaga cggtgatagc gagccacgca 120 ttcacagggc cactgctgct cacagaagca gtgaggatga tgccaggatg atgtctgcct 180 cgcgcctggc tgggactctg atcccagcca tggccttcct ctcctgcgtg agaccagaaa 240 gctgggagcc ctgcgtggag acttggccct aaaccacaca gaagagctgg catgaaaccc 300 agagetttea gacteeggag ceteageeet teaceeegat tecattgett ettgetaaat 360 gctgccgttt tatcacggag gtggttccta atattactta tcaatgcatg gagctgaatt 420 480 tctacaaaat ccccgacaac ctccccttct caaccaagaa cctggacctg agctttaatc ccctgaggca tttaggcagc tatagcttct tcagtttccc agaactgcag gtgctggatt 540 tatccaggtg tgaaatccag acaattgaag atggggcata tcagagccta agccacctct 600 ctaccttaat attgacagga aaccccatcc agagtttagc cctgggagcc ttttctggac 660 tatcaagttt acagaagctg gtggctgtgg agacaaatct agcatctcta gagaacttcc 720 ccattggaca tctcaaaact ttgaaagaac ttaatgtggc tcacaatctt atccaatctt 780 tcaaattacc tgagtatttt tctaatctga ccaatctaga gcacttggac ctttccagca 840 acaagattca aagtatttat tgcacagact tgcgggttct acatcaaatg cccctactca 900 atctctcttt agacctgtcc ctgaacccta tgaactttat ccaaccaggt gcatttaaag 960

aaattaggct cttgtattca	tcataagctg aggtctggct	actttaagaa ggtttagaag	ataattttga tccatcgttt	tagtttaaat ggttctggga	gtaatgaaaa gaatttagaa	1020 1080
atgaaggaaa	cttggaaaag	tttgacaaat	ctgctctaga	gggcctgtgc	aatttgacca	1140
ttgaagaatt	ccgattagca	tacttagact	actacctcga	tgatattatt	gacttattta	1200
attgtttgac	aaatgtttct	tcattttccc	tggtgagtgt	gactattgaa	agggtaaaag	1260
acttttctta	taatttcgga	tggcaacatt	tagaattagt	taactgtaaa	tttggacagt	1320
ttcccacatt	gaaactcaaa	tctctcaaaa	ggcttacttt	cacttccaac	aaaggtggga	1380
atgctttttc	agaagttgat	ctaccaagcc	ttgagtttct	agatctcagt	agaaatggct	1440
tgagtttcaa	aggttgctgt	tctcaaagtg	attttgggac	aaccagccta	aagtatttag	1500
atctgagctt	caatggtgtt	attaccatga	gttcaaactt	cttgggctta	gaacaactag	1560
aacatctgga	tttccagcat	tccaatttga	aacaaatgag	tgagttttca	gtattcctat	1620
cactcagaaa	cctcatttac	cttgacattt	ctcatactca	caccagagtt	gctttcaatg	1680
gcatcttcaa	tggcttgtcc	agtctcgaag	tcttgaaaat	ggctggcaat	tctttccagg	1740
aaaacttcct	tccagatatc	ttcacagagc	tgagaaactt	gaccttcctg	gacctctctc	1800
agtgtcaact	ggagcagttg	tctccaacag	catttaactc	actctccagt	cttcaggtac	1860
taaatatgag	ccacaacaac	ttcttttcat	tggatacgtt	tccttataag	tgtctgaact	1920
ccctccaggt	tcttgattac	agteteaate	acataatgac	ttccaaaaaa	caggaactac	1980
agcattttcc	aagtagtcta	gctttcttaa	atcttactca	gaatgacttt	gcttgtactt	2040
gtgaacacca	gagtttcctg	caatggatca	aggaccagag	gcagctcttg	gtggaagttg	2100
aacgaatgga	atgtgcaaca	ccttcagata	agcagggcat	gcctgtgctg	agtttgaata	2160
tcacctgtca	gatgaataag	accatcattg	gtgtgtcggt	cctcagtgtg	cttgtagtat	2220
ctgttgtagc	agttctggtc	tataagttct	attttcacct	gatgcttctt	gctggctgca	2280
taaagtatgg	tagaggtgaa	aacatctatg	atgcctttgt	tatctactca	agccaggatg	2340
aggactgggt	aaggaatgag	ctagtaaaga	atttagaaga	aggggtgcct	ccatttcagc	2400
tctgccttca	ctacagagac	tttattcccg	gtgtggccat	tgctgccaac	atcatccatg	2460
aaggtttcca	taaaagccga	aaggtgattg	ttgtggtgtc	ccagcacttc	atccagagcc	2520
gctggtgtat	ctttgaatat	gagattgctc	agacctggca	gtttctgagc	agtcgtgctg	2580
gtatcatctt	cattgtcctg	cagaaggtgg	agaagaccct	gctcaggcag	caggtggagc	2640
tgtaccgcct	tctcagcagg	aacacttacc	tggagtggga	ggacagtgtc	ctggggcggc	2700
acatcttctg	gagacgactc	agaaaagccc	tgctggatgg	taaatcatgg	aatccagaag	2760
gaacagtggg	tacaggatgc	aattggcagg	aagcaacatc	tatctgaaga	ggaaaaataa	2820
aaacctcctg	aggcatttct	tgcccagctg	ggtccaacac	ttgttcagtt	aataagtatt	2880

aaatgctgcc acatgtcagg ccttatgcta aqqqtgagta attccatggt gcactagata 2940 3000 tgcagggctg ctaatctcaa ggagcttcca gtgcagaggg aataaatgct agactaaaat acagagtett ccaggtgggc atttcaacca actcagtcaa ggaacccatg acaaagaaag 3060 tcatttcaac tcttacctca tcaagttgaa taaagacaga gaaaacagaa agagacattg 3120 ttcttttcct gagtcttttg aatggaaatt gtattatgtt atagccatca taaaaccatt 3180 ttggtagttt tgactgaact gggtgttcac tttttccttt ttgattgaat acaatttaaa 3240 ttctacttqa tqactgcagt cgtcaaqqqq ctcctgatgc aagatgcccc ttccatttta 3300 aqtetqtete ettacagagg ttaaagteta qtggetaatt eetaaggaaa eetgattaae 3360 acatgctcac aaccatectg gtcattctcg agcatgttct attttttaac taatcacece 3420 tqatatattt ttatttttat atatccagtt ttcatttttt tacgtcttgc ctataagcta 3480 atatcataaa taaggttgtt taagacgtgc ttcaaatatc catattaacc actatttttc 3540 aaggaagtat ggaaaagtac actetgteac titgteacte gatgteatte caaagttatt 3600 qcctactaag taatgactgt catgaaagca gcattgaaat aatttgttta aagggggcac 3660 tottttaaac gggaagaaaa tttccgcttc ctggtcttat catggacaat ttgggctaga 3720 ggcaggaagg aagtgggatg acctcaggag gtcacctttt cttgattcca gaaacatatg 3780 ggctgataaa cccggggtga cctcatgaaa tgagttgcag cagaagttta tttttttcag 3840 aacaaqtqat qtttgatgga cctctgaatc tctttaggga gacacagatg gctgggatcc 3900 ctcccctqta cccttctcac tgccaggaga acta 3934

<210> 16

<211> 839

<212> PRT

<213> Homo sapiens

<400> 16

Met Met Ser Ala Ser Arg Leu Ala Gly Thr Leu Ile Pro Ala Met Ala 1 5 10 15

Phe Leu Ser Cys Val Arg Pro Glu Ser Trp Glu Pro Cys Val Glu Val 20 25 30

. Val Pro Asn Ile Thr Tyr Gln Cys Met Glu Leu Asn Phe Tyr Lys Ile 35 40 45

Pro Asp Asn Leu Pro Phe Ser Thr Lys Asn Leu Asp Leu Ser Phe Asn 50. 55

Pro Leu Arg His Leu Gly Ser Tyr Ser Phe Phe Ser Phe Pro Glu Leu 65 70 75 80

Gln Val Leu Asp Leu Ser Arg Cys Glu Ile Gln Thr Ile Glu Asp Gly 85 90 95

Ala	Tyr	Gln	Ser	Leu	Ser	His	Leu	Ser	Thr	Leu	Ile	Leu	Thr	Gly	Asn
	•		100					105					110	-	
Pro	Ile	Gln 115	Ser	Leu	Ala	Leu	Gly 120	Ala	Phe	Ser	Gly	Leu 125	Ser	Ser	Leu
Gln	Lуs 130	Leu	Val	Ala	Val	Glu 135	Thr	Asn	Leu	Ala	Ser 140	Leu	Glu	Asn	Phe
Pro 145	Ile	Gly	His	Leu	Lys 150	Thr	Leu	Lys	Glu	Leu 155	Asn	Val	Ala	His	Asn 160
Leu	Ile	Gln	Ser	Phe 165	Lys	Leu	Pro	Glu	Tyr 170	Phe	Ser	Asn	Leu	Thr 175	Asn
Leu	Glu	His	Leu 180	Asp	Leu	Ser	Ser	Asn 185	Lys	Ile	Gln	Ser	Ile 190	Tyr	Сув
Thr	Asp	Leu 195	Arg	Val	Leu	His	Gln 200	Met	Pro	Leu	Leu	Asn 205	Leu	Ser	Leu
Asp	Leu 210	Ser	Leu	Asn	Pro	Met 215	Asn	Phe	Ile	Gln	Pro 220	Gly	Ala	Phe	Lys
Glu 225	Ile	Arg	Leu	His	<b>Lys</b> 230	Leu	Thr	Leu	Arg	Asn 235	Asn	Phe	Asp	Ser	Leu 240
Asn	Val	Met	Lys	Thr 245	Cys	Ile	Gln	Gly	Leu 250	Ala	Gly	Leu	Glu	Val 255	His
Arg	Leu	Val	Leu 260	Gly	Glu	Phe	Arg	Asn 265	Glu	Gly	Asn	Leu	Glu 270	ГÀа	Phe
Asp	Lys	Ser 275	Ala	Leu	Glu	Gly	Leu 280	Cys	Asn	Leu	Thr	Ile 285	Glu	Glu	Phe
Arg	Leu 290	Ala	Tyr	Leu	Asp	Tyr 295	Tyr	Leu	Asp	Asp	Ile 300	Ile	Asp	Leu	Phe
Asn 305	Cys	Leu	Thr	Asn	Val 310	Ser	Ser	Phe	Ser	Leu 315	Val	Ser	Val	Thr	Ile 320
Glu	Arg	Val	Lys	Asp 325	Phe	Ser	Tyr	Asn	Phe 330	Gly	Trp	Gln	His	Leu 335	Glu
Leu	Val	Asn	Сув 340	Lys	Phe	Gly	Gln	Phe 345	Pro	Thr	Leu	Lys	Leu 350	Lys	Ser
Leu	Lys	Arg 355	Leu	Thr	Phe	Thr	Ser 360	Asn	Lys	Gly	Gly	Asn 365	Ala	Phe	Ser
Glu	Val 370	Asp	Leu	Pro	Ser	Leu 375	Glu	Phe	Leu	Asp	Leu 380	Ser	Arg	Asn	Gly
Leu 385	Ser	Phe	Lys	Gly	Cys	Cys	Ser	Gln	Ser	Asp 395	Phe	Gly	Thr	Thr	Ser 400
Leu	Lys	Tyr	Leu	Asp 405	Leu	Ser	Phe	Asn	Gly 410	Val	Ile	Thr	Met	Ser 415	Ser
Asn	Phe	Leu	Gly	Leu	Glu	Gln	Leu	Glu	His	Leu	Asp	Phe	Gln	His	Ser

## WO 2004/094671 - 31 - PCT/US2004/012788

425 420 Asn Leu Lys Gln Met Ser Glu Phe Ser Val Phe Leu Ser Leu Arg Asn 440 Leu Ile Tyr Leu Asp Ile Ser His Thr His Thr Arg Val Ala Phe Asn 455 Gly Ile Phe Asn Gly Leu Ser Ser Leu Glu Val Leu Lys Met Ala Gly 470 475 Asn Ser Phe Gln Glu Asn Phe Leu Pro Asp Ile Phe Thr Glu Leu Arg 485 490 Asn Leu Thr Phe Leu Asp Leu Ser Gln Cys Gln Leu Glu Gln Leu Ser 505 Pro Thr Ala Phe Asn Ser Leu Ser Ser Leu Gln Val Leu Asn Met Ser His Asn Asn Phe Phe Ser Leu Asp Thr Phe Pro Tyr Lys Cys Leu Asn 535 Ser Leu Gln Val Leu Asp Tyr Ser Leu Asn His Ile Met Thr Ser Lys 555 Lys Gln Glu Leu Gln His Phe Pro Ser Ser Leu Ala Phe Leu Asn Leu 570 Thr Gln Asn Asp Phe Ala Cys Thr Cys Glu His Gln Ser Phe Leu Gln 585 Trp Ile Lys Asp Gln Arg Gln Leu Leu Val Glu Val Glu Arg Met Glu Cys Ala Thr Pro Ser Asp Lys Gln Gly Met Pro Val Leu Ser Leu Asn Ile Thr Cys Gln Met Asn Lys Thr Ile Ile Gly Val Ser Val Leu Ser Val Leu Val Val Ser Val Val Ala Val Leu Val Tyr Lys Phe Tyr Phe His Leu Met Leu Leu Ala Gly Cys Ile Lys Tyr Gly Arg Gly Glu Asn Ile Tyr Asp Ala Phe Val Ile Tyr Ser Ser Gln Asp Glu Asp Trp Val Arg Asn Glu Leu Val Lys Asn Leu Glu Glu Gly Val Pro Pro Phe Gln Leu Cys Leu His Tyr Arg Asp Phe Ile Pro Gly Val Ala Ile Ala Ala Asn Ile Ile His Glu Gly Phe His Lys Ser Arg Lys Val Ile Val Val Val Ser Gln His Phe Ile Gln Ser Arg Trp Cys Ile Phe Glu Tyr Glu Ile Ala Gln Thr Trp Gln Phe Leu Ser Ser Arg Ala Gly Ile Ile Phe

755 760 Ile Val Leu Gln Lys Val Glu Lys Thr Leu Leu Arg Gln Gln Val Glu

Leu Tyr Arg Leu Leu Ser Arg Asn Thr Tyr Leu Glu Trp Glu Asp Ser

Val Leu Gly Arg His Ile Phe Trp Arg Arg Leu Arg Lys Ala Leu Leu 810

Asp Gly Lys Ser Trp Asn Pro Glu Gly Thr Val Gly Thr Gly Cys Asn 825

Trp Gln Glu Ala Thr Ser Ile 835

<210> 17

<211> 782 <212> PRT <213> Homo sapiens

<400> 17

Met Lys Pro Arg Ala Phe Arg Leu Arg Ser Leu Ser Pro Ser Pro Arg 1.0

Phe His Cys Phe Leu Leu Asn Ala Ala Val Leu Ser Arg Arg Cys Glu

Ile Gln Thr Ile Glu Asp Gly Ala Tyr Gln Ser Leu Ser His Leu Ser

Thr Leu Ile Leu Thr Gly Asn Pro Ile Gln Ser Leu Ala Leu Gly Ala

Phe Ser Gly Leu Ser Ser Leu Gln Lys Leu Val Ala Val Glu Thr Asn 70

Leu Ala Ser Leu Glu Asn Phe Pro Ile Gly His Leu Lys Thr Leu Lys

Glu Leu Asn Val Ala His Asn Leu Ile Gln Ser Phe Lys Leu Pro Glu 105

Tyr Phe Ser Asn Leu Thr Asn Leu Glu His Leu Asp Leu Ser Ser Asn 120

Lys Ile Gln Ser Ile Tyr Cys Thr Asp Leu Arg Val Leu His Gln Met 140

Pro Leu Leu Asn Leu Ser Leu Asp Leu Ser Leu Asn Pro Met Asn Phe

Ile Gln Pro Gly Ala Phe Lys Glu Ile Arg Leu His Lys Leu Thr Leu 170

Arg Asn Asn Phe Asp Ser Leu Asn Val Met Lys Thr Cys Ile Gln Gly

Leu Ala Gly Leu Glu Val His Arg Leu Val Leu Gly Glu Phe Arg Asn

## WO 2004/094671 - 33 - PCT/US2004/012788

- Glu Gly Asn Leu Glu Lys Phe Asp Lys Ser Ala Leu Glu Gly Leu Cys 210

  Asn Leu Thr Ile Glu Glu Phe Arg Leu Ala Tyr Leu Asp Tyr Tyr Leu 225

  Asp Asp Ile Ile Asp Leu Phe Asn Cys Leu Thr Asn Val Ser Ser Phe 245

  Ser Leu Val Ser Val Thr Ile Glu Arg Val Lys Asp Phe Ser Tyr Asn 265

  Phe Gly Trp Gln His Leu Glu Leu Val Asn Cys Leu Thr Phe Gly Gln Phe 285

  Pro Thr Leu Lys Leu Lys Ser Leu Lys Arg Leu Thr Phe Thr Ser Asn 290

  Lys Gly Gly Asn Ala Phe Ser Glu Val Asp Leu Pro Ser Leu Glu Phe 305

  Leu Asp Leu Ser Arg Asn Gly Leu Ser Phe Lys Gly Cys Cys Ser Gln
- 325 330 335

  Ser Asp Phe Gly Thr Thr Ser Leu Lys Tyr Leu Asp Leu Ser Phe Asn
- 340 345 350
- Gly Val Ile Thr Met Ser Ser Asn Phe Leu Gly Leu Glu Gln Leu Glu 355 360 365
- His Leu Asp Phe Gln His Ser Asn Leu Lys Gln Met Ser Glu Phe Ser 370 380
- Val Phe Leu Ser Leu Arg Asn Leu Ile Tyr Leu Asp Ile Ser His Thr 385 390 395 400
- His Thr Arg Val Ala Phe Asn Gly Ile Phe Asn Gly Leu Ser Ser Leu 405 410 415
- Glu Val Leu Lys Met Ala Gly Asn Ser Phe Gln Glu Asn Phe Leu Pro 420 425 430
- Asp Ile Phe Thr Glu Leu Arg Asn Leu Thr Phe Leu Asp Leu Ser Gln 435 440 445
- Cys Gln Leu Glu Gln Leu Ser Pro Thr Ala Phe Asn Ser Leu Ser Ser 450 455 460
- Leu Gln Val Leu Asn Met Ser His Asn Asn Phe Phe Ser Leu Asp Thr 465 470 475 480
- Phe Pro Tyr Lys Cys Leu Asn Ser Leu Gln Val Leu Asp Tyr Ser Leu 485 490 495
- Asn His Ile Met Thr Ser Lys Lys Gln Glu Leu Gln His Phe Pro Ser 500 505 510
- Ser Leu Ala Phe Leu Asn Leu Thr Gln Asn Asp Phe Ala Cys Thr Cys 515 520 525
- Glu His Gln Ser Phe Leu Gln Trp Ile Lys Asp Gln Arg Gln Leu Leu

ï

Ile Gly Val Ser Val Leu Ser Val Leu Val Val Ser Val Val Ala Val
580 585 590

Leu Val Tyr Lys Phe Tyr Phe His Leu Met Leu Leu Ala Gly Cys Ile 595 600

Lys Tyr Gly Arg Gly Glu Asn Ile Tyr Asp Ala Phe Val Ile Tyr Ser 610 615 620

Ser Gln Asp Glu Asp Trp Val Arg Asn Glu Leu Val Lys Asn Leu Glu 625 630 635 640

Glu Gly Val Pro Pro Phe Gln Leu Cys Leu His Tyr Arg Asp Phe Ile 645 650 655

Pro Gly Val Ala Ile Ala Ala Asn Ile Ile His Glu Gly Phe His Lys 660 665 670

Ser Arg Lys Val Ile Val Val Ser Gln His Phe Ile Gln Ser Arg 675 680 685

Trp Cys Ile Phe Glu Tyr Glu Ile Ala Gln Thr Trp Gln Phe Leu Ser 690 695 700

Ser Arg Ala Gly Ile Ile Phe Ile Val Leu Gln Lys Val Glu Lys Thr 705 710 715 720

Leu Leu Arg Gln Gln Val Glu Leu Tyr Arg Leu Leu Ser Arg Asn Thr 725 730 735

Tyr Leu Glu Trp Glu Asp Ser Val Leu Gly Arg His Ile Phe Trp Arg
740 745 750

Arg Leu Arg Lys Ala Leu Leu Asp Gly Lys Ser Trp Asn Pro Glu Gly
755 760 765

Thr Val Gly Thr Gly Cys Asn Trp Gln Glu Ala Thr Ser Ile 770 775 780

<210> 18

<211> 799

<212> PRT

<213> Homo sapiens

<400> 18

Met Glu Leu Asn Phe Tyr Lys Ile Pro Asp Asn Leu Pro Phe Ser Thr 1 5 10 15

Lys Asn Leu Asp Leu Ser Phe Asn Pro Leu Arg His Leu Gly Ser Tyr 20 25 30

Ser Phe Phe Ser Phe Pro Glu Leu Gln Val Leu Asp Leu Ser Arg Cys
35 40 45

#### WO 2004/094671 - 35 - PCT/US2004/012788

Glu Ile Gln Thr Ile Glu Asp Gly Ala Tyr Gln Ser Leu Ser His Leu Ser Thr Leu Ile Leu Thr Gly Asn Pro Ile Gln Ser Leu Ala Leu Gly Ala Phe Ser Gly Leu Ser Ser Leu Gln Lys Leu Val Ala Val Glu Thr 90 Asn Leu Ala Ser Leu Glu Asn Phe Pro Ile Gly His Leu Lys Thr Leu Lys Glu Leu Asn Val Ala His Asn Leu Ile Gln Ser Phe Lys Leu Pro 120 Glu Tyr Phe Ser Asn Leu Thr Asn Leu Glu His Leu Asp Leu Ser Ser 135 Asn Lys Ile Gln Ser Ile Tyr Cys Thr Asp Leu Arg Val Leu His Gln Met Pro Leu Leu Asn Leu Ser Leu Asp Leu Ser Leu Asn Pro Met Asn 165 170 Phe Ile Gln Pro Gly Ala Phe Lys Glu Ile Arg Leu His Lys Leu Thr 180 185 Leu Arg Asn Asn Phe Asp Ser Leu Asn Val Met Lys Thr Cys Ile Gln 200 Gly Leu Ala Gly Leu Glu Val His Arg Leu Val Leu Gly Glu Phe Arg 215 Asn Glu Gly Asn Leu Glu Lys Phe Asp Lys Ser Ala Leu Glu Gly Leu 230 Cys Asn Leu Thr Ile Glu Glu Phe Arg Leu Ala Tyr Leu Asp Tyr Tyr 250 Leu Asp Asp Ile Ile Asp Leu Phe Asn Cys Leu Thr Asn Val Ser Ser Phe Ser Leu Val Ser Val Thr Ile Glu Arg Val Lys Asp Phe Ser Tyr 280 Asn Phe Gly Trp Gln His Leu Glu Leu Val Asn Cys Lys Phe Gly Gln 295 Phe Pro Thr Leu Lys Leu Lys Ser Leu Lys Arg Leu Thr Phe Thr Ser Asn Lys Gly Gly Asn Ala Phe Ser Glu Val Asp Leu Pro Ser Leu Glu Phe Leu Asp Leu Ser Arg Asn Gly Leu Ser Phe Lys Gly Cys Cys Ser Gln Ser Asp Phe Gly Thr Thr Ser Leu Lys Tyr Leu Asp Leu Ser Phe Asn Gly Val Ile Thr Met Ser Ser Asn Phe Leu Gly Leu Glu Gln Leu

# WO 2004/094671 - 36 - PCT/US2004/012788

Glu 385	370 His	Leu	Asp	Phe	Gln 390	375 His	Ser	Asn	Leu	<b>L</b> ys 395	380 Gln	Met	Ser	Glu	Phe 400
Ser	Val	Phe	Leu	Ser 405	Leu	Arg	Asn	Leu	Ile 410	Tyr	Leu	Asp	Ile	Ser 415	His
Thr	His	Thr	Arg 420	Val	Ala	Phe	Asn	Gly 425	Ile	Phe	Asn	Gly	Leu 430	Ser	Ser
Leu	Glu	Val 435	Leu	Lys	Met	Ala	Gly 440	Asn	Ser	Phe	Gln	Glu 445	Asn	Phe	Leu
Pro	Asp 450	Ile	Phe	Thr	Glu	Leu 455	Arg	Asn	Leu	Thr	Phe 460	Leu	Asp	Leu	Ser
Gln 465	Сув	Gln	Leu	Glu	Gln 470	Leu	Ser	Pro	Thr	Ala 475	Phe	Asn	Ser	Leu	Ser 480
Ser	Leu	Gln	Val	Leu 485	Asn	Met	Ser	His	Asn 490	Asn	Phe	Phe	Ser	Leu 495	Asp
Thr	Phe	Pro	Tyr 500	Lys	Cys	Leu	Asn	Ser 505	Leu	Gln	Val	Leu	Asp 510	Tyr	Ser
Leu	Asn	His 515	Ile	Met	Thr	Ser	<b>Lys</b> 520	Lys	Gln	Glu	Leu	Gln 525	His	Phe	Pro
Ser	Ser 530	Leu	Ala	Phe	Leu	Asn 535	Leu	Thr	Gln	Asn	Asp 540	Phe	Ala	Cys	Thr
Cys 545	Glu	His	Gln	Ser	Phe 550	Leu	Gln	Trp	Ile	Lys 555	Asp	Gln	Arg	Gln	Leu 560
Leu	Val	Glu	Val	Glu 565	Arg	Met	Glu	Cys	Ala 570	Thr	Pro	Ser	Asp	Ьув 575	Gln
Gly	Met	Pro	Val 580	Leu	Ser	Leu	Asn	Ile 585	Thr	Cys	Gln	Met	Asn 590	Lys	Thr
Ile	Ile	Gly 595	Val	Ser	Val	Leu	Ser 600	Val	Leu	Val	Val	Ser 605	Val	Val	Ala
Väl	Leu 610	Val	Tyr	Lys	Phe	Tyr 615	Phe	His	Leu	Met	Leu 620	Leu	Ala	Gly	Cys
Ile 625	Lys	Tyr	Gly	Arg	Gly 630	Glu	Asn	Ile	Tyr	Asp 635	Ala	Phe	Val	Ile	Tyr 640
Ser	Ser	Gln	Asp	Glu 645	Asp	Trp	Val	Arg	Asn 650	Glu	Leu	Val	ГÀа	Asn 655	Leu
Glu	Glu	Gly	Val 660	Pro	Pro	Phe	Gln	Leu 665	Сув	Leu	His	Tyr	Arg 670	Asp	Phe
Ile	Pro	Gly 675	Val	Ala	Ile	Ala	Ala 680	Asn	Ile	Ile	His	Glu 685	Gly	Phe	His
Lys	Ser 690	Arg	Lys	Val	Ile	Val 695	Val	Val	Ser	Gln	His 700	Phe	Ile	Gln	Ser
Arg	Trp	Cys	Ile	Phe	Glu	Tyr	Glu	Ile	Ala	Gln	Thr	Trp	Gln	Phe	Leu

705 710 715 720 Ser Ser Arg Ala Gly Ile Ile Phe Ile Val Leu Gln Lys Val Glu Lys 725 730 735

Thr Leu Leu Arg Gln Gln Val Glu Leu Tyr Arg Leu Leu Ser Arg Asn 740 745 750

Thr Tyr Leu Glu Trp Glu Asp Ser Val Leu Gly Arg His Ile Phe Trp 755 760 765

Arg Arg Leu Arg Lys Ala Leu Leu Asp Gly Lys Ser Trp Asn Pro Glu 770 780

Gly Thr Val Gly Thr Gly Cys Asn Trp Gln Glu Ala Thr Ser Ile 785 790 795

<210> 19

<211> 639

<212> PRT

<213> Homo sapiens

<400> 19

Met Pro Leu Leu Asn Leu Ser Leu Asp Leu Ser Leu Asn Pro Met Asn 1 5 10 15

Phe Ile Gln Pro Gly Ala Phe Lys Glu Ile Arg Leu His Lys Leu Thr 20 25 30

Leu Arg Asn Asn Phe Asp Ser Leu Asn Val Met Lys Thr Cys Ile Gln
35 40 45

Gly Leu Ala Gly Leu Glu Val His Arg Leu Val Leu Gly Glu Phe Arg
50 55 60

Asn Glu Gly Asn Leu Glu Lys Phe Asp Lys Ser Ala Leu Glu Gly Leu 65 70 75 80

Cys Asn Leu Thr Ile Glu Glu Phe Arg Leu Ala Tyr Leu Asp Tyr Tyr 85 90 95

Leu Asp Asp Ile Ile Asp Leu Phe Asn Cys Leu Thr Asn Val Ser Ser 100 105 110

Phe Ser Leu Val Ser Val Thr Ile Glu Arg Val Lys Asp Phe Ser Tyr 115 120 125

Asn Phe Gly Trp Gln His Leu Glu Leu Val Asn Cys Lys Phe Gly Gln 130 135 140

Phe Pro Thr Leu Lys Leu Lys Ser Leu Lys Arg Leu Thr Phe Thr Ser 145 150 155 160

Asn Lys Gly Gly Asn Ala Phe Ser Glu Val Asp Leu Pro Ser Leu Glu 165 170 175

Phe Leu Asp Leu Ser Arg Asn Gly Leu Ser Phe Lys Gly Cys Cys Ser 180 185 190

Gln Ser Asp Phe Gly Thr Thr Ser Leu Lys Tyr Leu Asp Leu Ser Phe 195 200 205

### WO 2004/094671 - 38 - PCT/US2004/012788

Asn	Gly 210	Val	Ile	Thr	Met	Ser 215	Ser	Asn	Phe	Leu	Gly 220	Leu	Glu	Gln	Leu
Glu 225	His	Leu	Asp	Phe	Gln 230	His	Ser	Asn	Leu	Lys 235	Gln	Met	Ser	Glu	Phe 240
Ser	Val	Phe	Leu	Ser 245	Leu	Arg	Asn.	Leu	Ile 250	Tyr	Leu	Asp	Ile	Ser 255	His
Thr	His	Thr	Arg 260	Val	Ala	Phe	Asn	Gly 265	Ile	Phe	Asn	Gly	Leu 270	Ser	Ser
Leu	Glu	Val 275	Leu	Lys	Met	Ala	Gly 280	Asn	Ser	Phe	Gln	Glu 285	Asn	Phe	Leu
Pro	Asp 290	Ile	Phe	Thr	Glu	Leu 295	Arg	Asn	Leu	Thr	Phe 300	Leu	Asp	Leu	Ser
Gln 305	Сув	Gln	Leu	Glu	Gln 310	Leu	Ser	Pro	Thr	Ala 315	Phe	Asn	Ser	Leu	Ser 320
Ser	Leu	Gln	Val	Leu 325	Asn	Met	Ser	His	Asn 330	Asn	Phe	Phe	Ser	Leu 335	Asp
Thr	Phe	Pro	Tyr 340	<sub>.</sub> Lys	Cys	Leu	Asn	Ser 345	Leu	Gln	Val	Leu	Asp 350	Tyr	Ser
Leu	Asn	His 355	Ile	Met	Thr	Ser	Lys 360	Lys	Gln	Glu	Leu	Gln 365	His	Phe	Pro
Ser	Ser 370	Leu	Ala	Phe	Leu	Asn 375	Leu	Thr	Gln	Asn	Asp 380	Phe	Ala	Сув	Thr
Cys 385	Glu	His	Gln	Ser	Phe 390	Leu	Gln	Trp	Ile	<b>L</b> уs 395	Asp	Gln	Arg	Gln	Leu 400
Leu	Val	Glu	Val	Glu 405	Arg	Met	Glu	Сув	Ala 410	Thr	Pro	Ser	Asp	Lys 415	Gln
Gly	Met	Pro	Val 420	Leu	Ser	Leu	Asn	Ile 425	Thr	Сув	Gln	Met	Asn 430	Lys	Thr
Ile	Ile	Gly 435	Val	Ser	Val	Leu	Ser 440	Val	Leu	Val	Val	Ser 445	Val	Val	Ala
Val	Leu 450	Val	Tyr	Lys	Phe	Tyr 455	Phe	His	Leu	Met	Leu 460	Leu	Ala	Gly	Суз
Ile 465	ГÀЗ	Tyr	Gly	Arg	Gly 470	Glu	Asn	Ile	Tyr	Asp 475	Ala	Phe	Val	Ile	Tyr 480
Ser	Ser	Gln	Asp	Glu 485	Asp	Trp	Val	Arg	Asn 490	Glu	Leu	Val	Lys	Asn 495	Leu
Glu	Glu	Gly	Val 500	Pro	Pro	Phe	Gln	Leu 505	Суз	Leu	His	Tyr	Arg 510	Asp	Phe
Ile	Pro	Gly 515	Val	Ala	Ile	Ala	Ala 520	Asn	Ile	Ile	His	Glu 525	Gly	Phe	His
Lys	Ser	Arg	Lys	Val	Ile	Val	Val	Val	Ser	Gln	His	Phe	Ile	Gln	Ser

WO 2004/094671 - 39 - PCT/US2004/012788

530 535 540 Arg Trp Cys Ile Phe Glu Tyr Glu Ile Ala Gln Thr Trp Gln Phe Leu 545 550 555 560

Ser Ser Arg Ala Gly Ile Ile Phe Ile Val Leu Gln Lys Val Glu Lys 565 570 575

Thr Leu Leu Arg Gln Gln Val Glu Leu Tyr Arg Leu Leu Ser Arg Asn 580 585 590

Thr Tyr Leu Glu Trp Glu Asp Ser Val Leu Gly Arg His Ile Phe Trp 595 600 605

Arg Arg Leu Arg Lys Ala Leu Leu Asp Gly Lys Ser Trp Asn Pro Glu 610 615 620

Gly Thr Val Gly Thr Gly Cys Asn Trp Gln Glu Ala Thr Ser Ile 625 630 635

<210> 20

<211> 3866

<212> DNA

<213> murine

<400> 20

ctggttgcag aaaatgccag gatgatgcct ccctggctcc tggctaggac tctgatcatg 60 gcactgttct tctcctgcct gacaccagga agcttgaatc cctgcataga ggtagttcct 120 aatattacct accaatgcat ggatcagaaa ctcagcaaag tccctgatga cattccttct 180 tcaaccaaga acatagatct gagcttcaac cccttgaaga tcttaaaaaag ctatagcttc 240 300 tccaattttt caqaacttca gtggctggat ttatccaggt gtgaaattga aacaattgaa 360 gacaaggcat ggcatggctt acaccacctc tcaaacttga tactgacagg aaaccctatc caqaqttttt ccccaggaag tttctctgga ctaacaagtt tagagaatct ggtggctgtg 420 480 qaqacaaaat tggcctctct agaaagcttc cctattggac agcttataac cttaaagaaa ctcaatgtgg ctcacaattt tatacattcc tgtaagttac ctgcatattt ttccaatctg 540 600 acquacctaq tacatgtgga tctttcttat aactatattc aaactattac tgtcaacgac ttacagtttc tacgtgaaaa tccacaagtc aatctctctt tagacatgtc tttgaaccca 660 attgacttca ttcaagacca agcctttcag ggaattaagc tccatgaact gactctaaga 720 ggtaatttta atagctcaaa tataatgaaa acttgccttc aaaacctggc tggtttacac 780 gtccatcggt tgatcttggg agaatttaaa gatgaaagga atctggaaat ttttgaaccc 840 900 tctatcatgg aaggactatg tgatgtgacc attgatgagt tcaggttaac atatacaaat gatttttcag atgatattgt taagttccat tgcttggcga atgtttctgc aatgtctctg 960 gcaggtgtat ctataaaata tctagaagat gttcctaaac atttcaaatg gcaatcctta 1020 tcaatcatta gatgtcaact taagcagttt ccaactctgg atctaccctt tcttaaaagt 1080

ttgactttaa agctatctag	ctatgaacaa atcttagtag	agggtctatc aaatgcactg	agttttaaaa agctttagtg	aagtggccct gttgctgttc	accaagtctc ttattctgat	1140 1200
ttgggaacaa	acageetgag	acacttagac	ctcagcttca	atggtgccat	cattatgagt	1260
gccaatttca	tgggtctaga	agagctgcag	cacctggatt	ttcagcactc	tactttaaaa	1320
agggtcacag	aattctcagc	gttcttatcc	cttgaaaagc	tactttacct	tgacatctct	1380
tatactaaca	ccaaaattga	cttcgatggt	atatttcttg	gcttgaccag	tctcaacaca	1440
ttaaaaatgg	ctggcaattc	ttţcaaagac	aacacccttt	caaatgtctt	tgcaaacaca	1500
acaaacttga	cattcctgga	tctttctaaa	tgtcaattgg	aacaaatatc	ttggggggta	1560
tttgacaccc	tccatagact	tcaattatta	aatatgagtc	acaacaatct	attgtttttg	1620
gattcatccc	attataacca	gctgtattcc	ctcagcactc	ttgattgcag	tttcaatcgc	1680
atagagacat	ctaaaggaat	actgcaacat	tttccaaaga	gtctagcctt	cttcaatctt	1740
actaacaatt	ctgttgcttg	tatatgtgaa	catcagaaat	tectgcagtg	ggtcaaggaa	1800
cagaagcagt	tcttggtgaa	tgttgaacaa	atgacatgtg	caacacctgt	agagatgaat	1860
acctccttag	tgttggattt	taataattct	acctgttata	tgtacaagac	aatcatcagt	1920
gtgtcagtgg	tcagtgtgat	tgtggtatcc	actgtagcat	ttctgatata	ccacttctat	1980
tttcacctga	tacttattgc	tggctgtaaa	aagtacagca	gaggagaaag	catctatgat	2040
gcatttgtga	tctactcgag	tcagaatgag	gactgggtga	gaaatgagct	ggtaaagaat	2100
ttagaagaag	gagtgccccg	ctttcacctc	tgccttcact	acagagactt	tattcctggt	2160
gtagccattg	ctgccaacat	catccaggaa	ggcttccaca	agagccggaa	ggttattgtg	2220
gtagtgtcta	gacactttat	tcagagccgt	tggtgtatct	ttgaatatga	gattgctcaa	2280
acatggcagt	ttctgagcag	ccgctctggc	atcatcttca	ttgtccttga	gaaggttgag	2340
aagtccctgc	tgaggcagca	ggtggaattg	tatcgccttc	ttagcagaaa	cacctacctg	2400
gaatgggagg	acaatcctct	ggggaggcac	atcttctgga	gaagacttaa	aaatgcccta	2460
ttggatggaa	aagcctcgaa	tcctgagcaa	acagcagagg	aagaacaaga	aacggcaact	2520
tggacctgag	gagaacaaaa	ctctggggcc	taaacccagt	ctgtttgcaa	ttaataaatg	2580
ctacagctca	cctggggctc	tgctatggac	cgagagccca	tggaacacat	ggctgctaag	2640
ctatagcatg	gaccttaccg	ggcagaagga	agtagcactg	acaccttcct	ttccaggggt	2700
atgaattacc	taactcggga	aaagaaacat	aatccagaat	ctttaccttt	aatctgaagg	2760
agaagaggct	aaggcctagt	gagaacagaa	aggagaacca	gtcttcactg	ggccttttga	2820
atacaagcca	tgtcatgttc	tgtgtttcag	ttgctttaga	agagtattga	tagtttcaac	2880
tgaactgaac	ggtttcttac	tttccctttt	ttctactgaa	tgcaatatta	aatagctctt	2940
tttgagaggt	cttcattcca	atttcatctt	ccattttatg	tcattttctt	ttcttttttg	3000

tttttatcta	attctataag	aaatatgatt	gatacacgct	cacagatagc	ctggccaatc	3060
ctaagaatgc	tatatttatt	aaatacaatt	cctagtatac	ttttactttt	ataaattcag	3120
ttatcgtttt	tcatgccttg	actataaact	aatatcataa	ataagattgt	tacaggtatg	3180
ctaagaaggc	ccatatttga	ctataatttt	ttaagaaagt	atataaaata	tactttgtca	3240
tattgtcact	gaatgtcatt	cttaagttat	tacctaagtt	atggatgtca	cagagtcagt	3300
gttaaaaata	atttggttga	tagaaatatt	tttaatcagg	agggaaaagt	ggagaggggt	3360
gcaggaacag	aaatcatgat	ttcatcattt	attcttgatt	tttccggaag	ttcacatagc	3420
tgaatgacaa	gactacatat	gctgcaactg	atgttccttc	tcatcaagga	tactctctga	3480
acttgagaac	attttgggga	ggaagaaagg	tctaacatcc	ttttccttca	tcattctcat	3540
ttctggacat	gccttgtgag	atggatcaat	gttgggagta	cacatttctg	ctttcacctt	3600
atttcagtca	gcatgaacac	tgaatatata	atgtcatttc	acagtgtgtg	tgtgttgtgt	3660
atgtacatat	atgaacctgt	acatgtgttt	aagtttaaag	agaaaatagt	gtacagagca	3720
ggtgtatatt	tgtgataggg	ctttaaatag	ttgagctaat	tcagaaaagt	atggaggttt	3780
cttggtaaac	caaaccaaaa	gtagaatcat	tacaagatct	aacaataaaa	attttgaaaa	3840
aaaaaaaaa	aaaaaaaaaa	aaaaaa				3866

<210> 21

<211> 2520

<212> DNA

<213> murine

<400> 21 atgatgeete cetggeteet ggetaggaet etgateatgg caetgttett eteetgeetg 60 acaccaggaa gcttgaatcc ctgcatagag gtagttccta atattaccta ccaatgcatg 120 gatcagaaac tcagcaaagt ccctgatgac attccttctt caaccaagaa catagatctg 180 240 agetteaace cettgaagat ettaaaaage tatagettet eeaatttte agaactteag tggctggatt tatccaggtg tgaaattgaa acaattgaag acaaggcatg gcatggctta 300 caccacctct caaacttgat actgacagga aaccctatcc agagtttttc cccaggaagt 360 ttctctggac taacaagttt agagaatctg gtggctgtgg agacaaaatt ggcctctcta 420 gaaagettee etattggaca gettataace ttaaagaaac teaatgtgge teacaatttt 480 atacattcct gtaagttacc tgcatatttt tccaatctga cgaacctagt acatgtggat 540 ctttcttata actatattca aactattact gtcaacgact tacagtttct acgtgaaaat 600 ccacaagtca atctctcttt agacatatct ttgaacccaa ttgacttcat tcaagaccaa 660 gcctttcagg gaattaagct ccatgaactg actctaagag gtaattttaa tagctcaaat 720

	cttgccttca atgaaaggaa					780 840
gatgtgacca	ttgatgagtt	caggttaaca	tatacaaatg	atttttcaga	tgatattgtt	900
aagttccatt	gcttggcgaa	tgtttctgca	atgtctctgg	caggtgtatc	tataaaatat	960
ctagaagatg	ttcctaaaca	tttcaaatgg	caatccttat	caatcattag	atgtcaactt	1020
aagcagtttc	caactctgga	tctacccttt	cttaaaagtt	tgactttaac	tatgaacaaa	1080
gggtctatca	gttttaaaaa	agtggcccta	ccaagtctca	gctatctaga	tcttagtaga	1140
aatgcactga	gctttagtgg	ttgctgttct	tattctgatt	tgggaacaaa	cagcctgaga	1200
cacttagacc	tcagcttcaa	tggtgccatc	attatgagtg	ccaatttcat	gggtctagaa	1260
gagctgcagc	acctggattt	tcagcactct	actttaaaaa	gggtcacaga	attctcagcg	1320
ttcttatccc	ttgaaaagct	actttacctt	gacatctctt	atactaacac	caaaattgac	1380
ttcgatggta	tatttcttgg	cttgaccagt	ctcaacacat	taaaaatggc	tggcaattct	1440
ttcaaagaca	acaccctttc	aaatgtcttt	gcaaacacaa	caaacttgac	attcctggat	1500
ctttctaaat	gtcaattgga	acaaatatct	tggggggtat	ttgacaccct	ccatagactt	1560
caattattaa	atatgagtca	caacaatcta	ttgtttttgg	attcatccca	ttataaccag	1620
ctgtattccc	tcagcactct	tgattgcagt	ttcaatcgca	tagagacatc	taaaggaata	1680
ctgcaacatt	ttccaaagag	tctagccttc	ttcaatctta	ctaacaattc	tgttgcttgt	1740
atatgtgaac	atcagaaatt	cctgcagtgg	gtcaaggacc	agaagcagtt	cttggtgaat	1800
gttgaacaaa	tgacatgtgc	aacacctgta	gagatgaata	cctccttagt	gttggatttt	1860
aataattcta	cctgttatat	gtacaagaca	atcatcagtg	tgtcagtggt	cagtgtgatt	1920
gtggtatcca	ctgtagcatt	tctgatatac	cacttctatt	ttcacctgat	acttattgct	1980
ggctgtaaaa	agtacagcag	aggagaaagc	atctatgatg	catttgtgat	ctactcgagt	2040
cagaatgagg	actgggtgag	aaatgagctg	gtaaagaatt	tagaagaagg	agtgccccgc	2100
tttcacctct	gccttcacta	cagagacttt	attcctggtg	tagccattgc	tgccaatatc	2160
atccaggaag	gcttccacaa	gagccggaag	gttattgtgg	tagtgtctag	acactttatt	2220
cagagccgtt	ggtgtatctt	tgaatatgag	attgctcaaa	catggcagtt	tctgagcagc	2280
cactctggca	tcatcttcat	tgtccttgag	aaggttgaga	agtccctgct	gaggcagcag	2340
gtggaattgt	atcgccttct	tagcagaaac	acctacctgg	aatgggagga	caatcctctg	2400
gggaggcaca	tcttctggag	aagacttaaa	aatgccctat	tggatggaaa	agcctcgaat	2460
cctgagcaaa	cagcagagga	agaacaagaa	acggcaactt	ggacctgagg	agaaccgcgg	2520

<210> 22 <211> 3866 <212> DNA <213> murine

<400> 22 etggttgcag aaaatgccag gatgatgcct ceetggetee tggctaggae tetgateatg 60 gcactgttct tetectgeet gacaccagga agettgaate cetgcataga ggtagtteet 120 aatattacct accaatgcat ggatcagaaa ctcagcaaag tccctgatga cattccttct 180 tcaaccaaga acatagatct gagcttcaac cccttgaaga tettaaaaag ctatagette 240 tccaattttt cagaacttca gtggctggat ttatccaggt gtgaaattga aacaattgaa 300 gacaaggcat ggcatggctt acaccacctc tcaaacttga tactgacagg aaaccctatc 360 cagagttttt ccccaggaag tttctctgga ctaacaagtt tagagaatct ggtggctgtg 420 gagacaaaat tggcctctct agaaagcttc cctattggac agcttataac cttaaagaaa 480 ctcaatgtgg ctcacaattt tatacattcc tgtaagttac ctgcatattt ttccaatctg 540 acgaacctag tacatgtgga tctttcttat aactatattc aaactattac tgtcaacgac 600 ttacagtttc tacgtgaaaa tccacaagtc aatctctctt tagacatgtc tttgaaccca 660 attgacttca ttcaagacca agcctttcag ggaattaagc tccatgaact gactctaaga 720 ggtaatttta atagctcaaa tataatgaaa acttgccttc aaaacctggc tggtttacac 780 gtccatcggt tgatcttggg agaatttaaa gatgaaagga atctggaaat ttttgaaccc 840 tctatcatgg aaggactatg tgatgtgacc attgatgagt tcaggttaac atatacaaat 900 gatttttcag atgatattgt taagttccat tgcttggcga atgtttctgc aatgtctctg 960 gcaggtgtat ctataaaata tctagaagat gttcctaaac atttcaaatg gcaatcctta 1020 tcaatcatta gatgtcaact taagcagttt ccaactctgg atctaccctt tcttaaaagt 1080 ttqactttaa ctatgaacaa agggtctatc agttttaaaa aagtggccct accaagtctc 1140 agctatctag atcttagtag aaatgcactg agctttagtg gttgctgttc ttattctgat 1200 1260 ttgggaacaa acagcctgag acacttagac ctcagcttca atggtgccat cattatgagt gccaatttca tgggtctaga agagctgcag cacctggatt ttcagcactc tactttaaaa 1320 agggtcacag aattctcagc gttcttatcc cttgaaaagc tactttacct tgacatctct 1380 tatactaaca ccaaaattga cttcgatggt atatttcttg gcttgaccag tctcaacaca 1440 ttaaaaatqq ctqqcaattc tttcaaaqac aacacccttt caaatqtctt tqcaaacaca 1500 acaaacttga catteetgga tetttetaaa tgteaattgg aacaaatate ttggggggta 1560 tttgacaccc tccatagact tcaattatta aatatgagtc acaacaatct attgtttttg 1620 gattcatccc attataacca gctgtattcc ctcagcactc ttgattgcag tttcaatcgc 1680 ataqaqacat ctaaaggaat actgcaacat tttccaaaga gtctagcctt cttcaatctt 1740

actaacaatt ctgttgcttg cagaagcagt tcttggtgaa	tatatgtgaa tgttgaacaa	catcagaaat atgacatgtg	tcctgcagtg caacacctgt	ggtcaaggaa agagatgaat	1800 1860
acctccttag tgttggattt	taataattct	acctgttata	tgtacaagac	aatcatcagt	1920
gtgtcagtgg tcagtgtgat	tgtggtatcc	actgtagcat	ttctgatata	ccacttctat	1980
tttcacctga tacttattgc	tggctgtaaa	aagtacagca	gaggagaaag	catctatgat	2040
gcatttgtga tctactcgag	tcagaatgag	gactgggtga	gaaatgagct	ggtaaagaat	2100
ttagaagaag gagtgccccg	ctttcacctc	tgccttcact	acagagactt	tattcctggt	2160
gtagccattg ctgccaacat	catccaggaa	ggcttccaca	agagccggaa	ggttattgtg	2220
gtagtgtcta gacactttat	tcagagccgt	tggtgtatct	ttgaatatga	gattgctcaa	2280
acatggcagt ttctgagcag	ccgctctggc	atcatcttca	ttgtccttga	gaaggttgag	2340
aagtccctgc tgaggcagca	ggtggaattg	tatcgccttc	ttagcagaaa	cacctacctg	2400
gaatgggagg acaatcctct	ggggaggcac	atcttctgga	gaagacttaa	aaatgcccta	2460
ttggatggaa aagcctcgaa	tcctgagcaa	acagcagagg	aagaacaaga	aacggcaact	2520
tggacctgag gagaacaaaa	ctctggggcc	taaacccagt	ctgtttgcaa	ttaataaatg	2580
ctacagetea cetggggete	tgctatggac	cgagagccca	tggaacacat	ggctgctaag	2640
ctatagcatg gaccttaccg	ggcagaagga	agtagcactg	acaccttcct	ttccaggggt	2700
atgaattacc taactcggga	aaagaaacat	aatccagaat	ctttaccttt	aatctgaagg	2760
agaagaggct aaggcctagt	gagaacagaa	aggagaacca	gtcttcactg	ggccttttga	2820
atacaagcca tgtcatgttc	tgtgtttcag.	ttgctttaga	agagtattga	tagtttcaac	2880
tgaactgaac ggtttcttac	tttccctttt	ttctactgaa	tgcaatatta	aatagctctt	2940
tttgagaggt cttcattcca	atttcatctt	ccattttatg	tcattttctt	ttcttttttg	3000
tttttatcta attctataag	aaatatgatt	gatacacgct	cacagatagc	ctggccaatc	3060
ctaagaatgc tatatttatt	aaatacaatt	cctagtatac	ttttactttt	ataaattcag	3120
ttatcgtttt tcatgccttg	actataaact	aatatcataa	ataagattgt	tacaggtatg	3180
ctaagaaggc ccatatttga	ctataatttt	ttaagaaagt	atataaaata	tactttgtca	3240
tattgtcact gaatgtcatt	cttaagttat	tacctaagtt	atggatgtca	cagagtcagt	3300
gttaaaaata atttggttga	tagaaatatt	tttaatcagg	agggaaaagt	ggagaggggt	3360
gcaggaacag aaatcatgat	ttcatcattt	attcttgatt	tttccggaag	ttcacatagc	3420
tgaatgacaa gactacatat	gctgcaactg	atgttccttc	tcatcaagga	tactctctga	3480
acttgagaac attttgggga	ggaagaaagg	tctaacatcc	ttttccttca	tcattctcat	3540
ttctggacat gccttgtgag	atggatcaat	gttgggagta	cacatttctg	ctttcacctt	3600
atttcagtca gcatgaacac	: tgaatatata	atgtcatttc	acagtgtgtg	tgtgttgtgt	3660

atgtacatat atgaacctgt acatgtgttt aagtttaaag agaaaatagt gtacagagca 3720
ggtgtatatt tgtgataggg ctttaaatag ttgagctaat tcagaaaagt atggaggttt 3780
cttggtaaac caaaccaaaa gtagaatcat tacaagatct aacaataaaa attttgaaaa 3840
aaaaaaaaaa aaaaaaaaa aaaaaa 3866

<210> 23

<211> 835

<212> PRT

<213> murine

<400> 23

Met Met Pro Pro Trp Leu Leu Ala Arg Thr Leu Ile Met Ala Leu Phe 1 5 10 15

Phe Ser Cys Leu Thr Pro Gly Ser Leu Asn Pro Cys Ile Glu Val Val 20 25 30

Pro Asn Ile Thr Tyr Gln Cys Met Asp Gln Lys Leu Ser Lys Val Pro 35 40 45

Asp Asp Ile Pro Ser Ser Thr Lys Asn Ile Asp Leu Ser Phe Asn Pro 50 55 60

Leu Lys Ile Leu Lys Ser Tyr Ser Phe Ser Asn Phe Ser Glu Leu Gln 65 70 75 80

Trp Leu Asp Leu Ser Arg Cys Glu Ile Glu Thr Ile Glu Asp Lys Ala 85 90 95

Trp His Gly Leu His His Leu Ser Asn Leu Ile Leu Thr Gly Asn Pro 100 105 110

Ile Gln Ser Phe Ser Pro Gly Ser Phe Ser Gly Leu Thr Ser Leu Glu
115 120 125

Asn Leu Val Ala Val Glu Thr Lys Leu Ala Ser Leu Glu Ser Phe Pro 130 135 140

Ile Gly Gln Leu Ile Thr Leu Lys Lys Leu Asn Val Ala His Asn Phe 145 150 155 160

Ile His Ser Cys Lys Leu Pro Ala Tyr Phe Ser Asn Leu Thr Asn Leu 165 170 175

Val His Val Asp Leu Ser Tyr Asn Tyr Ile Gln Thr Ile Thr Val Asn 180 185 190

Asp Leu Gln Phe Leu Arg Glu Asn Pro Gln Val Asn Leu Ser Leu Asp 195 200 205

Met Ser Leu Asn Pro Ile Asp Phe Ile Gln Asp Gln Ala Phe Gln Gly
210 215 220

Ile Lys Leu His Glu Leu Thr Leu Arg Gly Asn Phe Asn Ser Ser Asn 225 230 235 240

Ile Met Lys Thr Cys Leu Gln Asn Leu Ala Gly Leu His Val His Arg Leu Ile Leu Gly Glu Phe Lys Asp Glu Arg Asn Leu Glu Ile Phe Glu 265 Pro Ser Ile Met Glu Gly Leu Cys Asp Val Thr Ile Asp Glu Phe Arg Leu Thr Tyr Thr Asn Asp Phe Ser Asp Asp Ile Val Lys Phe His Cys Leu Ala Asn Val Ser Ala Met Ser Leu Ala Gly Val Ser Ile Lys Tyr 315 Leu Glu Asp Val Pro Lys His Phe Lys Trp Gln Ser Leu Ser Ile Ile Arg Cys Gln Leu Lys Gln Phe Pro Thr Leu Asp Leu Pro Phe Leu Lys Ser Leu Thr Leu Thr Met Asn Lys Gly Ser Ile Ser Phe Lys Lys Val 360 Ala Leu Pro Ser Leu Ser Tyr Leu Asp Leu Ser Arg Asn Ala Leu Ser 375 Phe Ser Gly Cys Cys Ser Tyr Ser Asp Leu Gly Thr Asn Ser Leu Arg His Leu Asp Leu Ser Phe Asn Gly Ala Ile Ile Met Ser Ala Asn Phe Met Gly Leu Glu Glu Leu Gln His Leu Asp Phe Gln His Ser Thr Leu Lys Arg Val Thr Glu Phe Ser Ala Phe Leu Ser Leu Glu Lys Leu Leu Tyr Leu Asp Ile Ser Tyr Thr Asn Thr Lys Ile Asp Phe Asp Gly Ile 455 Phe Leu Gly Leu Thr Ser Leu Asn Thr Leu Lys Met Ala Gly Asn Ser 470 Phe Lys Asp Asn Thr Leu Ser Asn Val Phe Ala Asn Thr Thr Asn Leu 490 Thr Phe Leu Asp Leu Ser Lys Cys Gln Leu Glu Gln Ile Ser Trp Gly Val Phe Asp Thr Leu His Arg Leu Gln Leu Leu Asn Met Ser His Asn Asn Leu Leu Phe Leu Asp Ser Ser His Tyr Asn Gln Leu Tyr Ser Leu Ser Thr Leu Asp Cys Ser Phe Asn Arg Ile Glu Thr Ser Lys Gly Ile

Leu Gln His Phe Pro Lys Ser Leu Ala Phe Phe Asn Leu Thr Asn Asn

565 570 575

Ser Val Ala Cys Ile Cys Glu His Gln Lys Phe Leu Gln Trp Val Lys
580 585 590

Glu Gln Lys Gln Phe Leu Val Asn Val Glu Gln Met Thr Cys Ala Thr 595 600 605

Pro Val Glu Met Asn Thr Ser Leu Val Leu Asp Phe Asn Asn Ser Thr 610 615 620

Cys Tyr Met Tyr Lys Thr Ile Ile Ser Val Ser Val Ser Val Ile 625 630 635 640

Val Val Ser Thr Val Ala Phe Leu Ile Tyr His Phe Tyr Phe His Leu 645 650 655

Ile Leu Ile Ala Gly Cys Lys Lys Tyr Ser Arg Gly Glu Ser Ile Tyr 660 665 670

Asp Ala Phe Val Ile Tyr Ser Ser Gln Asn Glu Asp Trp Val Arg Asn 675 680 685

Glu Leu Val Lys Asn Leu Glu Glu Gly Val Pro Arg Phe His Leu Cys 690 695 700

Leu His Tyr Arg Asp Phe Ile Pro Gly Val Ala Ile Ala Ala Asn Ile 705 710 715 720

Ile Gln Glu Gly Phe His Lys Ser Arg Lys Val Ile Val Val Ser 725 730 735

Arg His Phe Ile Gln Ser Arg Trp Cys Ile Phe Glu Tyr Glu Ile Ala 740 745 750

Gln Thr Trp Gln Phe Leu Ser Ser Arg Ser Gly Ile Ile Phe Ile Val 755 760 765

Leu Glu Lys Val Glu Lys Ser Leu Leu Arg Gln Gln Val Glu Leu Tyr 770 775 780

Arg Leu Leu Ser Arg Asn Thr Tyr Leu Glu Trp Glu Asp Asn Pro Leu 785 790 795 800

Gly Arg His Ile Phe Trp Arg Arg Leu Lys Asn Ala Leu Leu Asp Gly 805 810 815

Lys Ala Ser Asn Pro Glu Gln Thr Ala Glu Glu Glu Glu Glu Thr Ala 820 825 830

Thr Trp Thr 835

<210> 24

<211> 835

<212> PRT

<213> murine

<400> 24

Met Met Pro Pro Trp Leu Leu Ala Arg Thr Leu Ile Met Ala Leu Phe 1 5 10 15

### WO 2004/094671 - 48 - PCT/US2004/012788

Phe Ser Cys Leu Thr Pro Gly Ser Leu Asn Pro Cys Ile Glu Val Val Pro Asn Ile Thr Tyr Gln Cys Met Asp Gln Lys Leu Ser Lys Val Pro Asp Asp Ile Pro Ser Ser Thr Lys Asn Ile Asp Leu Ser Phe Asn Pro Leu Lys Ile Leu Lys Ser Tyr Ser Phe Ser Asn Phe Ser Glu Leu Gln Trp Leu Asp Leu Ser Arg Cys Glu Ile Glu Thr Ile Glu Asp Lys Ala Trp His Gly Leu His His Leu Ser Asn Leu Ile Leu Thr Gly Asn Pro 105 Ile Gln Ser Phe Ser Pro Gly Ser Phe Ser Gly Leu Thr Ser Leu Glu Asn Leu Val Ala Val Glu Thr Lys Leu Ala Ser Leu Glu Ser Phe Pro Ile Gly Gln Leu Ile Thr Leu Lys Lys Leu Asn Val Ala His Asn Phe 150 Ile His Ser Cys Lys Leu Pro Ala Tyr Phe Ser Asn Leu Thr Asn Leu 170 Val His Val Asp Leu Ser Tyr Asn Tyr Ile Gln Thr Ile Thr Val Asn 180 185 Asp Leu Gln Phe Leu Arg Glu Asn Pro Gln Val Asn Leu Ser Leu Asp 200 Ile Ser Leu Asn Pro Ile Asp Phe Ile Gln Asp Gln Ala Phe Gln Gly 215 Ile Lys Leu His Glu Leu Thr Leu Arg Gly Asn Phe Asn Ser Ser Asn 230 Ile Met Lys Thr Cys Leu Gln Asn Leu Ala Gly Leu His Ile His Arg Leu Ile Leu Gly Glu Phe Lys Asp Glu Arg Asn Leu Glu Ile Phe Glu Pro Ser Ile Met Glu Gly Leu Cys Asp Val Thr Ile Asp Glu Phe Arg 275 Leu Thr Tyr Thr Asn Asp Phe Ser Asp Asp Ile Val Lys Phe His Cys 295 Leu Ala Asn Val Ser Ala Met Ser Leu Ala Gly Val Ser Ile Lys Tyr 305 Leu Glu Asp Val Pro Lys His Phe Lys Trp Gln Ser Leu Ser Ile Ile 330 Arg Cys Gln Leu Lys Gln Phe Pro Thr Leu Asp Leu Pro Phe Leu Lys

350 345 Ser Leu Thr Leu Thr Met Asn Lys Gly Ser Ile Ser Phe Lys Lys Val 360 Ala Leu Pro Ser Leu Ser Tyr Leu Asp Leu Ser Arg Asn Ala Leu Ser 375 Phe Ser Gly Cys Cys Ser Tyr Ser Asp Leu Gly Thr Asn Ser Leu Arg 390 395 His Leu Asp Leu Ser Phe Asn Gly Ala Ile Ile Met Ser Ala Asn Phe 410 Met Gly Leu Glu Glu Leu Gln His Leu Asp Phe Gln His Ser Thr Leu 425 Lys Arq Val Thr Glu Phe Ser Ala Phe Leu Ser Leu Glu Lys Leu Leu 440 Tyr Leu Asp Ile Ser Tyr Thr Asn Thr Lys Ile Asp Phe Asp Gly Ile 455 Phe Leu Gly Leu Thr Ser Leu Asn Thr Leu Lys Met Ala Gly Asn Ser 470 Phe Lys Asp Asn Thr Leu Ser Asn Val Phe Ala Asn Thr Thr Asn Leu 485 490 Thr Phe Leu Asp Leu Ser Lys Cys Gln Leu Glu Gln Ile Ser Trp Gly 505 500 Val Phe Asp Thr Leu His Arg Leu Gln Leu Leu Asn Met Ser His Asn 520 Asn Leu Leu Phe Leu Asp Ser Ser His Tyr Asn Gln Leu Tyr Ser Leu 535 Ser Thr Leu Asp Cys Ser Phe Asn Arg Ile Glu Thr Ser Lys Gly Ile Leu Gln His Phe Pro Lys Ser Leu Ala Phe Phe Asn Leu Thr Asn Asn 570 Ser Val Ala Cys Ile Cys Glu His Gln Lys Phe Leu Gln Trp Val Lys Asp Gln Lys Gln Phe Leu Val Asn Val Glu Gln Met Thr Cys Ala Thr Pro Val Glu Met Asn Thr Ser Leu Val Leu Asp Phe Asn Asn Ser Thr Cys Tyr Met Tyr Lys Thr Ile Ile Ser Val Ser Val Val Ser Val Ile Val Val Ser Thr Val Ala Phe Leu Ile Tyr His Phe Tyr Phe His Leu Ile Leu Ile Ala Gly Cys Lys Lys Tyr Ser Arg Gly Glu Ser Ile Tyr

Asp Ala Phe Val Ile Tyr Ser Ser Gln Asn Glu Asp Trp Val Arg Asn

WO 2004/094671 - 50 - PCT/US2004/012788

Glu	Leu 690	675 Val	Lys	Asn	Leu	Glu 695	680 Glu	Gly	Val	Pro	Arg 700	685 Phe	His	Leu	Сув
Leu 705	His	Tyr	Arg	Asp	Phe 710	Ile	Pro	Gly	Val	Ala 715	Ile	Ala	Ala	Asn	Ile 720
Ile	Gln	Glu	Gly	Phe 725	His	Lys	Ser	Arg	Lys 730	Val	Ile	Val	Val	Val 735	Ser
Arg	His	Phe	Ile 740	Gln	Ser	Arg	Trp	Cys 745	Ile	Phe	Glu	Tyr	Glu 750	Ile	Ala
Glņ	Thr	Trp 755	Gln	Phe	Leu	Ser	Ser 760	His	Ser	Gly	Ile	Ile 765	Phe	Ile	Val
Leu	Glu 770	Lys	Val	Glu	ГÀз	Ser 775	Leu	Leu	Arg	Gln	Gln 780	Val	Glu	Leu	Tyr
Arg 785	Leu	Leu	Ser	Arg	Asn 790	Thr	Tyr	Leu	Glu	Trp 795	Glu	Asp	Asn	Pro	Leu 800
Gly	Arg	His	Ile	Phe 805	Trp	Arg	Arg	Leu	Lys 810	Asn	Ala	Leu	Leu	Asp 815	Gly
Lys	Ala	Ser	Asn 820	Pro	Glu	Gln	Thr	Ala 825	Glu	Glu	Glu	Gln	Glu 830	Thr	Ala
Thr	Trp	Thr 835													

<210> 25

<211> 3431

<212> DNA

<213> Homo sapiens

<400> 25

ggcttatagg gctcgagcgg ccgcccgggc aggtatagaa ttcagcggcc gctgaattct 60 120 agggttttca ggagcccgag cgagggcgcc gcttttgcgt ccgggaggag ccaaccgtgg cgcaggcggc gcggggaggc gtcccagagt ctcactctgc cgcccaggct ggactgcagt 180 gacacaatct cggctgactg caaccactgc ctccagggtt caagcgattc tcttgcctca 240 gcctcccaag tagctgggat tacagattga tgttcatgtt cctggcacta ctacaagatt 300 360 catactcctg atgctactga caacgtggct tctccacagt caccaaacca gggatgctat actggacttc cctactctca tctgctccag cccctgacc ttatagttgc ccagctttcc 420 480 tggcaattga ctttgcccat caatacacag gatttagcat ccagggaaga tgtcggagcc 540 tcagatgtta attttctaat tgagaatgtt ggcgctgtcc gaacctggag acagaaaaac aaaaagtcct ttctcctgat tcaccaaaaa ataaaatact gactaccatc actgtgatga 600 gattcctata gtctcaggaa ctgaagtctt taaacaacca gggaccctct gcccctagaa 660 taagaacata ctagaagtcc cttctgctag gacaacgagg atcatgggag accacctgga 720

ccttctccta ggagtggtgc tgatggccga atagcctttt	tcatggccgg atcgtttctg	tcctgtgttt caacctcacc	ggaatteett caggteeece	cctgctcctt aggtcctcaa	780 840
caccactgag aggetectge	tgagcttcaa	ctatatcagg	acagtcactg	cttcatcctt	900
cccctttctg gaacagctgo	agctgctgga	gctcgggagc	cagtataccc	ccttgactat	960
tgacaaggag gccttcagaa	acctgcccaa	ccttagaatc	ttggacctgg	gaagtagtaa	1020
gatatacttc ttgcatccag	atgcttttca	gggactgttc	catctgtttg	aacttagact	1080
gtatttctgt ggtctctctctg	atgctgtatt	gaaagatggt	tatttcagaa	atttaaaggc	1140
tttaactcgc ttggatctat	ccaaaaatca	gattcgtagc	ctttaccttc	atccttcatt	1200
tgggaagttg aattccttaa	agtccataga	tttttcctcc	aaccaaatat	tccttgtatg	1260
tgaacatgag ctcgagccc	: tacaagggaa	aacgctctcc	ttttttagcc	tcgcagctaa	1320
tagcttgtat agcagagtc	cagtggactg	gggaaaatgt	atgaacccat	tcagaaacat	1380
ggtgctggag atactagatg	tttctggaaa	tggctggaca	gtggacatca	caggaaactt	1440
tagcaatgcc atcagcaaaa	gccaggcctt	ctctttgatt	cttgcccacc	acatcatggg	1500
tgccgggttt ggcttccata	acatcaaaga	tectgaccag	aacacatttg	ctggcctggc	1560
cagaagttca gtgagacac	: tggatctttc	acatgggttt	gtetteteee	tgaactcacg	1620
agtetttgag acaeteaagg	atttgaaggt	tctgaacctt	gcctacaaca	agataaataa	1680
gattgcagat gaagcattt	acggacttga	caacctccaa	gttctcaatt	tgtcatataa	1740
ccttctgggg gaactttac	gttcgaattt	ctatggacta	cctaaggtag	cctacattga	1800
tttgcaaaag aatcacattg	g caataattca	agaccaaaca	ttcaaattcc	tggaaaaatt	1860
acagacettg gateteegag	g acaatgetet	tacaaccatt	cattttattc	caagcatacc	1920
cgatatette ttgagtgge	a ataaactagt	gactttgcca	aagatcaacc	ttacagcgaa	1980
cctcatccac ttatcagaa	acaggctaga	aaatctagat	attctctact	ttcttctacg	2040
ggtacctcat ctccagatte	tcattttaaa	tcaaaatcgc	ttctcctcct	gtagtggaga	2100
tcaaacccct tcagagaat	ccagcttaga	acagcttttc	cttggagaaa	atatgttgca	2160
acttgcctgg gaaactgag	tctgttggga	tgtttttgag	ggactttctc	atcttcaagt	2220
tctgtatttg aatcataac	atcttaattc	ccttccacca	ggagtattta	gccatctgac	2280
tgcattaagg ggactaagc	tcaactccaa	caggctgaca	gttctttctc	acaatgattt	2340
acctgctaat ttagagatc	tggacatatc	caggaaccag	ctcctagctc	ctaatcctga	2400
tgtatttgta tcacttagt	g tettggatat	aactcataac	aagttcattt	gtgaatgtga	2460
acttagcact tttatcaat	ggcttaatca	caccaatgtc	actatagctg	ggcctcctgc	2520
agacatatat tgtgtgtac	c ctgactcgtt	ctctggggtt	tccctcttct	ctctttccac	2580
ggaaggttgt gatgaagag	g aagtettaaa	gtccctaaag	ttctcccttt	tcattgtatg	2640

•	cactgtcact	ctgactctgt	tcctcatgac	catcctcaca	gtcacaaagt	tccggggctt	2700
,	ctgttttatc	tgttataaga	cagcccagag	actggtgttc	aaggaccatc	cccagggcac	2760
ć	agaacctgat	atgtacaaat	atgatgccta	tttgtgcttc	agcagcaaag	acttcacatg	2820
,	ggtgcagaat	gctttgctca	aacacctgga	cactcaatac	agtgaccaaa	acagattcaa	2880
,	cctgtgcttt	gaagaaagag	actttgtccc	aggagaaaac	cgcattgcca	atatccagga	2940
	tgccatctgg	aacagtagaa	agatcgtttg	tcttgtgagc	agacacttcc	ttagagatgg	3000
,	ctggtgcctt	gaagccttca	gttatgccca	gggcaggtgc	ttatctgacc	ttaacagtgc	3060
	tctcatcatg	gtggtggttg	ggtccttgtc	ccagtaccag	ttgatgaaac	atcaatccat	3120
	cagaggcttt	gtacagaaac	agcagtattt	gaggtggcct	gaggatetee	aggatgttgg	3180
	ctggtttctt	cataaactct	ctcaacagat	actaaagaaa	gaaaaagaaa	agaagaaaga	3240
	caataacatt	ccgttgcaaa	ctgtagcaac	catctcctaa	tcaaaggagc	aatttccaac	3300
	ttatctcaag	ccacaaataa	ctcttcactt	tgtatttgca	ccaagttatc	attttggggt	3360
	cctctctgga	ggttttttt	ttctttttgc	tactatgaaa	acaacataaa	tctctcaatt	3420
	ttcgtatcaa	a					3431

<210> 26

<211> 858

<212> PRT

<213> Homo sapiens

<400> 26

Met Gly Asp His Leu Asp Leu Leu Leu Gly Val Val Leu Met Ala Gly 1 5 10 15

Pro Val Phe Gly Ile Pro Ser Cys Ser Phe Asp Gly Arg Ile Ala Phe 20 25 30

Tyr Arg Phe Cys Asn Leu Thr Gln Val Pro Gln Val Leu Asn Thr Thr 35 40 45

Glu Arg Leu Leu Ser Phe Asn Tyr Ile Arg Thr Val Thr Ala Ser 50 55 60

Ser Phe Pro Phe Leu Glu Gln Leu Gln Leu Glu Leu Gly Ser Gln 65 70 75 80

Tyr Thr Pro Leu Thr Ile Asp Lys Glu Ala Phe Arg Asn Leu Pro Asn 85 90 95

Leu Arg Ile Leu Asp Leu Gly Ser Ser Lys Ile Tyr Phe Leu His Pro 100 105 110

Asp Ala Phe Gln Gly Leu Phe His Leu Phe Glu Leu Arg Leu Tyr Phe
115 120 125

Cys Gly Leu Ser Asp Ala Val Leu Lys Asp Gly Tyr Phe Arg Asn Leu

135 Lys Ala Leu Thr Arg Leu Asp Leu Ser Lys Asn Gln Ile Arg Ser Leu 150 155 Tyr Leu His Pro Ser Phe Gly Lys Leu Asn Ser Leu Lys Ser Ile Asp 170 Phe Ser Ser Asn Gln Ile Phe Leu Val Cys Glu His Glu Leu Glu Pro 185 Leu Gln Gly Lys Thr Leu Ser Phe Phe Ser Leu Ala Ala Asn Ser Leu Tyr Ser Arg Val Ser Val Asp Trp Gly Lys Cys Met Asn Pro Phe Arg 215 Asn Met Val Leu Glu Ile Leu Asp Val Ser Gly Asn Gly Trp Thr Val Asp Ile Thr Gly Asn Phe Ser Asn Ala Ile Ser Lys Ser Gln Ala Phe Ser Leu Ile Leu Ala His His Ile Met Gly Ala Gly Phe Gly Phe His 260 265 Asn Ile Lys Asp Pro Asp Gln Asn Thr Phe Ala Gly Leu Ala Arg Ser 280 Ser Val Arg His Leu Asp Leu Ser His Gly Phe Val Phe Ser Leu Asn 295 Ser Arg Val Phe Glu Thr Leu Lys Asp Leu Lys Val Leu Asn Leu Ala 310 Tyr Asn Lys Ile Asn Lys Ile Ala Asp Glu Ala Phe Tyr Gly Leu Asp Asn Leu Gln Val Leu Asn Leu Ser Tyr Asn Leu Leu Gly Glu Leu Tyr Ser Ser Asn Phe Tyr Gly Leu Pro Lys Val Ala Tyr Ile Asp Leu Gln Lys Asn His Ile Ala Ile Ile Gln Asp Gln Thr Phe Lys Phe Leu Glu 375 Lys Leu Gln Thr Leu Asp Leu Arg Asp Asn Ala Leu Thr Thr Ile His Phe Ile Pro Ser Ile Pro Asp Ile Phe Leu Ser Gly Asn Lys Leu Val Thr Leu Pro Lys Ile Asn Leu Thr Ala Asn Leu Ile His Leu Ser Glu Asn Arg Leu Glu Asn Leu Asp Ile Leu Tyr Phe Leu Leu Arg Val Pro His Leu Gln Ile Leu Ile Leu Asn Gln Asn Arg Phe Ser Ser Cys Ser Gly Asp Gln Thr Pro Ser Glu Asn Pro Ser Leu Glu Gln Leu Phe Leu

465 Gly	Glu	Asn	Met	Leu 485	470 Gln	Leu	Ala	Trp	Glu 490	475 Thr	Glu	Leu	Cys	Trp 495	480 Asp
Val	Phe	Glu	Gly 500	Leu	Ser	His	Leu	Gln 505	Val	Leu	Tyr	Leu	Asn 510	His	Asn
Tyr	Leu	Asn 515	Ser	Leu	Pro	Pro	Gly 520	Val	Phe	Ser	His	Leu 525	Thr	Ala	Leu
Arg	Gly 530	Leu	Ser	Leu	Asn	Ser 535	Asn	Arg	Leu	Thr	Val 540	Leu	Ser	His	Asn
Asp 545	Leu	Pro	Ala	Asn	Leu 550	Glu	Ile	Leu	Asp	Ile 555	Ser	Arg	Asn	Gln	Leu 560
Leu	Ala	Pro	Asn	Pro 565	Asp	Val	Phe	Val	Ser 570	Leu	Ser	Val	Leu	Asp 575	Ile
Thr	His	Asn	<b>Lys</b> 580	Phe	Ile	Сув	Glu	Сув 585	Glu	Leu	Ser	Thr	Phe 590	Ile	Asn
Trp	Leu	Asn 595	His	Thr	Asn	Val	Thr 600	Ile	Ala	Gly	Pro	Pro 605	Ala	Asp	Ile
Tyr	Cys 610	Val	Tyr	Pro	Asp	Ser 615	Phe	Ser	Gly	Val	Ser 620	Leu	Phe	Ser	Leu
Ser 625	Thr	Glu	Gly	Сув	Asp 630	Glu	Glu	Glu	Val	Leu 635	Lys	Ser	Leu	ГÀв	Phe 640
Ser	Leu	Phe	Ile	Val 645	Cys	Thr	Val	Thr	Leu 650	Thr	Leu	Phe	Leu	Met 655	Thr
Ile	Leu	Thr	Val 660	Thr	ГÀЗ	Phe	Arg	Gly 665	Phe	Cys	Phe	Ile	Cys 670	Tyr	Lys
Thr	Ala	Gln 675	Arg	Leu	Val	Phe	Lys 680	Asp	His	Pro	Gln	Gly 685	Thr	Glu	Pro
Asp	Met 690	Tyr	Lys	Tyr	Asp	Ala 695	Tyr	Leu	Сув	Phe	Ser 700	Ser	Lys	qaA	Phe
Thr 705	Trp	Val	Gln	Asn	Ala 710	Leu	Leu	Lys	His	Leu 715	Asp	Thr	Gln	Tyr	Ser 720
Asp	Gln	Asn	Arg	Phe 725	Asn	Leu	Сув	Phe	Glu 730	Glu	Arg	Asp	Phe	Val 735	Pro
Gly	Glu	Asn	Arg 740	Ile	Ala	Asn	Ile	Gln 745	Asp	Ala	Ile	Trp	Asn 750	Ser	Arg
Lys	Ile	Val 755	Сув	Leu	Val	Ser	Arg 760	His	Phe	Leu	Arg	Asp 765	Gly	Trp	Cys
Leu	Glu 770	Ala	Phe	Ser	Tyr	Ala 775	Gln	Gly	Arg	Суз	Leu 780	Ser	Asp	Leu	Asn
Ser 785	Ala	Leu	Ile	Met	<b>V</b> al 790	Val	Val	Gly	Ser	Leu 795	Ser	Gln	Tyr	Gln	Leu 800
Met	Lys	His	Gln	Ser	Ile	Arg	Gly	Phe	Val	Gln	Lys	Gln	Gln	Tyr	Leu

805 810 815

Arg Trp Pro Glu Asp Leu Gln Asp Val Gly Trp Phe Leu His Lys Leu 820 825 830

Ser Gln Gln Ile Leu Lys Lys Glu Lys Glu Lys Lys Lys Asp Asn Asn 835 840 845

Ile Pro Leu Gln Thr Val Ala Thr Ile Ser 850 855

<210> 27

<211> 858

<212> PRT

<213> Homo sapiens

<400> 27

Met Gly Asp His Leu Asp Leu Leu Gly Val Val Leu Met Ala Gly
1 5 10 15

Pro Val Phe Gly Ile Pro Ser Cys Ser Phe Asp Gly Arg Ile Ala Phe 20 25 30

Tyr Arg Phe Cys Asn Leu Thr Gln Val Pro Gln Val Leu Asn Thr Thr 35 40 45

Glu Arg Leu Leu Ser Phe Asn Tyr Ile Arg Thr Val Thr Ala Ser 50 55 60

Ser Phe Pro Phe Leu Glu Gln Leu Gln Leu Glu Leu Gly Ser Gln 65 70 75 80

Tyr Thr Pro Leu Thr Ile Asp Lys Glu Ala Phe Arg Asn Leu Pro Asn 85 90 95

Leu Arg Ile Leu Asp Leu Gly Ser Ser Lys Ile Tyr Phe Leu His Pro 100 105 110

Asp Ala Phe Gln Gly Leu Phe His Leu Phe Glu Leu Arg Leu Tyr Phe 115 120 125

Cys Gly Leu Ser Asp Ala Val Leu Lys Asp Gly Tyr Phe Arg Asn Leu 130 135 140

Lys Ala Leu Thr Arg Leu Asp Leu Ser Lys Asn Gln Ile Arg Ser Leu 145 150 155 160

Tyr Leu His Pro Ser Phe Gly Lys Leu Asn Ser Leu Lys Ser Ile Asp 165 170 175

Phe Ser Ser Asn Gln Ile Phe Leu Val Cys Glu His Glu Leu Glu Pro 180 185 190

Leu Gln Gly Lys Thr Leu Ser Phe Phe Ser Leu Ala Ala Asn Ser Leu 195 200 205

Tyr Ser Arg Val Ser Val Asp Trp Gly Lys Cys Met Asn Pro Phe Arg 210 215 220

Asn Met Val Leu Glu Ile Val Asp Val Ser Gly Asn Gly Trp Thr Val 225 230 235 240

## WO 2004/094671 - 56 - PCT/US2004/012788

Asp	Ile	Thr	Gly	Asn 245	Phe	Ser	Asn	Ala	Ile 250	Ser	Lys	Ser	Gln	Ala 255	Phe
Ser	Leu	Ile	Leu 260	Ala	His	His	Ile	Met 265	Gly	Ala	Gly	Phe	Gly 270	Phe	His
Asn	Ile	Lys 275	Asp	Pro	Asp	Glñ	Asn 280	Thr	Phe	Ala	Gly	Leu 285	Ala	Arg	Ser
Ser	Val 290	Arg	His	Leu	Asp	Leu 295	Ser	His	Gly	Phe	Val 300	Phe	Ser	Leu	Asn
Ser 305	Arg	Val	Phe	Glu	Thr 310	Leu	ГЛЗ	Asp	Leu	Lys 315	Val	Leu	Asn	Leu	Ala 320
Tyr	Asn	ГÀЗ	Ile	Asn 325	Lys	Ile	Ala	Asp	Glu 330	Ala	Phe	Tyr	Gly	Leu 335	Asp
Asn	Leu	Gln	Val 340	Leu	Asn	Leu	Ser	Tyr 345	Asn	Leu	Leu	Gly	Glu 350	Leu	Cys
Ser	Ser	Asn 355	Phe	Tyr	Gly	Leu	Pro 360	Lys	Val	Ala	Tyr	Ile 365	Asp	Leu	Gln
Lys	Asn 370	His	Ile	Ala	Ile	Ile 375	Gln	Asp	Gln	Thr	Phe 380	ГÀЗ	Phe	Leu	Glu
<b>Lys</b> 385	Leu	Gln	Thr	Leu	390	Leu	Arg	Asp	Asn	Ala 395	Leu	Thr	Thr	Ile	His 400
Phe	Ile	Pro	Ser	Ile 405	Pro	Asp	Ile	Phe	Leu 410	Ser	Gly	Asn	Lys	Leu 415	Val
Thr	Leu	Pro	Lys 420	Ile	Asn	Leu	Thr	Ala 425	Asn	Leu	Ile	His	Leu 430	Ser	Glu
Asn	Arg	Leu 435	Glu	Asn	Leu	Asp	Ile 440	Leu	Tyr	Phe	Leu	Leu 445	Arg	Val	Pro
His	Leu 450	Gln	Ile	Leu	Ile	Leu 455	Asn	Gln	Asn	Arg	Phe 460	Ser	Ser	Сув	Ser
Gly 465	Asp	Gln	Thr	Pro	Ser 470	Glu	Asn	Pro	Ser	Leu 475	Glu	Gln	Leu	Phe	Leu 480
Gly	Glu	Asn	Met	Leu 485	Gln	Leu	Ala	Trp	Glu 490	Thr	Glu	Leu	Cys	Trp 495	Asp
Val	Phe	Glu	Gly 500	Leu	Ser	His	Leu	Gln 505	Val	Leu	Tyr	Leu	Asn 510	His	Asn
Tyr	Leu	Asn 515	Ser	Leu	Pro	Pro	Gly 520	Val	Phe	Ser	His	Leu 525	Thr	Ala	Leu
Arg	Gly 530	Leu	Ser	Leu	Asn	Ser 535	Asn	Arg	Leu	Thr	Val 540	Leu	Ser	His	Asn
Asp 545	Leu	Pro	Ala	Asn	Leu 550	Glu	Ile	Leu	Asp	Ile 555	Ser	Arg	Asn	Gln	Leu 560
Leu	Ala	Pro	Asn	Pro	Asp	Val	Phe	Val	Ser	Leu	Ser	Val	Leu	Asp	Ile

565 570 575

Thr His Asn Lys Phe Ile Cys Glu Cys Glu Leu Ser Thr Phe Ile Asn 580 585 590

Trp Leu Asn His Thr Asn Val Thr Ile Ala Gly Pro Pro Ala Asp Ile
595 . 600 605

Tyr Cys Val Tyr Pro Asp Ser Phe Ser Gly Val Ser Leu Phe Ser Leu 610 615 620

Ser Thr Glu Gly Cys Asp Glu Glu Glu Val Leu Lys Ser Leu Lys Phe 625 630 635 640

Ser Leu Phe Ile Val Cys Thr Val Thr Leu Thr Leu Phe Leu Met Thr 645 650 655

Ile Leu Thr Val Thr Lys Phe Arg Gly Phe Cys Phe Ile Cys Tyr Lys
660 665 670

Thr Ala Gln Arg Leu Val Phe Lys Asp His Pro Gln Gly Thr Glu Pro 675 680 685

Asp Met Tyr Lys Tyr Asp Ala Tyr Leu Cys Phe Ser Ser Lys Asp Phe 690 695 700

Thr Trp Val Gln Asn Ala Leu Leu Lys His Leu Asp Thr Gln Tyr Ser 715 710 715 720

Asp Gln Asn Arg Phe Asn Leu Cys Phe Glu Glu Arg Asp Phe Val Pro 725 730 735

Gly Glu Asn Arg Ile Ala Asn Ile Gln Asp Ala Ile Trp Asn Ser Arg
740 745 750

Lys Ile Val Cys Leu Val Ser Arg His Phe Leu Arg Asp Gly Trp Cys
755 760 765

Leu Glu Ala Phe Ser Tyr Ala Gln Gly Arg Cys Leu Ser Asp Leu Asn 770 775 780

Ser Ala Leu Ile Met Val Val Val Gly Ser Leu Ser Gln Tyr Gln Leu 785 790 795 800

Met Lys His Gln Ser Ile Arg Gly Phe Val Gln Lys Gln Gln Tyr Leu 805 810 815

Arg Trp Pro Glu Asp Leu Gln Asp Val Gly Trp Phe Leu His Lys Leu 820 825 830

Ser Gln Gln Ile Leu Lys Lys Glu Lys Glu Lys Lys Lys Asp Asn Asn 835 840 845

Ile Pro Leu Gln Thr Val Ala Thr Ile Ser 850 855

<210> 28

<211> 365

<212> PRT

<213> Homo sapiens

<400> 28

## WO 2004/094671 - 58 - PCT/US2004/012788

Cys 1	Trp	Asp	Val	Phe 5	Glu	Gly	Leu	Ser	His 10	Leu	Gln	Val	Leu	Tyr 15	Leu
Asn	His	Asn	Tyr 20	Leu	Asn	Ser	Leu	Pro 25	Pro	Gly	Val	Phe	Ser 30	His	Leu
Thr	Ala	Leu 35	Arg	Gly	Leu	Ser	Leu 40	Asn	Ser	Asn	Arg	Leu 45	Thr	Val	Leu
ser	His 50	Asn	Asp	Leu	Pro	Ala 55	Asn	Leu	Glu	Ile	Leu 60	Asp	Ile	Ser	Arg
Asn 65	Gln	Leu	Leu	Ala	Pro 70	Asn	Pro	Asp	Val	Phe 75	Val	Ser	Leu	Ser	Val 80
Leu	Asp	Ile	Thr	His 85	Asn	ГÀЗ	Phe	Ile	Cys 90	Glu	Сув	Glu	Leu	Ser 95	Thr
Phe	Ile	Asn	Trp 100	Leu	Asn	His	Thr	Asn 105	Val	Thr	Ile	Ala	Gly 110	Pro	Pro
Ala	Asp	Ile 115	Tyr	Сув	Val	Tyr	Pro 120	Asp	Ser	Phe	Ser	Gly 125	Val	Ser	Leu
Phe	Ser 130	Leu	Ser	Thr	Glu	Gly 135	Cys	Asp	Glu	Glu	Glu 140	Val	Leu	ГÀЗ	Ser
145	_				150					155			Thr		160
				165					170		-		Сув	175	
Cys	Tyr	Lys	Thr 180	Ala	Gln	Arg	Leu	Val 185	Phe	Lys	Asp	His	Pro 190	Gln	Gly
		195	_		-	-	200	_		-		205			Ser
_	210					215					220				Thr
Gln 225	Tyr	Ser	Asp	Gln	Asn 230	Arg	Phe	Asn	Leu	Cys 235	Phe	Glu	Glu	Arg	Asp 240
			_	245					250					255	Trp
Asn	Ser	Arg	Lys 260	Ile	Val	Сув	Leu	Val 265	Ser	Arg	His	Phe	Leu 270	Arg	Asp
_	Ī	275					280					285			Ser
_	290					295					300				Gln
Tyr 305		Leu	Met	Lys	His 310	Gln	Ser	Ile	Arg	Gly 315	Phe	Val	Gln	Lys	Gln 320
Gln	Tyr	Leu	Arg	Trp	Pro	Glu	Asp	Leu	Gln	Asp	Val	Gly	Trp	Phe	Leu

WO 2004/094671 - 59 - PCT/US2004/012788

325 330 335

His Lys Leu Ser Gln Gln Ile Leu Lys Lys Glu Lys Glu Lys Lys Lys
340 345 350

Asp Asn Asn Ile Pro Leu Gln Thr Val Ala Thr Ile Ser 355 360 365

<210> 29 <211> 4286 <212> DNA

<213> murine

<400> 29

60 ttgaaatctc acageceggt tggttgeagt gacecactte gttgaacata ttetteetaa tcctagtact ttcaatttgc tctattccct ggtgtctatg catttaaatc gactatgggg 120 ccattettee ttgaaccace acagaagaca ttagetetet gggateettg ttaatttttt 180 ctcctcttac atagcaccta cgcttggaac atatgccaga cacatctgtg agacacccct 240 tgccgctgca gctcatggat ggatgctgag ttcccccacg caccacactt cagcaggtgg 300 gtgtatttct gcttcacatt atactcccac acggccatgc atgtcaggca tggagcaggc 360 tcataaccca cttaattaag gtgatcatat cagatcettt atcaagatgc atagagtgct 420 480 cagtgcctgt actatgatct cggatctttg ggagatgggc tagatagagt ctgggacaga atacagcaga gaaaccgata tgtttattgt ccgatcatca gctaagcttc tgggagctag 540 600 qaatggggct ccttggatga acagaagtaa aaatgcctcg tctttatgac tttcaacttc cctcagcagg tctggaatgg gtgaacaaac actgcctgcg tgggtgataa atagcctctt 660 tttgctgctt gtttgctgct tttatggttc tgggagggaa cctagaacct agcacatgct 720 780 agacaagtcc tctagcactg agctatctcc ccagcttgga tgaaatatct gtaaagtact ggtgcccgtg tgtaaaatat gcaccattaa gtgttcaaga agaaaagact gggcatttct 840 gttccaccaa gacaagaaga atctgccagc agaatgtttg cgcagtcatt tgagcaaagg 900 qqtccaaqqq acagtaccct ccagtgctgg ggacccatgt gccgagcctc aggctgtgat 960 1020 gtggtgttgt, ttttaattct ctcttttccc ataggatcat ggcatgtcaa cttgacttgc tcataggtgt gatcttcatg gccagcccg tgttggtaat atctccctgt tcttcagacg 1080 gcaggatagc ctttttccga ggctgtaacc tcacccagat tccctggatc ctcaatacta 1140 ccactgagag gctcctgctc agcttcaact atatcagtat ggtggttgcc acatcatttc 1200 cacteetgga geggeteeag ttgetggage tggggaeeca gtatgetaae ttgaeeattg 1260 qtccaqqqqc tttcagaaac ctgcccaatc ttaggatctt ggacttgggc caaagccaga 1320 togaagtott gaatogagat, gootttoaag gtotgoocca totottggaa ottoggotgt 1380 tttcctgtgg actctccagt gctgtgttaa gtgacggtta cttcagaaat ctatattcat 1440

	agacctatct ttccttaagc					1500 1560
aagatgaact	cgagcctctg	cagggcaaaa	cactgtcttt	ctttggcctc	aaattaacta	1620
agctgttcag	cagagtctct	gtgggctggg	agacatgcag	gaaccccttc	agaggcgtga	1680
ggctagaaac	tctagatctt	tctgaaaatg	gctggacggt	ggacatcaca	aggaacttca	1740
gcaacatcat	ccagggaagc	cagatttcct	ctttgattct	taaacaccac	atcatgggtc	1800
ctggctttgg	cttccagaac	atcagagatc	ctgaccagag	cacatttgcc	agcctggcca	1860
gaagttcggt	gctgcaactg	gacctttcgc	acggctttat	cttctccttg	aatcctcgac	1920
tgtttgggac	actgaaggat	ttgaagatgc	tgaaccttgc	cttcaacaag	ataaacaaga	1980
ttggagagaa	tgccttttat	gggcttgaca	gcctccaggt	tctcaatcta	tcctataatc	2040
ttttggggga	actctataat	tccaacttct	atgggcttcc	tagagtagcc	tacgttgacc	2100
ttcaaaggaa	ccacattggg	atcattcaag	accaaacatt	cagattatta	aaaacgttac	2160
aaaccttaga	tctccgtgac	aatgctctta	aggccattgg	ttttattcca	agcatacaga	2220
tggtcctcct	gggaggcaat	aagctggtcc	atttgccaca	catccacttt	actgccaact	2280
tcctagagtt	atctgaaaac	aggctagaaa	acctgtccga	cctctacttc	ctcctgcgag	2340
tccccagct	ccagtttctc	atcttgaatc	agaatcgcct	ttcgtcatgc	aaggcagccc	2400
acactccctc	ggagaaccca	agcttagaac	agcttttcct	tacagagaat	atgctgcagc	2460
tggcctggga	gaccggcctc	tgttgggatg	tttttcaagg	cctttcccgc	ctccagattc	2520
tttacctgag	taataactac	cttaatttcc	ttccacctgg	gatatttaac	gacctggttg	2580
cattacggat	gcttagtctt	agtgctaaca	agctgaccgt	gatatataag	ggcagtttac	2640
ctgctaattt	agagattctc	gacatatcta	gaaatcagct	tttgtgtcct	gaccctgctt	2700
tgttttcttc	gcttcgtgtt	ttggacataa	ctcataacga	gttcgtctgc	aactgtgaac	2760
ttagcacttt	tatctcctgg	ctcaaccaaa	ccaacgtcac	cctgttcggc	tctcctgcag	2820
acgtgtattg	catgtaccct	aactcactgc	tagggggctc	cctctacaac	atatccaccg	2880
aagactgcga	tgaagaggaa	gccatgcggt	ccctaaagtt	ttcccttttc	atcctgtgca	2940
cggtcacttt	gactctattc	ctcgtcatca	cccttgtagt	cataaagttc	cggggaatct	3000
gtttcctgtg	ctataagacc	atccagaagc	tggtgttcaa	ggacaaggtc	tggagtttgg	3060
aacctggtgc	atatagatat	gatgcctact	tctgcttcag	cagcaaagac	tttgaatggg	3120
cacagaatgc	tttgctcaaa	cacctggatg	ctcactacag	ttcccgaaac	aggctcaggc	3180
tatgctttga	agaaagagac	ttcattccgg	gggaaaacca	tatctccaac	atccaggcgg	3240
ctgtctgggg	cagcaggaag	acggtgtgtc	tagtgagcag	acacttcctg	aaggatggtt	3300
ggtgcctgga	ggccttcagg	tatgcccaga	gccggagtct	gtctgacctc	aagagcattc	3360

tcat	cgtggt	ggtggtggga	tegetgteee	agtatcagct	gatgagacat	gagaccatca	3420
gago	gtttct	gcaaaagcaa	cagtacttga	ggtggcctga	agacctccag	gatgttggct	3480
ggtt	tctcga	taaactctcc	ggatgcattc	taaaggaaga	aaaaggaaag	aaaagaagca	3540
gtto	catcca	gttgcgaacc	atagcaacca	tttcctagca	ggagcgcctc	ctagcagaag	3600
tgca	agcatc	gtagataact	ctccacgctt	tatccgcaca	gccgctgggg	gtccttccct	3660
ggag	gtcattt	ttctgacaat	gaaaacaaca	ccaatctctt	gatttttcat	gtcaacaggg	3720
agct	ttgtct	tcactgtttt	ccaaatggaa	agtaagaggt	ccagaaagct	gcctctaagg	3780
gcto	ctcacct	gccattgatg	tcctttcagg	cccaatgaca	tggtttccct	ccatcctatt	3840
gcgt	actgtc	tgctacccag	gtggcaagag	caccttggga	gaagttacag	gcagcttcat	3900
gctt	tctgtg	ctgttcagtt	caaaagcagg	tgccttgaga	atcctgaatt	caagcactct	3960
gtag	gaacatg	gacagacaag	atgggtcctt	ctctggccat	aggcatgagg	gccagttgct	4020
gagg	actgct	ctcactacac	ctaagtgcac	aagtgataag	aagttggaca	gatagacaga	4080
tago	agcagt	cccattgctg	tagccagaat	gcacttattt	cctgttctga	ccctgcaggc	4140
ccag	cttttg	gggaccacag	ccatgttctg	cacgggacct	ctcaacctgg	cattcatgcc	4200
cttt	cacgac	ttagcaccgg	cctgcccttc	tttcttcccc	acaactatac	aagagctgtt	4260
gcaa	ccactg	aaaaaaaaa	aaaaaa				4286

<210> 30

<211> 859

<212> PRT

<213> murine

<400> 30

Met Ala Cys Gln Leu Asp Leu Leu Ile Gly Val Ile Phe Met Ala Ser 1 5 10 15

Pro Val Leu Val Ile Ser Pro Cys Ser Ser Asp Gly Arg Ile Ala Phe 20 25 30

Phe Arg Gly Cys Asn Leu Thr Gln Ile Pro Trp Ile Leu Asn Thr Thr 35 40 45

Thr Glu Arg Leu Leu Ser Phe Asn Tyr Ile Ser Met Val Val Ala 50 55 60

Thr Ser Phe Pro Leu Glu Arg Leu Gln Leu Leu Glu Leu Gly Thr 65 70 75 80

Gln Tyr Ala Asn Leu Thr Ile Gly Pro Gly Ala Phe Arg Asn Leu Pro 85 90 95

Asn Leu Arg Ile Leu Asp Leu Gly Gln Ser Gln Ile Glu Val Leu Asn 100 105 110

### WO 2004/094671 - 62 - PCT/US2004/012788

Arg	Asp	Ala 115	Phe	Gln	Gly	Leu	Pro 120	His	Leu	Leu	Glu	Leu 125	Arg	Leu	Phe
Ser	Cys 130	Gly	Leu	Ser	Ser	Ala 135	Val	Leu	Ser	Asp	Gly 140	Tyr	Phe	Arg	Asn
Leu 145	Tyr	Ser	Leu	Ala	Arg 150	Leu	Asp	Leu	Ser	Gly 155	Asn	Gln	Ile	His	Ser 160
Leu	Arg	Leu	His	Ser 165	Ser	Phe	Arg	Glu	Leu 170	Asn	Ser	Leu	Ser	Asp 175	Val
Asn	Phe	Ala	Phe 180	Asn	Gln	Ile	Phe	Thr 185	Ile	Cys	Glu	Asp	Glu 190	Leu	Glu
Pro		Gln 195	Gly	Lys	Thr	Leu	Ser 200	Phe	Phe	Gly	Leu	Lys 205	Leu	Thr	Lys
Leu	Phe 210	Ser	Arg	Val	Ser	Val 215	Gly	Trp	Glu	Thr	Cys 220	Arg	Asn	Pro	Phe
Arg 225	Gly	Val	Arg	Leu	Glu 230	Thr	Leu	Asp	Leu	Ser 235	Glu	Asn	Gly	Trp	Thr 240
Val	Asp	Ile	Thr	Arg 245	Asn	Phe	Ser	Asn	Ile 250	Ile	Gln	Gly	Ser	Gln 255	Ile
Ser	Ser	Leu	Ile 260	Leu	Lys	His	His	Ile 265	Met	Gly	Pro	Gly	Phe 270	Gly	Phe
Gln	Asn	Ile 275	Arg	Asp	Pro	Asp	Gln 280	Ser	Thr	Phe	Ala	Ser 285	Leu	Ala	Arg
Ser	Ser 290	Val	Leu	Gln	Leu	Asp 295	Leu	Ser	His	Gly	Phe 300	Ile	Phe	Ser	Leu
Asn 305	Pro	Arg	Leu	Phe	Gly 310	Thr	Leu	Lys	Asp	Leu 315	Lys	Met	Leu	Asn	Leu 320
Ala	Phe	Asn	Lys	Ile 325	Asn	ГЛЗ	Ile	Gly	Glu 330	Asn	Ala	Phe	Tyr	Gly 335	Leu
Asp	Ser	Leu	Gln 340	Val	Leu	Asn	Leu	Ser 345	Tyr	Asn	Leu	Leu	Gly 350	Glu	Leu
Tyr	Asn	Ser 355	Asn	Phe	Tyr	Gly	Leu 360	Pro	Arg	۷al	Ala	Tyr 365	Val	Asp	Leu
Gln	Arg 370	Asn	His	Ile	Gly	Ile 375		Gln	Asp	Gln	Thr 380	Phe	Arg	Leu	Leu
Lys 385		Leu	Gln	Thr	Leu 390		Leu	Arg	Asp	Asn 395		Leu	Lys	Ala	Ile 400
Gly	Phe	Ile	Pro	Ser 405	Ile	Gln	Met	Val	Leu 410	Leu	Gly	Gly	Asn	Lys 415	
Val	His	Leu	Pro 420	His	Ile	His	Phe	Thr 425	Ala	Asn	Phe	Leu	Glu 430	Leu	Ser
Glu	Asn	Arg	Leu	Glu	Asn	Leu	Ser	Asp	Leu	Tyr	Phe	Leu	Leu	Arg	Val

440 445 Pro Gln Leu Gln Phe Leu Ile Leu Asn Gln Asn Arg Leu Ser Ser Cys 455 Lys Ala Ala His Thr Pro Ser Glu Asn Pro Ser Leu Glu Gln Leu Phe 470 Leu Thr Glu Asn Met Leu Gln Leu Ala Trp Glu Thr Gly Leu Cys Trp 490 Asp Val Phe Gln Gly Leu Ser Arg Leu Gln Ile Leu Tyr Leu Ser Asn Asn Tyr Leu Asn Phe Leu Pro Pro Gly Ile Phe Asn Asp Leu Val Ala 520 Leu Arq Met Leu Ser Leu Ser Ala Asn Lys Leu Thr Val Leu Ser Pro Gly Ser Leu Pro Ala Asn Leu Glu Ile Leu Asp Ile Ser Arg Asn Gln 555 Leu Leu Cys Pro Asp Pro Ala Leu Phe Ser Ser Leu Arg Val Leu Asp 570 Ile Thr His Asn Glu Phe Val Cys Asn Cys Glu Leu Ser Thr Phe Ile 585 Ser Trp Leu Asn Gln Thr Asn Val Thr Leu Phe Gly Ser Pro Ala Asp 600 Val Tyr Cys Met Tyr Pro Asn Ser Leu Leu Gly Gly Ser Leu Tyr Asn 615 Ile Ser Thr Glu Asp Cys Asp Glu Glu Glu Ala Met Arg Ser Leu Lys Phe Ser Leu Phe Ile Leu Cys Thr Val Thr Leu Thr Leu Phe Leu Val 650 Ile Thr Leu Val Val Ile Lys Phe Arg Gly Ile Cys Phe Leu Cys Tyr Lys Thr Ile Gln Lys Leu Val Phe Lys Asp Lys Val Trp Ser Leu Glu Pro Gly Ala Tyr Arg Tyr Asp Ala Tyr Phe Cys Phe Ser Ser Lys Asp Phe Glu Trp Ala Gln Asn Ala Leu Leu Lys His Leu Asp Ala His Tyr Ser Ser Arg Asn Arg Leu Arg Leu Cys Phe Glu Glu Arg Asp Phe Ile Pro Gly Glu Asn His Ile Ser Asn Ile Gln Ala Ala Val Trp Gly Ser 745 Arg Lys Thr Val Cys Leu Val Ser Arg His Phe Leu Lys Asp Gly Trp 760 Cys Leu Glu Ala Phe Arg Tyr Ala Gln Ser Arg Ser Leu Ser Asp Leu WO 2004/094671 - 64 - PCT/US2004/012788

	770			_	_	775					780	_		_	
Lys 785	Ser	Ile	Leu	Ile	Val 790	Val	Val	Val	Gly	Ser 795	Leu	Ser	GIn	Tyr	800 GIn
Leu	Met	Arg	His	Glu 805	Thr	Ile	Arg	Gly	Phe 810	Leu	Gln	Lys	Gln	Gln 815	Tyr
Leu	Arg	Trp	Pro 820	Glu	Asp	Leu	Gln	Asp 825	Val	Gly	Trp	Phe	Leu 830	Asp	Lys
Leu	Ser	Gly 835	Сув	Ile	Leu	ГЛЗ	Glu 840	Glu	Lys	Gly	Lys	Lys 845	Arg	Ser	Ser
60~	Tla	G] n	Len	Δτα	ሞኮጕ	Tle	Δla	Thr	Tle	Ser					

Ser Ile Gln Leu Arg Thr Ile Ala Thr Ile Ser 850 855

<210> 31 <211> 3373 <212> DNA

<213> Homo sapiens

<400> 31 agetggetag egtttaaaeg ggeeetetag aetegagegg eegegaatte aetagtgatt 60 cacctctcat gctctgctct cttcaaccag acctctacat tccattttgg aagaagacta 120 180 aaaatggtgt ttccaatgtg gacactgaag agacaaattc ttatcctttt taacataatc 240 ctaatttcca aactccttgg ggctagatgg tttcctaaaa ctctgccctg tgatgtcact ctggatgttc caaagaacca tgtgatcgtg gactgcacag acaagcattt gacagaaatt 300 cctggaggta ttcccacgaa caccacgaac ctcaccctca ccattaacca cataccagac 360 420 atctccccaq cqtcctttca cagactggac catctggtag agatcgattt cagatgcaac tqtqtaccta ttccactggg gtcaaaaaac aacatgtgca tcaagaggct gcagattaaa 480 540 cccagaagct ttagtggact cacttattta aaatcccttt acctggatgg aaaccagcta ctagagatac cgcagggcct cccgcctagc ttacagcttc tcagccttga ggccaacaac 600 atcttttcca tcagaaaaga gaatctaaca gaactggcca acatagaaat actctacctg 660 720 ggccaaaact gttattatcg aaatccttgt tatgtttcat attcaataga gaaagatgcc 780 ttcctaaact tgacaaagtt aaaagtgctc tccctgaaag ataacaatgt cacagccgtc cctactgttt tgccatctac tttaacagaa ctatatctct acaacaacat gattgcaaaa 840 atccaagaag atgattttaa taacctcaac caattacaaa ttcttgacct aagtggaaat 900 960 tgccctcgtt gttataatgc cccatttcct tgtgcgccgt gtaaaaataa ttctccccta cagatecetg taaatgettt tgatgegetg acagaattaa aagttttaeg tetacacagt 1020 1080 aactctcttc agcatgtgcc cccaagatgg tttaagaaca tcaacaaact ccaggaactg gatctgtccc aaaacttctt ggccaaagaa attggggatg ctaaatttct gcattttctc 1140

cccaqcctca tccaattgga tctgtctttc aattttgaac ttcaggtcta tcgtgcatct

1200

	atgaatctat (	cacaagcatt	ttcttcactg	aaaagcctga	aaattctgcg	gatcagagga	1260
	tatgtcttta a	aagagttgaa	aagctttaac	ctctcgccat	tacataatct	tcaaaatctt	1320
	gaagttcttg	atcttggcac	taactttata	aaaattgcta	acctcagcat	gtttaaacaa	1380
	tttaaaagac	tgaaagtcat	agatctttca	gtgaataaaa	tatcaccttc	aggagattca	1440
	agtgaagttg	gcttctgctc	aaatgccaga	acttctgtag	aaagttatga	accccaggtc	1500
	ctggaacaat	tacattattt	cagatatgat	aagtatgcaa	ggagttgcag	attcaaaaac	1560
	aaagaggctt	ctttcatgtc	tgttaatgaa	agctgctaca	agtatgggca	gaccttggat	1620
	ctaagtaaaa	atagtatatt	ttttgtcaag	tcctctgatt	ttcagcatct	ttctttcctc	1680
r	aaatgcctga	atctgtcagg	aaatctcatt	agccaaactc	ttaatggcag	tgaattccaa	1740
	cctttagcag	agctgagata	tttggacttc	tccaacaacc	ggcttgattt	actccattca	1800
	acagcatttg	aagagcttca	caaactggaa	gttctggata	taagcagtaa	tagccattat	1860
	tttcaatcag	aaggaattac	tcatatgcta	aactttacca	agaacctaaa	ggttctgcag	1920
	aaactgatga	tgaacgacaa	tgacatctct	tcctccacca	gcaggaccat	ggagagtgag	1980
	tctcttagaa	ctctggaatt	cagaggaaat	cacttagatg	ttttatggag	agaaggtgat	2040
	aacagatact	tacaattatt	caagaatctg	ctaaaattag	aggaattaga	catctctaaa	2100
	aattccctaa	gtttcttgcc	ttctggagtt	tttgatggta	tgcctccaaa	tctaaagaat	2160
	ctctctttgg	ccaaaaatgg	gctcaaatct	ttcagttgga	agaaactcca	gtgtctaaag	2220
	aacctggaaa	ctttggacct	cagccacaac	caactgacca	ctgtccctga	gagattatcc	2280
	aactgttcca	gaagcctcaa	gaatctgatt	cttaagaata	atcaaatcag	gagtctgacg	2340
	aagtattttc	tacaagatgc	cttccagttg	cgatatctgg	atctcagctc	aaataaaatc	2400
	cagatgatcc	aaaagaccag	cttcccagaa	aatgtcctca	acaatctgaa	gatgttgctt	2460
	ttgcatcata	atcggtttct	gtgcacctgt	gatgctgtgt	ggtttgtctg	gtgggttaac	2520
	catacggagg	tgactattcc	ttacctggcc	acagatgtga	cttgtgtggg	gccaggagca	2580
	cacaagggcc	aaagtgtgat	ctccctggat	ctgtacacct	gtgagttaga	tctgactaac	2640
	ctgattctgt	tctcactttc	catatctgta	tetetette	tcatggtgat	gatgacagca	2700
	agtcacctct	atttctggga	tgtgtggtat	atttaccatt	tetgtaagge	caagataaag	2760
	gggtatcagc	gtctaatatc	accagactgt	tgctatgatg	cttttattgt	gtatgacact	2820
	aaagacccag	ctgtgaccga	gtgggttttg	gctgagctgg	tggccaaact	ggaagaccca	2880
	agagagaaac	attttaattt	atgtctcgag	gaaagggact	ggttaccagg	gcagccagtt	2940
	ctggaaaacc	tttcccagag	catacagctt	agcaaaaaga	cagtgtttgt	gatgacagac	3000
							3000

aagtatgcaa agactgaaaa ttttaagata gcattttact tgtcccatca gaggctcatg

3060

gatgaaaaag	ttgatgtgat	tatcttgata	tttcttgaga	agccttttca	gaagtccaag	3120
ttcctccagc	tccggaaaag	gctctgtggg	agttctgtcc	ttgagtggcc	aacaaacccg	3180
caagctcacc	catacttctg	gcagtgtcta	aagaacgccc	tggccacaga	caatcatgtg	3240
gcctatagtc	aggtgttcaa	ggaaacggtc	tagaatcgaa	ttcccgcggc	cgccactgtg	3300
ctggatatct	gcagaattcc	accacactgg	actagtggat	ccgagctcgg	taccaagett	3360
aagtttaaac	cgc					3373

<210> 32

<211> 3416

<212> DNA

<213> Homo sapiens

<400> 32

tccagatata ggatcactcc atgccatcaa gaaagttgat gctattgggc ccatctcaag 60 ctgatcttgg cacctctcat gctctgctct cttcaaccag acctctacat tccattttgg 120 aagaagacta aaaatggtgt ttccaatgtg gacactgaag agacaaattc ttatcctttt 180 taacataatc ctaatttcca aactccttgg ggctagatgg tttcctaaaa ctctgccctg 240 tgatgtcact ctggatgttc caaagaacca tgtgatcgtg gactgcacag acaagcattt 300 gacagaaatt cetggaggta tteecacgaa caccacgaac etcaccetca ccattaacca 360 cataccagac atctccccag cgtcctttca cagactggac catctggtag agatcgattt 420 cagatgcaac tgtgtaccta ttccactggg gtcaaaaaac aacatgtgca tcaagaggct 480 gcagattaaa cccagaagct ttagtggact cacttattta aaatcccttt acctggatgg 540 aaaccagcta ctagagatac cgcagggcct cccgcctagc ttacagcttc tcagccttga 600 ggccaacaac atcttttcca tcagaaaaga gaatctaaca gaactggcca acatagaaat 660 actctacctg ggccaaaact gttattatcg aaatccttgt tatgtttcat attcaataga 720 gaaagatgcc ttcctaaact tgacaaagtt aaaagtgctc tccctgaaag ataacaatgt 780 cacagoogto cotactgttt tgccatctac tttaacagaa ctatatotot acaacaacat 840 gattgcaaaa atccaagaag atgattttaa taacctcaac caattacaaa ttcttgacct 900 aagtggaaat tgccctcgtt gttataatgc cccatttcct tgtgcgccgt gtaaaaataa 960 ttctccccta cagatccctg taaatgcttt tgatgcgctg acagaattaa aagttttacg 1020 tctacacagt aactctcttc agcatgtgcc cccaagatgg tttaagaaca tcaacaaact 1080 ccaggaactg gatctgtccc aaaacttctt ggccaaagaa attggggatg ctaaatttct 1140 gcattttctc cccagcctca tccaattgga tctgtctttc aattttgaac ttcaggtcta 1200 tegtgeatet atgaatetat cacaageatt ttetteaetg aaaageetga aaattetgeg 1260

				ctctcgccat aaaattgcta		1320 1380
gtttaaacaa	tttaaaagac	tgaaagtcat	agatetttea	gtgaataaaa	tatcaccttc	1440
aggagattca	agtgaagttg	gcttctgctc	aaatgccaga	acttctgtag	aaagttatga	1500
accccaggtc	ctggaacaat	tacattattt	cagatatgat	aagtatgcaa	ggagttgcag	1560
attcaaaaac	aaagaggctt	ctttcatgtc	tgttaatgaa	agctgctaca	agtatgggca	1620
gaccttggat	ctaagtaaaa	atagtatatt	ttttgtcaag	tcctctgatt	ttcagcatct	1680
ttctttcctc	aaatgcctga	atctgtcagg	aaatctcatt	agccaaactc	ttaatggcag	1740
tgaattccaa	cctttagcag	agttgagata	tttggacttc	tccaacaacc	ggcttgattt	1800
actccattca	acagcatttg	aagagcttca	caaactggaa	gttctggata	taagcagtaa	1860
tagccattat	tttcaatcag	aaggaattac	tcatatgcta	aactttacca	agaacctaaa	1920
ggttctgcag	aaactgatga	tgaacgacaa	tgacatctct	tectecacea	gcaggaccat	1980
ggagagtgag	tctcttagaa	ctctggaatt	cagaggaaat	cacttagatg	ttttatggag	2040
agaaggtgat	aacagatact	tacaattatt	caagaatctg	ctaaaattag	aggaattaga	2100
catctctaaa	aattccctaa	gtttcttgcc	ttctggagtt	tttgatggta	tgcctccaaa	2160
tctaaagaat	ctctctttgg	ccaaaaatgg	gctcaaatct	ttcagttgga	agaaactcca	2220
gtgtctaaag	aacctggaaa	ctttggacct	cagccacaac	caactgacca	ctgtccctga	2280
gagattatcc	aactgttcca	gaagccacaa	gaatctgatt	cttaagaata	atcaaatcag	2340
gagtccgacg	aagtattttc	tacaagatgc	cttccagttg	cgatatctgg	atctcagctc	2400
aaataaaatc	cagatgatcc	aaaagaccag	cttcccagaa	aatgtcctca	acaatctgaa	2460
gatgttgctt	ttgcatcata	atcggtttct	gtgcacctgt	gatgctgtgt	ggtttgtctg	2520
gtgggttaac	catacggagg	tgactattcc	ttacctggcc	acagatgtga	cttgtgtggg	2580
gccaggagca	cacaagggcc	aaagtgtgat	ctccctggat	ctgtacacct	gtgagttaga	2640
tctgactaac	ctgattctgt	tctcactttc	catatctgta	tetetette	tcatggtgat	2700
gatgacagca	agtcacctct	atttctggga	tgtgtggtat	atttaccatt	tctgtaaggc	2760
caagataaag	gggtatcagc	gtctaatatc	accagactgt	tgctatgatg	cttttattgt	2820
gtatgacact	aaagacccag	ctgtgaccga	gtgggtttg	gctgagctgg	tggccaaact	2880
ggaagaccca	agagagaaac	attttaattt	atgtctcgag	gaaagggact	ggttaccagg	2940
gcagccagtt	ctggaaaacc	tttcccagag	catacagctt	agcaaaaaga	cagtgtttgt	3000
gatgacagac	aagtatgcaa	agactgaaaa	ttttaagata	gcattttact	tgtcccatca	3060
gaggctcatg	gatgaaaaag	ttgatgtgat	tatcttgata	tttcttgaga	agccctttca	3120
gaagtccaag	ttcctccagc	tccggaaaag	gctctgtggg	agttctgtcc	ttgagtggcc	3180

aacaaacccg caagctcacc	catacttctg	gcagtgtcta	aagaacgccc	tggccacaga	3240
caatcatgtg gcctatagtc	aggtgttcaa	ggaaacggtc	tagcccttct	ttgcaaaaca	3300
caactgccta gtttaccaag	gagaggcctg	gctgtttaaa	ttgttttcat	atatatcaca	3360
ccaaaagcgt gttttgaaat	tcttcaagaa	atgagattgc	ccatatttca	ggggag	3416
<210> 33 <211> 3418 <212> DNA <213> Homo spaiens					
<400> 33 actccagata tággatcact	ccatgccatc	aagaaagttg	atgctattgg	gcccatctca	60
agetgatett ggeacetete	atgctctgct	ctcttcaacc	agacctctac	attccatttt	120
ggaagaagac taaaaatggt	gtttccaatg	tggacactga	agagacaaat	tcttatcctt	180
tttaacataa tcctaatttc	caaactcctt	ggggctagat	ggtttcctaa	aactctgccc	240
tgtgatgtca ctctggatgt	tccaaagaac	catgtgatcg	tggactgcac	agacaagcat	300
ttgacagaaa ttcctggagg	tattcccacg	aacaccacga	acctcaccct	caccattaac	360
cacataccag acatetecee	agcgtccttt	cacagactgg	accatctggt	agagatcgat	420
ttcagatgca actgtgtacc	tattccactg	gggtcaaaaa	acaacatgtg	catcaagagg	. 480
ctgcagatta aacccagaag	ctttagtgga	ctcacttatt	taaaatccct	ttacctggat	540
ggaaaccagc tactagagat	accgcagggc	ctcccgccta	gcttacagct	tctcagcctt	600
gaggccaaca acatettttc	catcagaaaa	gagaatctaa	cagaactggc	caacatagaa	660
atactctacc tgggccaaaa	ctgttattat	cgaaatcctt	gttatgtttc	atattcaata	720
gagaaagatg ccttcctaaa	cttgacaaag	ttaaaagtgc	tctccctgaa	agataacaat	780
gtcacagccg tccctactgt	tttgccatct	actttaacag	aactatatct	ctacaacaac	840
atgattgcaa aaatccaaga	agatgatttt	aataacctca	accaattaca	aattcttgac	900
ctaagtggaa attgccctcg	ttgttataat	gccccatttc	cttgtgcgcc	gtgtaaaaat	960
aatteteece tacagateee	tgtaaatgct	tttgatgcgc	tgacagaatt	aaaagtttta	1020
cgtctacaca gtaactctct	tcagcatgtg	cccccaagat	ggtttaagaa	catcaacaaa	1080
ctccaggaac tggatctgtc	ccaaaacttc	ttggccaaag	aaattgggga	tgctaaattt	1140
ctgcattttc tccccagcct	catccaattg	gatctgtctt	tcaattttga	acttcaggtc	1200
tatcgtgcat ctatgaatct	atcacaagca	ttttcttcac	tgaaaagcct	gaaaattctg	1260
cggatcagag gatatgtctt	taaagagttg	aaaagcttta	acctctcgcc	attacataat	1320
cttcaaaatc ttgaagttct	tgatcttggc	actaacttta	taaaaattgc	taacctcagc	1380

		actgaaagtc tggcttctgc				1440 1500
gaaccccagg	tcctggaaca	attacattat	ttcagatatg	ataagtatgc	aaggagttgc	1560
agattcaaaa	acaaagaggc	ttctttcatg	tctgttaatg	aaagctgcta	caagtatggg	1620
cagaccttgg	atctaagtaa	aaatagtata	ttttttgtca	agtcctctga	ttttcagcat	1680
ctttctttcc	tcaaatgcct	gaatctgtca	ggaaatctca	ttagccaaac	tcttaatggc	1740
agtgaattcc	aacctttagc	agagctgaga	tatttggact	tctccaacaa	ccggcttgat	1800
ttactccatt	caacagcatt	tgaagagett	cacaaactgg	aagttctgga	tataagcagt	1860
aatagccatt	attttcaatc	agaaggaatt	actcatatgc	taaactttac	caagaaccta	1920
aaggttctgc	agaaactgat	gatgaacgac	aatgacatct	cttcctccac	cagcaggacc	1980
atggagagtg	agtctcttag	aactctggaa	ttcagaggaa	atcacttaga	tgttttatgg	2040
agagaaggtg	ataacagata	cttacaatta	ttcaagaatc	tgctaaaatt	agaggaatta	2100
gacatctcta	aaaattccct	aagtttcttg	ccttctggag	tttttgatgg	tatgcctcca	2160
aatctaaaga	atctctctt	ggccaaaaat	gggctcaaat	ctttcagttg	gaagaaactc	2220
cagtgtctaa	agaacctgga	aactttggac	ctcagccaca	accaactgac	cactgtccct	2280
gagagattat	ccaactgttc	cagaagcctc	aagaatctga	ttcttaagaa	taatcaaatc	2340
aggagtctga	cgaagtattt	tctacaagat	gccttccagt	tgcgatatct	ggatctcagc	2400
tcaaataaaa	tccagatgat	ccaaaagacc	agcttcccag	aaaatgtcct	caacaatctg	2460
aagatgttgc	ttttgcatca	taatcggttt	ctgtgcacct	gtgatgctgt	gtggtttgtc	2520
tggtgggtta	accatacgga	ggtgactatt	ccttacctgg	ccacagatgt	gacttgtgtg	2580
gggccaggag	cacacaaggg	ccaaagtgtg	atctccctgg	atctgtacac	ctgtgagtta	2640
gatctgacta	acctgattct	gttctcactt	tccatatctg	tatctctctt	tctcatggtg	2700
atgatgacag	caagtcacct	ctatttctgg	gatgtgtggt	atatttacca	tttctgtaag	2760
gccaagataa	aggggtatca	gcgtctaata	tcaccagact	gttgctatga	tgcttttatt	2820
gtgtatgaca	ctaaagaccc	agctgtgacc	gagtgggttt	tggctgagct	ggtggccaaa	2880
ctggaagacc	caagagagaa	acattttaat	ttatgtctcg	' <b>a</b> ggaaaggga	ctggttacca	2940
gggcagccag	ttctggaaaa	cctttcccag	agcatacagc	ttagcaaaaa	gacagtgttt	3000
gtgatgacag	acaagtatgc	aaagactgaa	aattttaaga	tagcatttta	cttgtcccat	3060
cagaggctca	tggatgaaaa	agttgatgtg	attatcttga	tatttcttga	gaagcccttt	3120
cagaagtcca	agttecteca	gctccggaaa	aggctctgtg	ggagttctgt	ccttgagtgg	3180
ccaacaaacc	cgcaagctca	cccatacttc	tggcagtgtc	taaagaacgc	cctggccaca	3240
gacaatcatg	tggcctatag	tcaggtgttc	aaggaaacgg	tctagccctt	ctttgcaaaa	3300

cacaactgcc tagtttacca aggagaggcc tggctgttta aattgttttc atatataca 3360 caccaaaagc gtgttttgaa attcttcaag aaatgagatt gcccatattt caggggag 3418

<210> 34

<211> 1049

<212> PRT

<213> Homo sapiens

<400> 34

Met Val Phe Pro Met Trp Thr Leu Lys Arg Gln Ile Leu Ile Leu Phe 1 5 10 15

Asn Ile Ile Leu Ile Ser Lys Leu Leu Gly Ala Arg Trp Phe Pro Lys 20 25 30

Thr Leu Pro Cys Asp Val Thr Leu Asp Val Pro Lys Asn His Val Ile 35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Gly Gly Ile Pro 50 55 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Asp Ile 65 70 75 80

Ser Pro Ala Ser Phe His Arg Leu Asp His Leu Val Glu Ile Asp Phe 85 90 95

Arg Cys Asn Cys Val Pro Ile Pro Leu Gly Ser Lys Asn Asn Met Cys 100 105 110

Ile Lys Arg Leu Gln Ile Lys Pro Arg Ser Phe Ser Gly Leu Thr Tyr 115 120 125

Leu Lys Ser Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln 130 135 140

Gly Leu Pro Pro Ser Leu Gln Leu Leu Ser Leu Glu Ala Asn Asn Ile 145 150 155 160

Phe Ser Ile Arg Lys Glu Asn Leu Thr Glu Leu Ala Asn Ile Glu Ile 165 170 175

Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Tyr Val Ser 180 185 190

Tyr Ser Ile Glu Lys Asp Ala Phe Leu Asn Leu Thr Lys Leu Lys Val 195 200 205

Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Val Leu Pro 210 215 220

Ser Thr Leu Thr Glu Leu Tyr Leu Tyr Asn Asn Met Ile Ala Lys Ile 225 230 235 240

Gln Glu Asp Asp Phe Asn Asn Leu Asn Gln Leu Gln Ile Leu Asp Leu 245 250 255

Ser Gly Asn Cys Pro Arg Cys Tyr Asn Ala Pro Phe Pro Cys Ala Pro

265 260 Cys Lys Asn Asn Ser Pro Leu Gln Ile Pro Val Asn Ala Phe Asp Ala 280 Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His Val Pro Pro Arg Trp Phe Lys Asn Ile Asn Lys Leu Gln Glu Leu Asp Leu Ser Gln Asn Phe Leu Ala Lys Glu Ile Gly Asp Ala Lys Phe Leu His Phe Leu Pro Ser Leu Ile Gln Leu Asp Leu Ser Phe Asn Phe Glu 345 Leu Gln Val Tyr Arg Ala Ser Met Asn Leu Ser Gln Ala Phe Ser Ser Leu Lys Ser Leu Lys Ile Leu Arg Ile Arg Gly Tyr Val Phe Lys Glu 375 Leu Lys Ser Phe Asn Leu Ser Pro Leu His Asn Leu Gln Asn Leu Glu Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asn Leu Ser Met 410 Phe Lys Gln Phe Lys Arg Leu Lys Val Ile Asp Leu Ser Val Asn Lys 425 Ile Ser Pro Ser Gly Asp Ser Ser Glu Val Gly Phe Cys Ser Asn Ala 440 Arg Thr Ser Val Glu Ser Tyr Glu Pro Gln Val Leu Glu Gln Leu His 455 Tyr Phe Arg Tyr Asp Lys Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys 470 Glu Ala Ser Phe Met Ser Val Asn Glu Ser Cys Tyr Lys Tyr Gly Gln 485 Thr Leu Asp Leu Ser Lys Asn Ser Ile Phe Phe Val Lys Ser Ser Asp Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn Leu Ile Ser Gln Thr Leu Asn Gly Ser Glu Phe Gln Pro Leu Ala Glu Leu 535 Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu His Ser Thr 550 Ala Phe Glu Glu Leu His Lys Leu Glu Val Leu Asp Ile Ser Ser Asn 570 Ser His Tyr Phe Gln Ser Glu Gly Ile Thr His Met Leu Asn Phe Thr

Lys Asn Leu Lys Val Leu Gln Lys Leu Met Met Asn Asp Asn Asp Ile

# WO 2004/094671 - 72 - PCT/US2004/012788

Ser	Ser 610	595 Ser	Thr	Ser	Arg	Thr 615	600 Met	Glu	Ser	Glu	Ser 620	605 Leu	Arg	Thr	Leu
Glu 625	Phe	Arg	Gly	Asn	His 630	Leu	Asp	Val	Leu	Trp 635	Arg	Glu	Gly	Asp	Asn 640
Arg	Tyr	Leu	Gln	Leu 645	Phe	Lys	Asn	Leu	Leu 650	Lys	Leu	Glu	Glu	Leu 655	Àsp
Ile	Ser	Lys	Asn 660	Ser	Leu	Ser	Phe	Leu 665	Pro	Ser	Gly	Val	Phe 670	Asp	Gly
Met	Pro	Pro 675	Asn	Leu	Lys	Asn	Leu 680	Ser	Leu	Ala	Lys	Asn 685	Gly	Leu	Lys
Ser	Phe 690	Ser	Trp	ГÀЗ	ГÀЗ	Leu 695	Gln	Сув	Leu	Lys	Asn 700	Leu	Glu	Thr	Leu
Asp 705	Leu	Ser	His	Asn	Gln 710	Leu	Thr	Thr	Val	Pro 715	Glu	Arg	Leu	Ser	Asn 720
Суз	Ser	Arg	Ser	Leu 725	Lys	Asn	Leu	Ile	Leu 730	Lys	Asn	Asn	Gln	Ile 735	Arg
Ser	Leu	Thr	Lys 740	Tyr	Phe	Leu	Gln	Asp 745	Ala	Phe	Gln	Leu	Arg 750	Tyr	Leu
Asp	Leu	Ser 755	Ser	Asn	Lys	Ile	Gln 760	Met	Ile	Gln	Lys	Thr 765	Ser	Phe	Pro
Glu	Asn 770	Val	Leu	Asn	Asn	Leu 7 <b>7</b> 5	Lys	Met	Leu	Leu	Leu 780	His	His	Asn	Arg
Phe 785	Leu	Cys	Thr	Сув	Asp 790	Ala	Val	Trp	Phe	Val 795	Trp	Trp	Val	Asn	His 800
Thr	Glu	Val	Thr	Ile 805	Pro	Tyr	Leu	Ala	Thr 810	Asp	Val	Thr	Cys	Val 815	Gly
Pro	Gly	Ala	His 820	Lys	Gly	Gln	Ser	Val 825	Ile	Ser	Leu	Asp	Leu 830	Tyr	Thr
Cys	Glu	Leu 835	Asp	Leu	Thr	Asn	Leu 840	Ile	Leu	Phe	Ser	Leu 845	Ser	Ile	Ser
Val	Ser 850	Leu	Phe	Leu	Met	Val 855	Met	Met	Thr	Ala	Ser 860	His	Leu	Tyr	Phe
Trp 865	Asp	Val	Trp	Tyr	Ile 870	Tyr	His	Phe	Cys	Lys 875	Ala	Lys	Ile	Lys	Gly 880
Tyr	Gln	Arg	Leu	Ile 885	Ser	Pro	Asp	Сув	Сув 890	Tyr	Asp	Ala	Phe	Ile 895	Val
Tyr	Asp	Thr	<b>L</b> ув 900	Asp	Pro	Ala	Val	Thr 905	Glu	Trp	Val	Leu	Ala 910	Glu	Leu
Val	Ala	Lys 915	Leu	Glu	Asp	Pro	Arg 920	Glu	Lys	His	Phe	Asn 925	Leu	Сув	Leu
Glu	Glu	Arg	Asp	Trp	Leu	Pro	Gly	Gln	Pro	Val	Leu	Glu	Asn	Leu	Ser

930 935 940

Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Asp Lys 945 950 955 960

Tyr Ala Lys Thr Glu Asn Phe Lys Ile Ala Phe Tyr Leu Ser His Gln 965 970 975

Arg Leu Met Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu Glu 980 985 990

Lys Pro Phe Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu Cys 995 1000 1005

Gly Ser Ser Val Leu Glu Trp Pro Thr Asn Pro Gln Ala His Pro 1010 1015 . 1020

Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Ala Thr Asp Asn His 1025 1030 1035

Val Ala Tyr Ser Gln Val Phe Lys Glu Thr Val 1040 1045

<210> 35

<211> 1049

<212> PRT

<213> Homo sapiens

<400> 35

Met Val Phe Pro Met Trp Thr Leu Lys Arg Gln Ile Leu Ile Leu Phe 1 5 10 15

Asn Ile Ile Leu Ile Ser Lys Leu Leu Gly Ala Arg Trp Phe Pro Lys 20 25 30

Thr Leu Pro Cys Asp Val Thr Leu Asp Val Pro Lys Asn His Val Ile 35 40

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Gly Gly Ile Pro 50 55 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Asp Ile 65 70 75 80

Ser Pro Ala Ser Phe His Arg Leu Asp His Leu Val Glu Ile Asp Phe 85 90 95

Arg Cys Asn Cys Val Pro Ile Pro Leu Gly Ser Lys Asn Asn Met Cys
100 105 110

Ile Lys Arg Leu Gln Ile Lys Pro Arg Ser Phe Ser Gly Leu Thr Tyr 115 120 125

Leu Lys Ser Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln 130 135 140

Gly Leu Pro Pro Ser Leu Gln Leu Leu Ser Leu Glu Ala Asn Asn Ile 145 150 155 160

Phe Ser Ile Arg Lys Glu Asn Leu Thr Glu Leu Ala Asn Ile Glu Ile 165 170 175

# WO 2004/094671 - 74 - PCT/US2004/012788

Leu	Tyr	Leu	Gly 180	Gln	Asn	Cys	Tyr	Tyr 185	Arg	Asn	Pro	Cys	Tyr 190	Val	Ser
Tyr	Ser	Ile 195	Glu	Lys	Asp	Ala	Phe 200	Leu	Asn	Leu	Thr	Lys 205	Leu	Lys	Val
Leu	Ser 210	Leu	Гуs	Asp	Asn	Asn 215	Val	Thr	Ala	Val	Pro 220	Thr	Val	Leu	Pro
Ser 225	Thr	Leu	Thr	Glu	Leu 230	Tyr	Leu	Tyr	Asn	Asn 235	Met	Ile	Ala	Lys	Ile 240
Gln	Glu	Asp	Asp	Phe 245	Asn	Asn	Leu	Asn	Gln 250	Leu	Gln	Ile	Leu	Asp 255	Leu
Ser	Gly	Asn	Сув 260	Pro	Arg	Сув	Tyr	Asn 265	Ala	Pro	Phe	Pro	Суs 270	Ala	Pro
Cys	Lys	Asn 275	Asn	Ser	Pro	Leu	Gln 280	Ile	Pro	Val	Asn	Ala 285	Phe	Asp	Ala
Leu	Thr 290	Glu	Leu	Lys	Val	Leu 295	Arg	Leu	His	Ser	Asn 300	Ser	Leu	Gln	His
Val 305	Pro	Pro	Arg	Trp	Phe 310	Lys	Asn	Ile	Asn	Lys 315	Leu	Gln	Glu	Leu	Asp 320
Leu	Ser	Gln	Asn	Phe 325	Leu	Ala	Lys	Glu	Ile 330	Gly	Asp	Ala	Lys	Phe 335	Leu
His	Phe	Leu	Pro 340	Ser	Leu	Ile	Gln	Leu 345	Asp	Leu	Ser	Phe	Asn 350	Phe	Glu
Leu	Gln	Val 355	Tyr	Arg	Ala	Ser	Met 360	Asn	Leu	Ser	Gln	Ala 365	Phe	Ser	Ser
Leu	Lys 370	Ser	Leu	Lys	Ile	Leu 375	Arg	Ile	Arg	Gly	Tyr 380	Val	Phe	Lys	Glu
Leu 385	Lys	Ser	Phe	Asn	Leu 390	Ser	Pro	Leu	His	Asn 395	Leu	Gln	Asn	Leu	Glu 400
Val	Leu	Asp	Leu	Gly 405		Asn	Phe	Ile	Lys 410		Ala	Asn	Leu	Ser 415	Met
Phe	Lys	Gln	Phe 420		Arg	Leu	Lys	Val 425		Asp	Leu	Ser	Val 430	Asn	Lys
Ile	Ser	Pro 435		Gly	Asp	Ser	Ser 440	Glu	Val	Gly	Phe	Сув 445		Asn	Ala
Arg	Thr 450		Val	Glu	Ser	Tyr 455		Pro	Gln	Val	Leu 460		Gln	Leu	His
Tyr 465		Arg	Tyr	Asp	Lys 470		Ala	Arg	Ser	Cys 475		Phe	Lys	Asn	Lys 480
Glu	Ala	Ser	Phe	Met 485		Val	Asn	Glu	Ser 490		Tyr	Lys	Tyr	Gly 495	Gln
Thr	Leu	Asp	Leu	Ser	. rAs	Asn	Ser	Ile	Phe	Phe	Val	Lys	Ser	Ser	Asp

#### WO 2004/094671 - 75 - PCT/US2004/012788

505 Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn Leu 520 Ile Ser Gln Thr Leu Asn Gly Ser Glu Phe Gln Pro Leu Ala Glu Leu Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu His Ser Thr Ala Phe Glu Glu Leu His Lys Leu Glu Val Leu Asp Ile Ser Ser Asn Ser His Tyr Phe Gln Ser Glu Gly Ile Thr His Met Leu Asn Phe Thr 585 Lys Asn Leu Lys Val Leu Gln Lys Leu Met Met Asn Asp Asn Asp Ile 600 Ser Ser Ser Thr Ser Arg Thr Met Glu Ser Glu Ser Leu Arg Thr Leu 615 Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Glu Gly Asp Asn Arg Tyr Leu Gln Leu Phe Lys Asn Leu Lys Leu Glu Glu Leu Asp 650 Ile Ser Lys Asn Ser Leu Ser Phe Leu Pro Ser Gly Val Phe Asp Gly 665 Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu Lys 680 Ser Phe Ser Trp Lys Lys Leu Gln Cys Leu Lys Asn Leu Glu Thr Leu 695 Asp Leu Ser His Asn Gln Leu Thr Thr Val Pro Glu Arg Leu Ser Asn 710 715 Cys Ser Arg Ser His Lys Asn Leu Ile Leu Lys Asn Asn Gln Ile Arg 730 Ser Pro Thr Lys Tyr Phe Leu Gln Asp Ala Phe Gln Leu Arg Tyr Leu Asp Leu Ser Ser Asn Lys Ile Gln Met Ile Gln Lys Thr Ser Phe Pro Glu Asn Val Leu Asn Asn Leu Lys Met Leu Leu Leu His His Asn Arg 775 Phe Leu Cys Thr Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn His Thr Glu Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val Gly 810 Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr Thr Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Leu Ser Ile Ser 

 Val
 Ser
 Leu
 Phe
 Leu
 Met
 Val
 Met
 Thr
 Ala
 Ser
 His
 Leu
 Tyr
 Phe

 850
 855
 860
 860

Trp Asp Val Trp Tyr Ile Tyr His Phe Cys Lys Ala Lys Ile Lys Gly 865 870 875 880

Tyr Gln Arg Leu Ile Ser Pro Asp Cys Cys Tyr Asp Ala Phe Ile Val 885 890 895

Tyr Asp Thr Lys Asp Pro Ala Val Thr Glu Trp Val Leu Ala Glu Leu 900 905 910

Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys Leu
915 920 925

Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu Ser 930 935 940

Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Asp Lys 945 950 955 960

Tyr Ala Lys Thr Glu Asn Phe Lys Ile Ala Phe Tyr Leu Ser His Gln
965 970 975

Arg Leu Met Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu Glu 980 985 990

Lys Pro Phe Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu Cys 995 1000 1005

Gly Ser Ser Val Leu Glu Trp Pro Thr Asn Pro Gln Ala His Pro 1010 1015 1020

Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Ala Thr Asp Asn His 1025 1030 1035

Val Ala Tyr Ser Gln Val Phe Lys Glu Thr Val 1040 1045

<210> 36

<211> 1049

<212> PRT

<213> Homo spaiens

<400> 36

Met Val Phe Pro Met Trp Thr Leu Lys Arg Gln Ile Leu Ile Leu Phe 1 5 10 15

Asn Ile Ile Leu Ile Ser Lys Leu Leu Gly Ala Arg Trp Phe Pro Lys 20 25 30

Thr Leu Pro Cys Asp Val Thr Leu Asp Val Pro Lys Asn His Val Ile 35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Gly Gly Ile Pro 50 55 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Asp Ile 65 70 75 80

#### WO 2004/094671 - 77 - PCT/US2004/012788

Ser Pro Ala Ser Phe His Arg Leu Asp His Leu Val Glu Ile Asp Phe Arg Cys Asn Cys Val Pro Ile Pro Leu Gly Ser Lys Asn Asn Met Cys Ile Lys Arg Leu Gln Ile Lys Pro Arg Ser Phe Ser Gly Leu Thr Tyr 120 Leu Lys Ser Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln Gly Leu Pro Pro Ser Leu Gln Leu Leu Ser Leu Glu Ala Asn Asn Ile 155 Phe Ser Ile Arg Lys Glu Asn Leu Thr Glu Leu Ala Asn Ile Glu Ile 170 Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Tyr Val Ser Tyr Ser Ile Glu Lys Asp Ala Phe Leu Asn Leu Thr Lys Leu Lys Val 200 Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Val Leu Pro 215 Ser Thr Leu Thr Glu Leu Tyr Leu Tyr Asn Asn Met Ile Ala Lys Ile 230 Gln Glu Asp Asp Phe Asn Asn Leu Asn Gln Leu Gln Ile Leu Asp Leu 250 Ser Gly Asn Cys Pro Arg Cys Tyr Asn Ala Pro Phe Pro Cys Ala Pro Cys Lys Asn Asn Ser Pro Leu Gln Ile Pro Val Asn Ala Phe Asp Ala Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His Val Pro Pro Arg Trp Phe Lys Asn Ile Asn Lys Leu Gln Glu Leu Asp 315 Leu Ser Gln Asn Phe Leu Ala Lys Glu Ile Gly Asp Ala Lys Phe Leu His Phe Leu Pro Ser Leu Ile Gln Leu Asp Leu Ser Phe Asn Phe Glu Leu Gln Val Tyr Arg Ala Ser Met Asn Leu Ser Gln Ala Phe Ser Ser Leu Lys Ser Leu Lys Ile Leu Arg Ile Arg Gly Tyr Val Phe Lys Glu 375 Leu Lys Ser Phe Asn Leu Ser Pro Leu His Asn Leu Gln Asn Leu Glu 390 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asn Leu Ser Met

## WO 2004/094671 - 78 - PCT/US2004/012788

Phe	Lys	Gln	Phe 420	405 Lys	Arg	Leu	Lys	Val 425	410 Ile	Asp	Leu	Ser	Val 430	415 Asn	Lys
Ile	Ser	Pro 435	Ser	Gly	qaA	Ser	Ser 440	Glu	Val	Gly	Phe	Cys 445	Ser	Asn	Ala
Arg	Thr 450		Val	Glu	Ser	Tyr 455	Glu	Pro	Gln	Val	Leu 460	Glu	Gln	Leu	His
Tyr 465	Phe	Arg	Tyr	Asp	Lys 470	Tyr	Ala	Arg	Ser	Cys 475	Arg	Phe	Lys	Asn	Lys 480
Glu	Ala	Ser	Phe	Met 485	Ser	Val	Asn	Glu	Ser 490	Cys	Tyr	Lys	Tyr	Gly 495	Gln
Thr	Leu	Asp	Leu 500	Ser	Lys	Asn	Ser	Ile 505	Phe	Phe	Val	ГÀЗ	Ser 510	Ser	Asp
Phe	Gln	His 515	Leu	Ser	Phe	Leu	<b>Lys</b> 520	Сув	Leu	Asn	Leu	Ser 525	Gly	Asn	Leu
Ile	Ser 530	Gln	Thr	Leu	Asn	Gly 535	Ser	Glu	Phe	Gln	Pro 540	Leu	Ala	Glu	Leu
Arg 545	Tyr	Leu	Asp	Phe	Ser 550	Asn	Asn	Arg	Leu	Asp 555	Leu	Leu	His	Ser	Thr 560
Ala	Phe	Glu	Glu	Leu 565	His	Lys	Leu	Glu	Val 570	Leu	Asp	,Ile	Ser	Ser 575	Asn
Ser	His	Tyr	Phe 580	Gln	Ser	Glu	Gly	Ile 585	Thr	His	Met	Leu	Asn 590	Phe	Thr
Lys	Asn	Leu 595	ГÀЗ	Val	Leu	Gln	Lys	Leu	Met	Met	Asn	Asp 605	Asn	Asp	Ile
Ser	Ser 610	Ser	Thr	Ser	Arg	Thr 615	Met	Glu	Ser	Glu	Ser 620	Leu	Arg	Thr	Leu
Glu 625	Phe	Arg	Gly	Asn	His 630	Leu	Asp	Val	Leu	Trp 635	Arg	Glu	Gly	Asp	Asn 640
Arg	Tyr	Leu	Gln	Leu 645	Phe	ГÀЗ	Asn	Leu	Leu 650	Lys	Leu	Glu	Glu	Leu 655	Asp
Ile	Ser	Lys	Asn 660	Ser	Leu	Ser	Phe	Leu 665	Pro	Ser	Gly	Val	Phe 670	Asp	Gly
Met	Pro	Pro 675	Asn	Leu	Lys	Asn	Leu 680	Ser	Leu	Ala	Lys	Asn 685	Gly	Leu	Lys
Ser	Phe 690	Ser	Trp	Lys	Lys	Leu 695	Gln	Сув	Leu	Lys	Asn 700	Leu	Glu	Thr	Leu
Asp 705	Leu	Ser	His	Asn	Gln 710	Leu	Thr	Thr	Val	Pro 715	Glu	Arg	Leu	Ser	Asn 720
Cys	Ser	Arg	Ser	Leu 725		Asn	Leu	Ile	Leu 730		Asn	Asn	Gln	Ile 735	Arg
Ser	Leu	Thr	Lys	Tyr	Phe	Leu	Gln	Asp	Ala	Phe	Gln	Leu	Arg	Tyr	Leu

- 740 745 750

  Asp Leu Ser Ser Asn Lys Ile Gln Met Ile Gln Lys Thr Ser Phe Pro
  755 760 765
- Glu Asn Val Leu Asn Asn Leu Lys Met Leu Leu Leu His His Asn Arg
  770 780
- Phe Leu Cys Thr Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn His 785 790 795 800
- Thr Glu Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val Gly 805 810 815
- Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr Thr 820 825 830
- Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Leu Ser Ile Ser 835 840 845
- Val Ser Leu Phe Leu Met Val Met Met Thr Ala Ser His Leu Tyr Phe 850 855 860
- Trp Asp Val Trp Tyr Ile Tyr His Phe Cys Lys Ala Lys Ile Lys Gly 865 870 875 880
- Tyr Gln Arg Leu Ile Ser Pro Asp Cys Cys Tyr Asp Ala Phe Ile Val 885 890 895
- Tyr Asp Thr Lys Asp Pro Ala Val Thr Glu Trp Val Leu Ala Glu Leu 900 905 910
- Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys Leu 915 920 925
- Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu Ser 930 935 940
- Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Asp Lys 945 950 955 960
- Tyr Ala Lys Thr Glu Asn Phe Lys Ile Ala Phe Tyr Leu Ser His Gln
  965 970 975
- Arg Leu Met Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu Glu 980 985 990
- Lys Pro Phe Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu Cys 995 1000 1005
- Gly Ser Ser Val Leu Glu Trp Pro Thr Asn Pro Gln Ala His Pro 1010 1015 1020
- Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Ala Thr Asp Asn His 1025 1030 1035
- Val Ala Tyr Ser Gln Val Phe Lys Glu Thr Val 1040 1045

<210> 37

<211> 1049

<212> PRT

<213> Homo sapiens <400> 37

Met Val Phe Pro Met Trp Thr Leu Lys Arg Gln Ile Leu Ile Leu Phe 1 5 10 15

Asn Ile Ile Leu Ile Ser Lys Leu Leu Gly Ala Arg Trp Phe Pro Lys 20 25 30

Thr Leu Pro Cys Asp Val Thr Leu Asp Val Pro Lys Asn His Val Ile 35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Gly Gly Ile Pro 50 55 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Asp Ile 65 70 75 80

Ser Pro Ala Ser Phe His Arg Leu Asp His Leu Val Glu Ile Asp Phe 85 90 95

Arg Cys Asn Cys Val Pro Ile Pro Leu Gly Ser Lys Asn Asn Met Cys 100 105 110

Ile Lys Arg Leu Gln Ile Lys Pro Arg Ser Phe Ser Gly Leu Thr Tyr
115 120 125

Leu Lys Ser Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln 130 135 140

Gly Leu Pro Pro Ser Leu Gln Leu Leu Ser Leu Glu Ala Asn Asn Ile 145 150 155 160

Phe Ser Ile Arg Lys Glu Asn Leu Thr Glu Leu Ala Asn Ile Glu Ile 165 . 170 175

Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Tyr Val Ser 180 185 190

Tyr Ser Ile Glu Lys Asp Ala Phe Leu Asn Leu Thr Lys Leu Lys Val 195 200 205

Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Val Leu Pro 210 215 220

Ser Thr Leu Thr Glu Leu Tyr Leu Tyr Asn Asn Met Ile Ala Lys Ile 225 230 235 240

Gln Glu Asp Asp Phe Asn Asn Leu Asn Gln Leu Gln Ile Leu Asp Leu 245 250 255

Ser Gly Asn Cys Pro Arg Cys Tyr Asn Ala Pro Phe Pro Cys Ala Pro 260 265 270

Cys Lys Asn Asn Ser Pro Leu Gln Ile Pro Val Asn Ala Phe Asp Ala 275 280 285

Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His
290 295 300

Val Pro Pro Arg Trp Phe Lys Asn Ile Asn Lys Leu Gln Glu Leu Asp 305 310 315 320

- Leu Ser Gln Asn Phe Leu Ala Lys Glu Ile Gly Asp Ala Lys Phe Leu 325 330 335
- His Phe Leu Pro Ser Leu Ile Gln Leu Asp Leu Ser Phe Asn Phe Glu 340 345 350
- Leu Gln Val Tyr Arg Ala Ser Met Asn Leu Ser Gln Ala Phe Ser Ser 355 360 365
- Leu Lys Ser Leu Lys Ile Leu Arg Ile Arg Gly Tyr Val Phe Lys Glu 370 375 380
- Leu Lys Ser Phe Asn Leu Ser Pro Leu His Asn Leu Gln Asn Leu Glu 385 390 395 400
- Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asn Leu Ser Met 405 410 415
- Phe Lys Gln Phe Lys Arg Leu Lys Val Ile Asp Leu Ser Val Asn Lys 420 425 430
- Ile Ser Pro Ser Gly Asp Ser Ser Glu Val Gly Phe Cys Ser Asn Ala 435 440 445
- Arg Thr Ser Val Glu Ser Tyr Glu Pro Gln Val Leu Glu Gln Leu His
  450 455 460
- Tyr Phe Arg Tyr Asp Lys Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys 465 470 475 480
- Glu Ala Ser Phe Met Ser Val Asn Glu Ser Cys Tyr Lys Tyr Gly Gln 485 490 495
- Thr Leu Asp Leu Ser Lys Asn Ser Ile Phe Phe Val Lys Ser Ser Asp 500 505 510
- Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn Leu 515 520 525
- Ile Ser Gln Thr Leu Asn Gly Ser Glu Phe Gln Pro Leu Ala Glu Leu 530 535 540
- Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu His Ser Thr 545 550 555 560
- Ala Phe Glu Glu Leu His Lys Leu Glu Val Leu Asp Ile Ser Ser Asn 565 570 575
- Ser His Tyr Phe Gln Ser Glu Gly Ile Thr His Met Leu Asn Phe Thr 580 585 590
- Lys Asn Leu Lys Val Leu Gln Lys Leu Met Met Asn Asp Asn Asp Ile 595 600 605
- Ser Ser Ser Thr Ser Arg Thr Met Glu Ser Glu Ser Leu Arg Thr Leu
  610 615 620
- Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Glu Gly Asp Asn 625 630 635 640
- Arg Tyr Leu Gln Leu Phe Lys Asn Leu Leu Lys Leu Glu Glu Leu Asp

645 650 Ile Ser Lys Asn Ser Leu Ser Phe Leu Pro Ser Gly Val Phe Asp Gly Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu Lys Ser Phe Ser Trp Lys Lys Leu Gln Cys Leu Lys Asn Leu Glu Thr Leu 695 Asp Leu Ser His Asn Gln Leu Thr Thr Val Pro Glu Arg Leu Ser Asn Cys Ser Arg Ser Leu Lys Asn Leu Ile Leu Lys Asn Asn Gln Ile Arg 725 Ser Leu Thr Lys Tyr Phe Leu Gln Asp Ala Phe Gln Leu Arg Tyr Leu Asp Leu Ser Ser Asn Lys Ile Gln Met Ile Gln Lys Thr Ser Phe Pro 760 Glu Asn Val Leu Asn Asn Leu Lys Met Leu Leu Leu His His Asn Arg Phe Leu Cys Thr Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn His 790 795 Thr Glu Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val Gly 810 Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr Thr Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Leu Ser Ile Ser 840 Val Ser Leu Phe Leu Met Val Met Met Thr Ala Ser His Leu Tyr Phe 855 Trp Asp Val Trp Tyr Ile Tyr His Phe Cys Lys Ala Lys Ile Lys Gly 870 Tyr Gln Arg Leu Ile Ser Pro Asp Cys Cys Tyr Asp Ala Phe Ile Val Tyr Asp Thr Lys Asp Pro Ala Val Thr Glu Trp Val Leu Ala Glu Leu 905 Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu Ser Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Asp Lys 945 950 Tyr Ala Lys Thr Glu Asn Phe Lys Ile Ala Phe Tyr Leu Ser His Gln 970 Arg Leu Met Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu Glu

WO 2004/094671 - 83 - PCT/US2004/012788

980 985 990
Lys Pro Phe Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu Cys
995 1000 1005

- Gly Ser Ser Val Leu Glu Trp Pro Thr Asn Pro Gln Ala His Pro 1010 1015 1020
- Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Ala Thr Asp Asn His 1025 1030 1035
- Val Ala Tyr Ser Gln Val Phe Lys Glu Thr Val 1040 1045

<210> 38

<211> 3243

<212> DNA

<213> murine

<400> 38

attetectee accagacete ttgatteeat tttgaaagaa aactgaaaat ggtgtttteg 60 atqtqqacac qqaaqaqaca aattttgatc tttttaaata tgctcttagt ttctagagtc 120 tttgggtttc gatggtttcc taaaactcta ccttgtgaag ttaaagtaaa tatcccagag 180 gcccatgtga tcgtggactg cacagacaag catttgacag aaatccctga gggcattccc 240 actaacacca ccaatcttac ccttaccatc aaccacatac caagcatctc tccagattcc 300 360 ttccqtaggc tgaaccatct ggaagaaatc gatttaagat gcaattgtgt acctgttcta ctggggtcca aagccaatgt gtgtaccaag aggctgcaga ttagacctgg aagctttagt 420 480 qqactctctg acttaaaagc cctttacctg gatggaaacc aacttctgga gataccacag 540 qatctqccat ccagcttaca tcttctgagc cttgaggcta acaacatctt ctccatcacg aaggagaatc taacagaact ggtcaacatt gaaacactct acctgggtca aaactgttat 600 tatequaate ettgeaatgt tteetattet attgaaaaag atgettteet agttatgaga 660 720 aatttgaagg ttctctcact aaaagataac aatgtcacag ctgtccccac cactttgcca cctaatttac tagagctcta tctttataac aatatcatta agaaaatcca agaaaatgat 780 tttaataacc tcaatgagtt gcaagttctt gacctaagtg gaaattgccc tcgatgttat 840 900 aatqtcccat atccgtgtac accgtgtgaa aataattccc ccttacagat ccatgacaat gettteaatt cattgacaga attaaaagtt ttacgtttac acagtaattc tettcagcat 960 qtqccccaa catqqtttaa aaacatgaga aacctccagg aactagacct ctcccaaaac 1020 1080 tacttggcca gagaaattga ggaggccaaa tttttgcatt ttcttcccaa ccttgttgag 1140 ttggattttt ctttcaatta tgagctgcag gtctaccatg catctataac tttaccacat tcactctctt cattggaaaa cttgaaaatt ctgcgtgtca aggggtatgt ctttaaagag 1200 ctgaaaaact ccagtettte tgtattgeac aagetteeca ggetggaagt tettgaeett 1260

ggcactaact ctcatagacc	tcataaaaat tttcagtgaa	tgctgacctc taagatatct	aacatattca ccttcagaag	aacattttga agtcaagaga	aaacctcaaa agttggcttt	1320 1380
tgtcctaatg	ctcaaacttc	tgtagaccgt	catgggcccc	aggtccttga	ggccttacac	1440
tatttccgat	acgatgaata	tgcacggagc	tgcaggttca	aaaacaaaga	gccaccttct	1500
ttcttgcctt	tgaatgcaga	ctgccacata	tatgggcaga	ccttagactt	aagtagaaat	1560
aacatatttt	ttattaaacc	ttctgatttt	cagcatcttt	cattcctcaa	atgcctcaac	1620
ttatcaggaa	acaccattgg	ccaaactctt	aatggcagtg	aactctggcc	gttgagagag	1680
ttgcggtact	tagacttctc	caacaaccgg	cttgatttac	tctactcaac	agcctttgaa	1740
gagetecaga	gtcttgaagt	tctggatcta	agtagtaaca	gccactattt	tcaagcagaa	1800
ggaattactc	acatgctaaa	ctttaccaag	aaattacggc	ttctggacaa	actcatgatg	1860
aatgataatg	acatctctac	ttcggccagc	aggaccatgg	aaagtgactc	tcttcgaatt	1920
ctggagttca	gaggcaacca	tttagatgtt	ctatggagag	ccggtgataa	cagatacttg	1980
gacttcttca	agaatttgtt	caatttagag	gtattagata	tctccagaaa	ttccctgaat	2040
tccttgcctc	ctgaggtttt	tgagggtatg	ccgccaaatc	taaagaatct	ctccttggcc	2100
aaaaatgggc	tcaaatcttt	cttttgggac	agactccagt	tactgaagca	tttggaaatt	2160
ttggacctca	gccataacca	gctgacaaaa	gtacctgaga	gattggccaa	ctgttccaaa	2220
agtctcacaa	cactgattct	taagcataat	caaatcaggc	aattgacaaa	atattttcta	2280
gaagatgctt	tgcaattgcg	ctatctagac	atcagttcaa	ataaaatcca	ggtcattcag	2340
aagactagct	tcccagaaaa	tgtcctcaac	aatctggaga	tgttggtttt	acatcacaat	2400
cgctttcttt	gcaactgtga	tgctgtgtgg	tttgtctggt	gggttaacca	tacagatgtt	2460
actattccat	acctggccac	tgatgtgact	tgtgtaggtc	caggagcaca	caaaggtcaa	2520
agtgtcatat	cccttgatct	gtatacgtgt	gagttagatc	tcacaaacct	gattctgttc	2580
tcagtttcca	tatcatcagt	cctctttctt	atggtagtta	tgacaacaag	tcacctcttt	2640
ttctgggata	tgtggtacat	ttattattt	tggaaagcaa	agataaaggg	gtatcagcat	2700
ctgcaatcca	tggagtcttg	ttatgatgct	tttattgtgt	atgacactaa	aaactcagct	2760
gtgacagaat	gggttttgca	ggagctggtg	gcaaaattgg	aagatccaag	agaaaaacac	2820
ttcaatttgt	gtctagaaga	aagagactgg	ctaccaggac	agccagttct	agaaaacctt	2880
teccagagea	tacageteag	caaaaagaca	gtgtttgtga	tgacacagaa	atatgctaag	2940
actgagagtt	ttaagatggd	attttatttg	tctcatcaga	ggctcctgga	tgaaaaagtg	3000
gatgtgatta	. tcttgatatt	cttggaaaag	cctcttcaga	agtctaagtt	tcttcagctc	3060
aggaagagac	: tctgcaggag	ctctgtcctt	gagtggcctg	caaatccaca	ggctcaccca	3120
tacttctggc	agtgcctgaa	aaatgccctg	accacagaca	atcatgtggc	ttatagtcaa	3180

atgttcaagg	aaacagtcta	gctctctgaa	gaatgtcacc	acctaggaca	tgccttgaat	3240
cga						3243
<210> 39 <211> 374 <212> DNA <213> mur						
<400> 39 gagctcaaag	gctctgcgag	tctcggtttt	ctgttgcctt	ctctctgtct	cagaggactc	60
catctataga	accactctat	gccttcaaga	aagatgtcct	tggctccctt	ctcaggatga	120
tectggeeta	tctctgactc	tettetecte	caccagacct	cttgattcca	ttttgaaaga	180
aaactgaaaa	tggtgttttc	gatgtggaca	cggaagagac	aaattttgat	ctttttaaat	240
atgctcttag	tttctagagt	ctttgggttt	cgatggtttc	ctaaaactct	accttgtgaa	300
gttaaagtaa	atatcccaga	ggcccatgtg	atcgtggact	gcacagacaa	gcatttgaca	360
gaaatccctg	agggcattcc	cactaacacc	accaatctta	cccttaccat	caaccacata	420
ccaagcatct	ctccagattc	cttccgtagg	ctgaaccatc	tggaagaaat	cgatttaaga	480
tgcaattgtg	tacctgttct	actggggtcc	aaagccaatg	tgtgtaccaa	gaggctgcag	540
attagacctg	gaagctttag	tggactctct	gacttaaaag	ccctttacct	ggatggaaac	600
caacttctgg	agataccaca	ggatctgcca	tccagcttac	atcttctgag	ccttgaggct	660
aacaacatct	tctccatcac	gaaggagaat	ctaacagaac	tggtcaacat	tgaaacactc	720
tacctgggtc	aaaactgtta	ttatcgaaat	ccttgcaatg	tttcctattc	tattgaaaaa	780
gatgctttcc	tagttatgag	aaatttgaag	gttctctcac	taaaagataa	caatgtcaca	840
gctgtcccca	ccactttgcc	acctaattta	ctagagetet	atctttataa	caatatcatt	900
aagaaaatcc	aagaaaatga	ttttaataac	ctcaatgagt	tgcaagttct	tgacctaagt	960
ggaaattgcc	ctcgatgtta	taatgtccca	tatccgtgta	caccgtgtga	aaataattcc	1020
cccttacaga	tccatgacaa	tgctttcaat	tcattgacag	aattaaaagt	tttacgttta	1080
cacagtaatt	ctcttcagca	tgtgcccca	acatggttta	aaaacatgag	aaacctccag	1140
gaactagacc	tctcccaaaa	ctacttggcc	agagaaattg	aggaggccaa	atttttgcat	1200
tttcttccca	accttgttga	gttggatttt	tctttcaatt	atgagctgca	ggtctaccat	1260
gcatctataa	ctttaccaca	ttcactctct	tcattggaaa	acttgaaaat	tctgcgtgtc	1320
aaggggtatg	tctttaaaga	gctgaaaaac	tccagtcttt	ctgtattgca	caagcttccc	1380
aggctggaag	ttcttgacct	tggcactaac	ttcataaaaa	ttgctgacct	caacatattc	1440
aaacattttg	aaaacctcaa	actcatagac	ctttcagtga	ataagatatc	tccttcagaa	1500

gagtcaagag caggtccttg	aagttggctt aggccttaca	ttgtcctaat ctatttccga	gctcaaactt tacgatgaat	ctgtagaccg atgcacggag	tcatgggccc ctgcaggttc	1560 1620
aaaaacaaag	agccaccttc	tttcttgcct	ttgaatgcag	actgccacat	atatgggcag	1680
accttagact	taagtagaaa	taacatattt	tttattaaac	cttctgattt	tcagcatctt	1740
tcattcctca	aatgcctcaa	cttatcagga	aacaccattg	gccaaactct	taatggcagt	1800
gaactctggc	cgttgagaga	gttgcggtac	ttagacttct	ccaacaaccg	gcttgattta	1860
ctctactcaa	cagcctttga	agagctccag	agtcttgaag	ttctggatct	aagtagtaac	1920
agccactatt	ttcaagcaga	aggaattact	cacatgctaa	actttaccaa	gaaattacgg	1980
cttctggaca	aactcatgat	gaatgataat	gacatctcta	cttcggccag	caggaccatg	2040
gaaagtgact	ctcttcgaat	tctggagttc	agaggcaacc	atttagatgt	tctatggaga	2100
gccggtgata	acagatactt	ggacttcttc	aagaatttgt	tcaatttaga	ggtattagat	2160
atctccagaa	attecetgaa	ttccttgcct	cctgaggttt	ttgagggtat	gccgccaaat	2220
ctaaagaatc	tctccttggc	caaaaatggg	ctcaaatctt	tcttttggga	cagactccag	2280
ttactgaagc	atttggaaat	tttggacctc	agccataacc	agctgacaaa	agtacctgag	2340
agattggcca	actgttccaa	aagtctcaca	acactgattc	ttaagcataa	tcaaatcagg	2400
caattgacaa	aatattttct	agaagatgct	ttgcaattgc	gctatctaga	catcagttca	2460
aataaaatcc	aggtcattca	gaagactagc	ttcccagaaa	atgtcctcaa	caatctggag	2520
atgttggttt	tacatcacaa	tegetttett	tgcaactgtg	atgctgtgtg	gtttgtctgg	2580
tgggttaacc	atacagatgt	tactattcca	tacctggcca	ctgatgtgac	ttgtgtaggt	2640
ccaggagcac	acaaaggtca	aagtgtcata	tcccttgatc	tgtatacgtg	tgagttagat	2700
ctcacaaacc	tgattctgtt	ctcagtttcc	atatcatcag	tcctctttct	tatggtagtt	2760
atgacaacaa	gtcacctctt	tttctgggat	atgtggtaca	tttattattt	ttggaaagca	2820
aagataaagg	ggtatcagca	tctgcaatcc	atggagtctt	gttatgatgc	ttttattgtg	2880
tatgacacta	aaaactcagc	tgtgacagaa	tgggttttgc	aggagctggt	ggcaaaattg	2940
gaagatccaa	gagaaaaaca	cttcaatttg	tgtctagaag	aaagagactg	gctaccagga	3000
cagccagtto	tagaaaacct	ttcccagagc	atacagctca	gcaaaaagac	agtgtttgtg	3060
atgacacaga	aatatgctaa	gactgagagt	tttaagatgg	cattttattt	gtctcatcag.	3120
aggctcctgg	atgaaaaagt	ggatgtgatt	atcttgatat	tcttggaaaa	gcctcttcag	3180
aagtctaagt	ttetteaget	caggaagaga	ctctgcagga	gctctgtcct	tgagtggcct	3240
gcaaatccac	: aggctcaccc	atacttctgg	cagtgcctga	aaaatgccct	gaccacagac	3300
aatcatgtgg	cttatagtca	aatgttcaag	gaaacagtct	agctctctga	agaatgtcac	3360
cacctaggad	: atgccttggt	acctgaagtt	ttcataaagg	tttccataaa	tgaaggtctg	3420

aatttttcct	aacagttgtc	atggctcaga	ttggtgggaa	atcatcaata	tatggctaag	3480
aaattaagaa	ggggagactg	atagaagata	atttctttct	tcatgtgcca	tgctcagtta	3540
aatatttccc	ctagctcaaa	tctgaaaaac	tgtgcctagg	agacaacaca	aggctttgat	3600
ttatctgcat	acaattgata	agagccacac	atctgccctg	aagaagtact	agtagtttta	3660
gtagtagggt	aaaaattaca	caagctttct	ctctctctga	tactgaactg	taccagagtt	3720
caatgaaata	aaagcccaga	gaacttc				3747

<210> 40

<211> 3449

<212> DNA

murine

gcgagtctcg gttttctgtt gccttctctc tgtctcagag gactccatct atagaaccac 60 totatgoott caagaaagat gtoottggot coottotcag gatgatootg gootatotot 120 gactetette teeteeacca gacetettga tteeattttg aaagaaaact gaaaatggtg 180 ttttcgatgt ggacacggaa gagacaaatt ttgatctttt taaatatgct cttagtttct 240 agagtetttg ggtttcgatg gtttcctaaa actetacett gtgaagttaa agtaaatate 300 ccagaggccc atgtgatcgt ggactgcaca gacaagcatt tgacagaaat ccctgagggc 360 atteccacta acaccaccaa tettaccett accatcaace acataccaag cateteteca 420 gattccttcc gtaggctgaa ccatctggaa gaaatcgatt taagatgcaa ttgtgtacct 480 gttctactgg ggtccaaagc caatgtgtgt accaagaggc tgcagattag acctggaagc 540 tttagtggac tctctgactt aaaagccctt tacctggatg gaaaccaact tctggagata 600 ccacaggatc tgccatccag cttacatctt ctgagccttg aggctaacaa catcttctcc 660 atcacgaagg agaatctaac agaactggtc aacattgaaa cactctacct gggtcaaaac 720 tgttattatc gaaatccttg caatgtttcc tattctattg aaaaagatgc tttcctagtt 780 atgagaaatt tgaaggttct ctcactaaaa gataacaatg tcacagctgt ccccaccact 840 ttgccaccta atttactaga gctctatctt tataacaata tcattaagaa aatccaagaa 900 aatgatttta ataacctcaa tgagttgcaa gttcttgacc taagtggaaa ttgccctcga 960 tgttataatg tcccatatcc gtgtacaccg tgtgaaaata attccccctt acagatccat 1020 gacaatgett teaatteatt gacagaatta aaagttttae gtttacacag taattetett 1080 cagcatgtgc ccccaacatg gtttaaaaac atgagaaacc tccaggaact agacctctcc 1140 caaaactact tggccagaga aattgaggag gccaaatttt tgcattttct tcccaacctt 1200 gttgagttgg atttttcttt caattatgag ctgcaggtct accatgcatc tataacttta 1260

ccacattcac aaagagctga	tctcttcatt aaaactccag	ggaaaacttg tctttctgta	aaaattctgc ttgcacaagc	gtgtcaaggg ttcccaggct	gtatgtcttt ggaagttctt	1320 1380
gaccttggca	ctaacttcat	aaaaattgct	gacctcaaca	tattcaaaca	ttttgaaaac	1440
ctcaaactca	tagacctttc	agtgaataag	atatctcctt	cagaagagtc	aagagaagtt	1500
ggcttttgtc	ctaatgctca	aacttctgta	gaccgtcatg	ggccccaggt	ccttgaggcc	1560
ttacactatt	tccgatacga	tgaatatgca	cggagctgca	ggttcaaaaa	caaagagcca	1620
ccttcttct	tgcctttgaa	tgcagactgc	cacatatatg	ggcagacctt	agacttaagt	1680
agaaataaca	tatttttat	taaaccttct	gattttcagc	atctttcatt	cctcaaatgc	1740
ctcaacttat	caggaaacac	cattggccaa	actcttaatg	gcagtgaact	ctggccgttg	1800
agagagttgc	ggtacttaga	cttctccaac	aaccggcttg	atttactcta	ctcaacagcc	1860
tttgaagagc	tecagagtet	tgaagttetg	gatctaagta	gtaacagcca	ctattttcaa	1920
gcagaaggaa	ttactcacat	gctaaacttt	accaagaaat	tacggcttct	ggacaaactc	1980
atgatgaatg	ataatgacat	ctctacttcg	gccagcagga	ccatggaaag	tgactctctt	2040
cgaattctgg	agttcagagg	caaccattta	gatgttctat	ggagagccgg	tgataacaga	2100
tacttggact	tcttcaagaa	tttgttcaat	ttagaggtat	tagatatctc	cagaaattcc	2160
ctgaattcct	tgcctcctga	ggtttttgag	ggtatgccgc	caaatctaaa	gaatctctcc	2220
ttggccaaaa	atgggctcaa	atctttcttt	tgggacagac	tccagttact	gaagcatttg	2280
gaaattttgg	acctcagcca	taaccagctg	acaaaagtac	ctgagagatt	ggccaactgt	2340
tccaaaagtc	tcacaacact	gattcttaag	cataatcaaa	tcaggcaatt	gacaaaatat	2400
tttctagaag	atgctttgca	attgcgctat	ctagacatca	gttcaaataa	aatccaggtc	2460
attcagaaga	ctagcttccc	agaaaatgtc	ctcaacaatc	tggagatgtt	ggttttacat	2520
cacaatcgct	ttctttgcaa	ctgtgatgct	gtgtggtttg	tetggtgggt	taaccataca	2580
gatgttacta	ttccatacct	ggccactgat	gtgacttgtg	taggtccagg	agcacacaaa	2640
ggtcaaagtg	tcatatccct	tgatctgtat	acgtgtgagt	tagatctcac	aaacctgatt	2700
ctgttctcag	tttccatatc	atcagtcctc	tttcttatgg	tagttatgac	aacaagtcac	2760
ctcttttct	gggatatgtg	gtacatttat	tatttttgga	aagcaaagat	aaaggggtat	2820
cagcatctgc	aatccatgga	gtcttgttat	gatgctttta	ttgtgtatga	cactaaaaac	2880
tcagctgtga	cagaatgggt	tttgcaggag	ctggtggcaa	aattggaaga	tccaagagaa	2940
aaacacttca	atttgtgtct	agaagaaaga	gactggctac	caggacagcc	agttctagaa	3000
aacctttccc	agagcataca	gctcagcaaa	aagacagtgt	ttgtgatgac	acagaaatat	3060
gctaagactg	agagttttaa	gatggcattt	tatttgtctc	atcagaggct	cctggatgaa	3120
aaagtggatg	tgattatctt	gatattcttg	gaaaagcctc	ttcagaagtc	taagtttctt	3180

cagctcagga	agagactctg	caggagctct ,	gtccttgagt	ggcctgcaaa	tccacaggct	3240
cacccatact	tctggcagtg	cctgaaaaat	gccctgacca	cagacaatca	tgtggcttat	3300
agtcaaatgt	tcaaggaaac	agtctagctc	tctgaagaat	gtcaccacct	aggacatgcc	3360
ttggtacctg	aagttttcat	aaaggtttcc	ataaatgaag	gtctgaattt	ttcctaacag	3420
ttgtcatggc	tcagattggt	gggaaatca				3449

<210> 41

<211> 1050

<212> PRT

<213> murine

<400> 41

Met Val Phe Ser Met Trp Thr Arg Lys Arg Gln Ile Leu Ile Phe Leu 1 5 10 15

Asn Met Leu Leu Val Ser Arg Val Phe Gly Phe Arg Trp Phe Pro Lys 20 25 30

Thr Leu Pro Cys Glu Val Lys Val Asn Ile Pro Glu Ala His Val Ile 35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Glu Gly Ile Pro 50 55 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Ser Ile 65 70 75 80

Ser Pro Asp Ser Phe Arg Arg Leu Asn His Leu Glu Glu Ile Asp Leu 85 90 95

Arg Cys Asn Cys Val Pro Val Leu Gly Ser Lys Ala Asn Val Cys
100 105 110

Thr Lys Arg Leu Gln Ile Arg Pro Gly Ser Phe Ser Gly Leu Ser Asp 115 120 125

Leu Lys Ala Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln 130 135 140

Asp Leu Pro Ser Ser Leu His Leu Leu Ser Leu Glu Ala Asn Asn Ile 145 150 155 160

Phe Ser Ile Thr Lys Glu Asn Leu Thr Glu Leu Val Asn Ile Glu Thr 165 170 175

Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Asn Val Ser 180 185 190

Tyr Ser Ile Glu Lys Asp Ala Phe Leu Val Met Arg Asn Leu Lys Val 195 200 205

Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Thr Leu Pro 210 215 220

Pro Asn Leu Leu Glu Leu Tyr Leu Tyr Asn Asn Ile Ile Lys Lys Ile

225 Gln		Asn	Asp	Phe 245	230 Asn	Asn	Leu	Asn	Glu 250	235 Leu	Gln	Val	Leu	Asp 255	240 Leu
Ser	Gly	Asn	Cys 260	Pro	Arg	Cys	Tyr	Asn 265	Val	Pro	Tyr	Pro	Cys 270	Thr	Pro
Cys	Glu	Asn 275	Asn	Ser	Pro	Leu	Gln 280	Ile	His	Asp	Asn	Ala 285	Phe	Asn	Ser
	Thr 290	Gļu	Leu	Lys	Val	Leu 295	Arg	Leu	His	Ser	Asn 300	Ser	Leu	Gln	His
Val 305	Pro	Pro	Thr	Trp	Phe 310	Lys	Asn	Met	Arg	Asn 315	Leu	Gln	Glu	Leu	Asp 320
Leu	Ser	Gln	Asn	Tyr 325	Leu ·	Ala	Arg	Glu	Ile 330	Glu	Glu	Ala	Lys	Phe 335	Leu
His	Phe	Leu	Pro 340	Asn	Leu	Val	Glu	Leu 345	Asp	Phe	Ser	Phe	Asn 350	Tyr	Glu
Leu	Gln	Val 355	Tyr	His	Ala	Ser	Ile 360	Thr	Leu	Pro	His	Ser 365	Leu	Ser	Ser
Leu	Glu 370	Asn	Leu	Ьув	Ile	Leu 375	Arg	Val	Lys	Gly	Tyr 380	Val	Phe	Lys	Glu
Leu 385	Lys	Asn	Ser	Ser	Leu 390	Ser	Val	Leu	His	Lys 395	Leu	Pro	Arg	Leu	Glu 400
Val	Leu	Asp	Leu	Gly 405	Thr	Asn	Phe	Ile	Lys 410	Ile	Ala	Asp	Leu	Asn 415	Ile
Phe	Lys	His	Phe 420	Glu	Asn	Leu	Lys	Leu 425	Ile	Asp	Leu	Ser	Val 430	Asn	Lys
Ile	Ser	Pro 435	Ser	Glu	Glu	Ser	Arg 440	Glu	Val	Gly	Phe	Cys 445	Pro	Asn	Ala
Gln	Thr 450	Ser	Val	Asp	Arg	His 455	Gly	Pro	Gln	Val	Leu 460	Glu	Ala	Leu	His
Tyr 465	Phe	Arg	Tyr	Asp	Glu 470	Tyr	Ala	Arg	Ser	Cys 475	Arg	Phe	Lys	Asn	Lys 480
Glu	Pro	Pro	Ser	Phe 485	Leu	Pro	Leu	Asn	Ala 490	Asp	Сув	His	Ile	Tyr 495	Gly
Gln	Thr	Leu	Asp 500	Leu	Ser	Arg	Asn	Asn 505	Ile	Phe	Phe	Ile	Lys 510	Pro	Ser
Asp	Phe	Gln 515	His	Leu	Ser	Phe	Leu 520	Lys	Сув	Leu	Asn	Leu 525	Ser	Gly	Asn
Thr	Ile 530	Gly	Gln	Thr	Leu	Asn 535	Gly	Ser	Glu	Leu	Trp 540	Pro	Leu	Arg	Glu
Leu 545	Arg	Tyr	Leu	Asp	Phe 550	Ser	Asn	Asn	Arg	Leu 555	Asp	Leu	Leu	Tyr	Ser 560
Thr	Ala	Phe	Glu	Glu	Leu	Gln	Ser	Leu	Glu	Val	Leu	Asp	Leu	Ser	Ser

565 570 Asn Ser His Tyr Phe Gln Ala Glu Gly Ile Thr His Met Leu Asn Phe 585 Thr Lys Lys Leu Arg Leu Leu Asp Lys Leu Met Met Asn Asp Asn Asp Ile Ser Thr Ser Ala Ser Arg Thr Met Glu Ser Asp Ser Leu Arg Ile 615 Leu Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Ala Gly Asp Asn Arg Tyr Leu Asp Phe Phe Lys Asn Leu Phe Asn Leu Glu Val Leu 650 Asp Ile Ser Arg Asn Ser Leu Asn Ser Leu Pro Pro Glu Val Phe Glu Gly Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu Lys Ser Phe Phe Trp Asp Arg Leu Gln Leu Leu Lys His Leu Glu Ile 695 Leu Asp Leu Ser His Asn Gln Leu Thr Lys Val Pro Glu Arg Leu Ala 710 715 Asn Cys Ser Lys Ser Leu Thr Thr Leu Ile Leu Lys His Asn Gln Ile 725 730 Arg Gln Leu Thr Lys Tyr Phe Leu Glu Asp Ala Leu Gln Leu Arg Tyr 745 Leu Asp Ile Ser Ser Asn Lys Ile Gln Val Ile Gln Lys Thr Ser Phe 760 Pro Glu Asn Val Leu Asn Asn Leu Glu Met Leu Val Leu His His Asn Arg Phe Leu Cys Asn Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn His Thr Asp Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val 810 Gly Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr Thr Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Val Ser Ile Ser Ser Val Leu Phe Leu Met Val Val Met Thr Thr Ser His Leu Phe Phe Trp Asp Met Trp Tyr Ile Tyr Tyr Phe Trp Lys Ala Lys Ile Lys

Gly Tyr Gln His Leu Gln Ser Met Glu Ser Cys Tyr Asp Ala Phe Ile

Val Tyr Asp Thr Lys Asn Ser Ala Val Thr Glu Trp Val Leu Gln Glu

900 905 910

Leu Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys
915 920 925

Leu Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu 930 935 940

Ser Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Gln 945 950 955 960

Lys Tyr Ala Lys Thr Glu Ser Phe Lys Met Ala Phe Tyr Leu Ser His 965 970 975

Gln Arg Leu Leu Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu 980 985 990

Glu Lys Pro Leu Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu 995 1000 1005

Cys Arg Ser Ser Val Leu Glu Trp Pro Ala Asn Pro Gln Ala His 1010 1015 1020

Pro Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Thr Thr Asp Asn 1025 1030 1035

His Val Ala Tyr Ser Gln Met Phe Lys Glu Thr Val 1040 1045 1050

<210> 42

<211> 1050

<212> PRT

<213> murine

<400> 42

Met Val Phe Ser Met Trp Thr Arg Lys Arg Gln Ile Leu Ile Phe Leu 1 5 10 15

Asn Met Leu Leu Val Ser Arg Val Phe Gly Phe Arg Trp Phe Pro Lys 20 25 30

Thr Leu Pro Cys Glu Val Lys Val Asn Ile Pro Glu Ala His Val Ile 35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Glu Gly Ile Pro 50 55 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Ser Ile 65 70 75 80

Ser Pro Asp Ser Phe Arg Arg Leu Asn His Leu Glu Glu Ile Asp Leu 85 90 95

Arg Cys Asn Cys Val Pro Val Leu Leu Gly Ser Lys Ala Asn Val Cys

Thr Lys Arg Leu Gln Ile Arg Pro Gly Ser Phe Ser Gly Leu Ser Asp

Leu Lys Ala Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln 130 135 140

## WO 2004/094671 - 93 - PCT/US2004/012788

Asp Leu Pro Ser Ser Leu His Leu Leu Ser Leu Glu Ala Asn Asn Ile Phe Ser Ile Thr Lys Glu Asn Leu Thr Glu Leu Val Asn Ile Glu Thr 170 Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Asn Val Ser Tyr Ser Ile Glu Lys Asp Ala Phe Leu Val Met Arg Asn Leu Lys Val Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Thr Leu Pro Pro Asn Leu Leu Glu Leu Tyr Leu Tyr Asn Asn Ile Ile Lys Lys Ile Gln Glu Asn Asp Phe Asn Asn Leu Asn Glu Leu Gln Val Leu Asp Leu 250 Ser Gly Asn Cys Pro Arg Cys Tyr Asn Val Pro Tyr Pro Cys Thr Pro Cys Glu Asn Asn Ser Pro Leu Gln Ile His Asp Asn Ala Phe Asn Ser Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His Val Pro Pro Thr Trp Phe Lys Asn Met Arg Asn Leu Gln Glu Leu Asp Leu Ser Gln Asn Tyr Leu Ala Arg Glu Ile Glu Glu Ala Lys Phe Leu His Phe Leu Pro Asn Leu Val Glu Leu Asp Phe Ser Phe Asn Tyr Glu Leu Gln Val Tyr His Ala Ser Ile Thr Leu Pro His Ser Leu Ser Ser Leu Glu Asn Leu Lys Ile Leu Arg Val Lys Gly Tyr Val Phe Lys Glu Leu Lys Asn Ser Ser Leu Ser Val Leu His Lys Leu Pro Arg Leu Glu 390 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asp Leu Asn Ile 405 Phe Lys His Phe Glu Asn Leu Lys Leu Ile Asp Leu Ser Val Asn Lys Ile Ser Pro Ser Glu Glu Ser Arg Glu Val Gly Phe Cys Pro Asn Ala Gln Thr Ser Val Asp Arg His Gly Pro Gln Val Leu Glu Ala Leu His Tyr Phe Arg Tyr Asp Glu Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys

## WO 2004/094671 - 94 - PCT/US2004/012788

465 Glu Pro Pro Ser	470 Phe Leu Pro 485	Leu Asn Ala		480 Ile Tyr Gly 495
Gln Thr Leu Asp 500	Leu Ser Arg	Asn Asn Ile 505	e Phe Phe Ile	Lys Pro Ser 510
Asp Phe Gln His 515	Leu Ser Phe	Leu Lys Cys 520	s Leu Asn Leu 525	
Thr Ile Gly Gln 530	Thr Leu Asn 535		ı Leu Trp Pro 540	Leu Arg Glu
Leu Arg Tyr Leu 545	Asp Phe Ser 550	Asn Asn Arg	g Leu Asp Leu 555	Leu Tyr Ser 560
Thr Ala Phe Glu	Glu Leu Gln 565	Ser Leu Gli 570		Leu Ser Ser 575
Asn Ser His Tyr 580	Phe Gln Ala	Glu Gly Ile 585	e Thr His Met	Leu Asn Phe 590
Thr Lys Lys Leu 595	Arg Leu Leu	Asp Lys Let	u Met Met Asn 605	
Ile Ser Thr Ser 610	Ala Ser Arg 615		u Ser Asp Ser 620	Leu Arg Ile
Leu Glu Phe Arg 625	Gly Asn His 630	Leu Asp Val	l Leu Trp Arg 635	Ala Gly Asp 640
Asn Arg Tyr Leu	Asp Phe Phe 645	Lys Asn Let 650		Glu Val Leu 655
Asp Ile Ser Arg 660	Asn Ser Leu	Asn Ser Let 665	u Pro Pro Glu	Val Phe Glu 670
Gly Met Pro Pro 675	Asn Leu Lys	Asn Leu Ser 680	r Leu Ala Lys 685	-
Lys Ser Phe Phe 690	Trp Asp Arg 695		u Leu Lys His 700	Leu Glu Ile
Leu Asp Leu Ser 705	His Asn Gln 710	Leu Thr Ly:	s Val Pro Glu 715	Arg Leu Ala 720
Asn Cys Ser Lys	Ser Leu Thr 725	Thr Leu Ile 73	•	Asn Gln Ile 735
Arg Gln Leu Thr 740	Lys Tyr Phe	Leu Glu Asp 745	p Ala Leu Glr	Leu Arg Tyr 750
Leu Asp Ile Ser 755	Ser Asn Lys	Ile Gln Va	l Ile Gln Lys 765	
Pro Glu Asn Val 770	Leu Asn Asn 775		t Leu Val Leu 780	His His Asn
Arg Phe Leu Cys 785	Asn Cys Asp 790	Ala Val Tr	p Phe Val Trp 795	Trp Val Asn 800
His Thr Asp Val	Thr Ile Pro	Tyr Leu Ala	a Thr Asp Val	Thr Cys Val

805 810 815 Gly Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr 820 825 830

Thr Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Val Ser Ile 835 840 845 .

Ser Ser Val Leu Phe Leu Met Val Val Met Thr Thr Ser His Leu Phe 850 855 860

Phe Trp Asp Met Trp Tyr Ile Tyr Tyr Phe Trp Lys Ala Lys Ile Lys 865 870 875 888

Gly Tyr Gln His Leu Gln Ser Met Glu Ser Cys Tyr Asp Ala Phe Ile 885 890 895

Val Tyr Asp Thr Lys Asn Ser Ala Val Thr Glu Trp Val Leu Gln Glu 900 905 910

Leu Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys 915 920 925

Leu Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu 930 935 940

Ser Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Gln 945 950 955 960

Lys Tyr Ala Lys Thr Glu Ser Phe Lys Met Ala Phe Tyr Leu Ser His
965 970 975

Gln Arg Leu Leu Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu 980 985 990

Glu Lys Pro Leu Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu 995 1000 1005

Cys Arg Ser Ser Val Leu Glu Trp Pro Ala Asn Pro Gln Ala His 1010 1015 1020

Pro Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Thr Thr Asp Asn 1025 1030 1035

His Val Ala Tyr Ser Gln Met Phe Lys Glu Thr Val 1040 1045 1050

<210> 43

<211> 1050

<212> PRT

<213> murine

<400> 43

Met Val Phe Ser Met Trp Thr Arg Lys Arg Gln Ile Leu Ile Phe Leu 1 5 10 15

Asn Met Leu Leu Val Ser Arg Val Phe Gly Phe Arg Trp Phe Pro Lys 20 25 30

Thr Leu Pro Cys Glu Val Lys Val Asn Ile Pro Glu Ala His Val Ile 35 40 45

- Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Glu Gly Ile Pro 50 55 60
- Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Ser Ile 65 70 75 80
- Ser Pro Asp Ser Phe Arg Arg Leu Asn His Leu Glu Glu Ile Asp Leu 85 90 95
- Arg Cys Asn Cys Val Pro Val Leu Leu Gly Ser Lys Ala Asn Val Cys
  100 105 110
- Thr Lys Arg Leu Gln Ile Arg Pro Gly Ser Phe Ser Gly Leu Ser Asp 115 120 125
- Leu Lys Ala Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln 130 135 140
- Asp Leu Pro Ser Ser Leu His Leu Leu Ser Leu Glu Ala Asn Asn Ile 145 150 155 160
- Phe Ser Ile Thr Lys Glu Asn Leu Thr Glu Leu Val Asn Ile Glu Thr 165 170 175
- Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Asn Val Ser 180 185 190
- Tyr Ser Ile Glu Lys Asp Ala Phe Leu Val Met Arg Asn Leu Lys Val 195 200 205
- Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Thr Leu Pro 210 215 220
- Pro Asn Leu Leu Glu Leu Tyr Leu Tyr Asn Asn Ile Ile Lys Lys Ile 225 230 235 240
- Gln Glu Asn Asp Phe Asn Asn Leu Asn Glu Leu Gln Val Leu Asp Leu 245 250 255
- Ser Gly Asn Cys Pro Arg Cys Tyr Asn Val Pro Tyr Pro Cys Thr Pro 260 265 270
- Cys Glu Asn Asn Ser Pro Leu Gln Ile His Asp Asn Ala Phe Asn Ser 275 280 285
- Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His 290 295 300
- Val Pro Pro Thr Trp Phe Lys Asn Met Arg Asn Leu Gln Glu Leu Asp 305 310 315 320
- Leu Ser Gln Asn Tyr Leu Ala Arg Glu Ile Glu Glu Ala Lys Phe Leu 325 330 335
- His Phe Leu Pro Asn Leu Val Glu Leu Asp Phe Ser Phe Asn Tyr Glu 340 345 350
- Leu Gln Val Tyr His Ala Ser Ile Thr Leu Pro His Ser Leu Ser Ser 355 360 365
- Leu Glu Asn Leu Lys Ile Leu Arg Val Lys Gly Tyr Val Phe Lys Glu

### WO 2004/094671 - 97 - PCT/US2004/012788

375 380 Leu Lys Asn Ser Ser Leu Ser Val Leu His Lys Leu Pro Arg Leu Glu 390 Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asp Leu Asn Ile Phe Lys His Phe Glu Asn Leu Lys Leu Ile Asp Leu Ser Val Asn Lys 425 Ile Ser Pro Ser Glu Glu Ser Arg Glu Val Gly Phe Cys Pro Asn Ala Gln Thr Ser Val Asp Arg His Gly Pro Gln Val Leu Glu Ala Leu His 455 Tyr Phe Arg Tyr Asp Glu Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys Glu Pro Pro Ser Phe Leu Pro Leu Asn Ala Asp Cys His Ile Tyr Gly 490 Gln Thr Leu Asp Leu Ser Arg Asn Asn Ile Phe Phe Ile Lys Pro Ser 500 505 Asp Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn 520 Thr Ile Gly Gln Thr Leu Asn Gly Ser Glu Leu Trp Pro Leu Arg Glu 535 Leu Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu Tyr Ser 550 Thr Ala Phe Glu Glu Leu Gln Ser Leu Glu Val Leu Asp Leu Ser Ser Asn Ser His Tyr Phe Gln Ala Glu Gly Ile Thr His Met Leu Asn Phe 585 Thr Lys Lys Leu Arg Leu Leu Asp Lys Leu Met Met Asn Asp Asn Asp 600 Ile Ser Thr Ser Ala Ser Arg Thr Met Glu Ser Asp Ser Leu Arg Ile 615 Leu Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Ala Gly Asp Asn Arg Tyr Leu Asp Phe Phe Lys Asn Leu Phe Asn Leu Glu Val Leu Asp Ile Ser Arg Asn Ser Leu Asn Ser Leu Pro Pro Glu Val Phe Glu Gly Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu 680 Lys Ser Phe Phe Trp Asp Arg Leu Gln Leu Leu Lys His Leu Glu Ile 695 Leu Asp Leu Ser His Asn Gln Leu Thr Lys Val Pro Glu Arg Leu Ala

705 Asn	Cys	Ser	Lys	Ser 725	710 Leu	Thr	Thr	Leu	Ile 730	715 Leu	Lys	His	Asn	Gln 735	720 Ile
Arg	Gln	Leu	Thr 740	Lys	Tyr	Phe	Leu	Glu 745	Asp	Ala	Leu	Gln	Leu 750	Arg	Tyr
Leu	Asp	Ile 755	Ser	Ser	Asn	Lys	Ile 760	Gln	Val	Ile	Gln	Lув 765	Thr	Ser	Phe
Pro	Glu 770	Asn	Val	Leu	Asn	Asn 775	Leu	Glu	Met	Leu	Val 780	Leu	His	His	Asn
Arg 785	Phe	Leu	Cys	Asn	Cys 790	Asp	Ala	Val	Trp	Phe 795	Val	Trp	Trp	Val	Asn 800
His	Thr	Asp	Val	Thr 805	Ile	Pro	Tyr	Leu	Ala 810	Thr	Asp	Val	Thr	Сув 815	Val
Gly	Pro	Gly	Ala 820	His	Lys	Gly	Gln	Ser 825	Val	Ile	Ser	Leu	Asp 830	Leu	Tyr
Thr	Сув	Glu 835	Leu	qaA	Leu	Thr	Asn 840	Leu	Ile	Leu	Phe	Ser 845	Val	Ser	Ile
Ser	Ser 850	Val	Leu	Phe	Leu	Met 855	Val	Val	Met	Thr	Thr 860	Ser	His	Leu	Phe
Phe 865	Trp	Asp	Met	Trp	Tyr 870	Ile	Tyr	Tyr	Phe	Trp 875	ГÀЗ	Ala	Lys	Ile	Lys 880
Gly	Tyr	Gln	His	Leu 885	Gln	Ser	Met	Glu	Ser 890	Суз	Tyr	Asp	Ala	Phe 895	Ile
Val	Tyr	Asp	Thr 900	Ьys	Asn	Ser	Ala	Val 905	Thr	Glu	Trp	Val	Leu 910	Gln	Glu
Leu	Val	Ala 915	Lys	Leu	Glu	Asp	Pro 920	Arg	Glu	Lys	His	Phe 925	Asn	Leu	Сув
Leu	Glu 930	Glu	Arg	Asp	Trp	Leu 935	Pro	Gly	Gln	Pro	Val 940	Leu	Glu	Asn	Leu
Ser 945	Gln	Ser	Ile	Gln	Leu 950	Ser	Ьув	Lys	Thr	Val 955	Phe	Val	Met	Thr	Gln 960
Lys	Tyr	Ala	Lys	Thr 965	Glu	Ser	Phe	Lys	Met 970	Ala	Phe	Tyr	Leu	Ser 975	His
Gln	Arg	Leu	Leu 980	Asp	Glu	Lys	Val	Asp 985	Val	Ile	Ile	Leu	Ile 990	Phe	Leu
Glu	Lys	Pro 995	Leu	Gln	Lys	Ser	Lys 100		e Le	u Gl:	n Le	u Ar		ys A	rg Leu
Сув	Arg 101		r Se	r Vai	l Lei	1 Gli 10		rp P	ro A	la A		ro 020	Gln .	Ala	His
Pro	Tyr 102		e Trj	o Gli	а Суя	10:		ys A	sn A	la L		hr 035	Thr .	Asp /	Asn
His	Val	Ala	а Ту:	r Se	r Glı	n Me	t P	he L	ys G	lu T	hr V	al			

1040 1045 1050

<210> 44

<211> 1050

<212> PRT

<213> murine

<400> 44

Met Val Phe Ser Met Trp Thr Arg Lys Arg Gln Ile Leu Ile Phe Leu 1 5 10 15

Ash Met Leu Leu Val Ser.Arg Val Phe Gly Phe Arg Trp Phe Pro Lys 20 25 30

Thr Leu Pro Cys Glu Val Lys Val Asn Ile Pro Glu Ala His Val Ile 35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Glu Gly Ile Pro 50 55 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Ser Ile 65 70 75 80

Ser Pro Asp Ser Phe Arg Arg Leu Asn His Leu Glu Glu Ile Asp Leu 85 90 95

Arg Cys Asn Cys Val Pro Val Leu Leu Gly Ser Lys Ala Asn Val Cys
100 105

Thr Lys Arg Leu Gln Ile Arg Pro Gly Ser Phe Ser Gly Leu Ser Asp 115 120 125

Leu Lys Ala Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln 130 135 140

Asp Leu Pro Ser Ser Leu His Leu Leu Ser Leu Glu Ala Asn Asn Ile 145 150 155 160

Phe Ser Ile Thr Lys Glu Asn Leu Thr Glu Leu Val Asn Ile Glu Thr
165 170 175

Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Asn Val Ser 180 185 190

Tyr Ser Ile Glu Lys Asp Ala Phe Leu Val Met Arg Asn Leu Lys Val 195 200 205

Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Thr Leu Pro 210 215 220

Pro Asn Leu Leu Glu Leu Tyr Leu Tyr Asn Asn Ile Ile Lys Lys Ile 225 230 235 240

Gln Glu Asn Asp Phe Asn Asn Leu Asn Glu Leu Gln Val Leu Asp Leu 245 250 255

Ser Gly Asn Cys Pro Arg Cys Tyr Asn Val Pro Tyr Pro Cys Thr Pro 260 265 270

Cys Glu Asn Asn Ser Pro Leu Gln Ile His Asp Asn Ala Phe Asn Ser 275 280 285

# WO 2004/094671 - 100 - PCT/US2004/012788

Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His Val Pro Pro Thr Trp Phe Lys Asn Met Arg Asn Leu Gln Glu Leu Asp Leu Ser Gln Asn Tyr Leu Ala Arg Glu Ile Glu Glu Ala Lys Phe Leu His Phe Leu Pro Asn Leu Val Glu Leu Asp Phe Ser Phe Asn Tyr Glu Leu Gln Val Tyr His Ala Ser Ile Thr Leu Pro His Ser Leu Ser Ser 360 Leu Glu Asn Leu Lys Ile Leu Arg Val Lys Gly Tyr Val Phe Lys Glu Leu Lys Asn Ser Ser Leu Ser Val Leu His Lys Leu Pro Arg Leu Glu Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asp Leu Asn Ile Phe Lys His Phe Glu Asn Leu Lys Leu Ile Asp Leu Ser Val Asn Lys Ile Ser Pro Ser Glu Glu Ser Arg Glu Val Gly Phe Cys Pro Asn Ala Gln Thr Ser Val Asp Arg His Gly Pro Gln Val Leu Glu Ala Leu His 455 Tyr Phe Arg Tyr Asp Glu Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys 470 Glu Pro Pro Ser Phe Leu Pro Leu Asn Ala Asp Cys His Ile Tyr Gly 485 490 Gln Thr Leu Asp Leu Ser Arg Asn Asn Ile Phe Phe Ile Lys Pro Ser 505 Asp Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn 520 Thr Ile Gly Gln Thr Leu Asn Gly Ser Glu Leu Trp Pro Leu Arg Glu Leu Arg Tyr Leu Asp Phe Ser Asn Asn Arg Leu Asp Leu Leu Tyr Ser Thr Ala Phe Glu Glu Leu Gln Ser Leu Glu Val Leu Asp Leu Ser Ser 570 Asn Ser His Tyr Phe Gln Ala Glu Gly Ile Thr His Met Leu Asn Phe Thr Lys Lys Leu Arg Leu Leu Asp Lys Leu Met Met Asn Asp Asn Asp 600 Ile Ser Thr Ser Ala Ser Arg Thr Met Glu Ser Asp Ser Leu Arg Ile

615 620 Leu Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Ala Gly Asp Asn Arg Tyr Leu Asp Phe Phe Lys Asn Leu Phe Asn Leu Glu Val Leu 650 Asp Ile Ser Arq Asn Ser Leu Asn Ser Leu Pro Pro Glu Val Phe Glu 665 Gly Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu 680 Lys Ser Phe Phe Trp Asp Arg Leu Gln Leu Leu Lys His Leu Glu Ile 695 Leu Asp Leu Ser His Asn Gln Leu Thr Lys Val Pro Glu Arg Leu Ala 710 Asn Cys Ser Lys Ser Leu Thr Thr Leu Ile Leu Lys His Asn Gln Ile Arg Gln Leu Thr Lys Tyr Phe Leu Glu Asp Ala Leu Gln Leu Arg Tyr Leu Asp Ile Ser Ser Asn Lys Ile Gln Val Ile Gln Lys Thr Ser Phe 760 Pro Glu Asn Val Leu Asn Asn Leu Glu Met Leu Val Leu His His Asn 775 Arg Phe Leu Cys Asn Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn 790 His Thr Asp Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val 810 Gly Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr 825 Thr Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Val Ser Ile Ser Ser Val Leu Phe Leu Met Val Val Met Thr Thr Ser His Leu Phe Phe Trp Asp Met Trp Tyr Ile Tyr Tyr Phe Trp Lys Ala Lys Ile Lys Gly Tyr Gln His Leu Gln Ser Met Glu Ser Cys Tyr Asp Ala Phe Ile . 890 Val Tyr Asp Thr Lys Asn Ser Ala Val Thr Glu Trp Val Leu Gln Glu Leu Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu 935

Ser Gln Ser Ile Gln Leu Ser Lys Lys Thr Val Phe Val Met Thr Gln

945 950 955 960
Lys Tyr Ala Lys Thr Glu Ser Phe Lys Met Ala Phe Tyr Leu Ser His
965 970 975

Gln Arg Leu Leu Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu 980 985 990

Glu Lys Pro Leu Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu 995 1000 1005

Cys Arg Ser Ser Val Leu Glu Trp Pro Ala Asn Pro Gln Ala His 1010 1015 1020

Pro Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Thr Thr Asp Asn 1025 1030 1035

His Val Ala Tyr Ser Gln Met Phe Lys Glu Thr Val 1040 1045 1050

<210> 45

<211> 1050

<212> PRT

<213> murine

<400> 45

Met Val Phe Ser Met Trp Thr Arg Lys Arg Gln Ile Leu Ile Phe Leu 1 5 10 15

Asn Met Leu Leu Val Ser Arg Val Phe Gly Phe Arg Trp Phe Pro Lys 20 25 30

Thr Leu Pro Cys Glu Val Lys Val Asn Ile Pro Glu Ala His Val Ile 35 40 45

Val Asp Cys Thr Asp Lys His Leu Thr Glu Ile Pro Glu Gly Ile Pro 50 55 60

Thr Asn Thr Thr Asn Leu Thr Leu Thr Ile Asn His Ile Pro Ser Ile 65 70 75 80

Ser Pro Asp Ser Phe Arg Arg Leu Asn His Leu Glu Glu Ile Asp Leu 85 90 95

Arg Cys Asn Cys Val Pro Val Leu Leu Gly Ser Lys Ala Asn Val Cys 100 105 110

Thr Lys Arg Leu Gln Ile Arg Pro Gly Ser Phe Ser Gly Leu Ser Asp 115 120 125

Leu Lys Ala Leu Tyr Leu Asp Gly Asn Gln Leu Leu Glu Ile Pro Gln 130 135 140

Asp Leu Pro Ser Ser Leu His Leu Leu Ser Leu Glu Ala Asn Asn Ile 145 150 155 160

Phe Ser Ile Thr Lys Glu Asn Leu Thr Glu Leu Val Asn Ile Glu Thr 165 170 175

Leu Tyr Leu Gly Gln Asn Cys Tyr Tyr Arg Asn Pro Cys Asn Val Ser 180 185 190

#### WO 2004/094671 - 103 - PCT/US2004/012788

- Tyr Ser Ile Glu Lys Asp Ala Phe Leu Val Met Arg Asn Leu Lys Val 195 200 205
- Leu Ser Leu Lys Asp Asn Asn Val Thr Ala Val Pro Thr Thr Leu Pro 210 215 220
- Pro Asn Leu Leu Glu Leu Tyr Leu Tyr Asn Asn Ile Ile Lys Lys Ile 225 230 235 240
- Gln Glu Asn Asp Phe Asn Asn Leu Asn Glu Leu Gln Val Leu Asp Leu 245 250 255
- Ser Gly Asn Cys Pro Arg Cys Tyr Asn Val Pro Tyr Pro Cys Thr Pro 260 265 270
- Cys Glu Asn Asn Ser Pro Leu Gln Ile His Asp Asn Ala Phe Asn Ser 275 280 285
- Leu Thr Glu Leu Lys Val Leu Arg Leu His Ser Asn Ser Leu Gln His 290 295 300
- Val Pro Pro Thr Trp Phe Lys Asn Met Arg Asn Leu Gln Glu Leu Asp 305 310 315 320
- Leu Ser Gln Asn Tyr Leu Ala Arg Glu Ile Glu Glu Ala Lys Phe Leu 325 330 335
- His Phe Leu Pro Asn Leu Val Glu Leu Asp Phe Ser Phe Asn Tyr Glu 340 345 350
- Leu Gln Val Tyr His Ala Ser Ile Thr Leu Pro His Ser Leu Ser Ser 355 360 365
- Leu Glu Asn Leu Lys Ile Leu Arg Val Lys Gly Tyr Val Phe Lys Glu 370 375 380
- Leu Lys Asn Ser Ser Leu Ser Val Leu His Lys Leu Pro Arg Leu Glu 385 390 395 400
- Val Leu Asp Leu Gly Thr Asn Phe Ile Lys Ile Ala Asp Leu Asn Ile 405 410 415
- Phe Lys His Phe Glu Asn Leu Lys Leu Ile Asp Leu Ser Val Asn Lys 420 425 430
- Ile Ser Pro Ser Glu Glu Ser Arg Glu Val Gly Phe Cys Pro Asn Ala 435 440 445
- Gln Thr Ser Val Asp Arg His Gly Pro Gln Val Leu Glu Ala Leu His 450 455 460
- Tyr Phe Arg Tyr Asp Glu Tyr Ala Arg Ser Cys Arg Phe Lys Asn Lys 465 470 475 480
- Glu Pro Pro Ser Phe Leu Pro Leu Asn Ala Asp Cys His Ile Tyr Gly
  485 490 495
- Gln Thr Leu Asp Leu Ser Arg Asn Asn Ile Phe Phe Ile Lys Pro Ser 500 505 510
- Asp Phe Gln His Leu Ser Phe Leu Lys Cys Leu Asn Leu Ser Gly Asn

545 550 555 560

Thr Ala Phe Glu Glu Leu Gln Ser Leu Glu Val Leu Asp Leu Ser Ser 565 570 575

Asn Ser His Tyr Phe Gln Ala Glu Gly Ile Thr His Met Leu Asn Phe 580 585 590

Thr Lys Lys Leu Arg Leu Leu Asp Lys Leu Met Met Asn Asp Asn Asp 595 600 605

Ile Ser Thr Ser Ala Ser Arg Thr Met Glu Ser Asp Ser Leu Arg Ile 610 615 620

Leu Glu Phe Arg Gly Asn His Leu Asp Val Leu Trp Arg Ala Gly Asp 625 630 635 640

Asn Arg Tyr Leu Asp Phe Phe Lys Asn Leu Phe Asn Leu Glu Val Leu 645 650 655

Asp Ile Ser Arg Asn Ser Leu Asn Ser Leu Pro Pro Glu Val Phe Glu 660 665 670

Gly Met Pro Pro Asn Leu Lys Asn Leu Ser Leu Ala Lys Asn Gly Leu 675 680 685

Lys Ser Phe Phe Trp Asp Arg Leu Gln Leu Leu Lys His Leu Glu Ile 690 695 700

Leu Asp Leu Ser His Asn Gln Leu Thr Lys Val Pro Glu Arg Leu Ala
705 710 715 720

Asn Cys Ser Lys Ser Leu Thr Thr Leu Ile Leu Lys His Asn Gln Ile
725 730 735

Arg Gln Leu Thr Lys Tyr Phe Leu Glu Asp Ala Leu Gln Leu Arg Tyr
740 745 750

Leu Asp Ile Ser Ser Asn Lys Ile Gln Val Ile Gln Lys Thr Ser Phe . 755 760 765

Pro Glu Asn Val Leu Asn Asn Leu Glu Met Leu Val Leu His His Asn 770 780

Arg Phe Leu Cys Asn Cys Asp Ala Val Trp Phe Val Trp Trp Val Asn 785 790 795 . 800

His Thr Asp Val Thr Ile Pro Tyr Leu Ala Thr Asp Val Thr Cys Val 805 810 815

Gly Pro Gly Ala His Lys Gly Gln Ser Val Ile Ser Leu Asp Leu Tyr 820 825 830

Thr Cys Glu Leu Asp Leu Thr Asn Leu Ile Leu Phe Ser Val Ser Ile 835 840 845

Ser Ser Val Leu Phe Leu Met Val Val Met Thr Thr Ser His Leu Phe

WO 2004/094671 - 105 - PCT/US2004/012788

855 860 Phe Trp Asp Met Trp Tyr Ile Tyr Tyr Phe Trp Lys Ala Lys Ile Lys 870 875 Gly Tyr Gln His Leu Gln Ser Met Glu Ser Cys Tyr Asp Ala Phe Ile 885 890 Val Tyr Asp Thr Lys Asn Ser Ala Val Thr Glu Trp Val Leu Gln Glu Leu Val Ala Lys Leu Glu Asp Pro Arg Glu Lys His Phe Asn Leu Cys 920 Leu Glu Glu Arg Asp Trp Leu Pro Gly Gln Pro Val Leu Glu Asn Leu 935 Ser Gln Ser Ile Gln Leu Ser Lys Thr Val Phe Val Met Thr Gln Lys Tyr Ala Lys Thr Glu Ser Phe Lys Met Ala Phe Tyr Leu Ser His 970 Gln Arg Leu Leu Asp Glu Lys Val Asp Val Ile Ile Leu Ile Phe Leu 980 985 Glu Lys Pro Leu Gln Lys Ser Lys Phe Leu Gln Leu Arg Lys Arg Leu 1000 Cys Arg Ser Ser Val Leu Glu Trp Pro Ala Asn Pro Gln Ala His 1010 1015 1020 Pro Tyr Phe Trp Gln Cys Leu Lys Asn Ala Leu Thr Thr Asp Asn 1030 His Val Ala Tyr Ser Gln Met Phe Lys Glu Thr Val 1040 1045 <210> 46 <211> 3311 <212> DNA <213> Homo sapiens <400> 46 ttctgcgctg ctgcaagtta cggaatgaaa aattagaaca acagaaacat ggaaaacatg 60 ttccttcagt cgtcaatgct gacctgcatt ttcctgctaa tatctggttc ctgtgagtta 120 tgcgccgaag aaaatttttc tagaagctat ccttgtgatg agaaaaagca aaatgactca 180 gttattqcaq agtqcaqcaa tcqtcqacta caggaagttc cccaaacgqt gggcaaatat 240 gtgacagaac tagacctgtc tgataatttc atcacacaca taacgaatga atcatttcaa 300 gggctgcaaa atctcactaa aataaatcta aaccacaacc ccaatgtaca gcaccagaac 360 ggaaatcccg gtatacaatc aaatggcttg aatatcacag acggggcatt cctcaaccta 420 aaaaacctaa gggagttact gcttgaagac aaccagttac cccaaatacc ctctggtttg 480

ccagagtett tgacagaact tagtetaatt caaaacaata tatacaacat aactaaagag

540

ggcatttcaa aaagtttgcg	gacttataaa agaaaactaa	cttgaaaaat catagaagat	ctctatttgg ggagtatttg	cctggaactg aaacgctgac	ctattttaac aaatttggag	600 660
ttgctatcac	tatctttcaa	ttctctttca	cacgtgccac	ccaaactgcc	aagctcccta	720
cgcaaacttt	ttctgagcaa	cacccagatc	aaatacatta	gtgaagaaga	tttcaaggga	780
ttgataaatt	taacattact	agatttaagc	gggaactgtc	cgaggtgctt	caatgcccca	840
tttccatgcg	tgccttgtga	tgġtggtgct	tcaattaata	tagatcgttt	tgcttttcaa	900
aacttgaccc	aacttcgata	cctaaacctc	tctagcactt	ccctcaggaa	gattaatgct	960
gcctggttta	aaaatatgcc	tcatctgaag	gtgctggatc	ttgaattcaa	ctatttagtg	1020
ggagaaatag	cctctggggc	atttttaacg	atgctgcccc	gcttagaaat	acttgacttg	1080
tcttttaact	atataaaggg	gagttatcca	cagcatatta	atatttccag	aaacttctct	1140
aaacttttgt	ctctacgggc	attgcattta	agaggttatg	tgttccagga	actcagagaa	1200
gatgatttcc	agcccctgat	gcagcttcca	aacttatcga	ctatcaactt	gggtattaat	1260
tttattaagc	aaatcgattt	caaacttttc	caaaatttct	ccaatctgga	aattatttac	1320
ttgtcagaaa	acagaatatc	accgttggta	aaagataccc	ggcagagtta	tgcaaatagt	1380
tcctctttc	aacgtcatat	ccggaaacga	cgctcaacag	attttgagtt	tgacccacat	1440
tcgaactttt	atcatttcac	ccgtccttta	ataaagccac	aatgtgctgc	ttatggaaaa	1500
gccttagatt	taagcctcaa	cagtattttc	ttcattgggc	caaaccaatt	tgaaaatctt	1560
cctgacattg	cctgtttaaa	tctgtctgca	aatagcaatg	ctcaagtgtt	aagtggaact	1620
gaattttcag	ccattcctca	tgtcaaatat	ttggatttga	caaacaatag	actagacttt	1680
gataatgcta	gtgctcttac	tgaattgtcc	gacttggaag	ttctagatct	cagctataat	1740
tcacactatt	tcagaatagc	aggcgtaaca	catcatctag	aatttattca	aaatttcaca	1800
aatctaaaag	ttttaaactt	gagccacaac	aacatttata	ctttaacaga	taagtataac	1860
ctggaaagca	agtccctggt	agaattagtt	ttcagtggca	atcgccttga	cattttgtgg	1920
aatgatgatg	acaacaggta	tatctccatt	ttcaaaggtc	tcaagaatct	gacacgtctg	1980
gatttatccc	ttaataggct	gaagcacatc	ccaaatgaag	cattccttaa	tttgccagcg	2040
agtctcactg	aactacatat	aaatgataat	atgttaaagt	tttttaactg	gacattactc	2100
cagcagttcc	ctcgtctcga	gttgcttgac	ttacgtggaa	acaaactact	ctttttaact	2160
gatagcctat	ctgactttac	atcttccctt	cggacactgc	tgctgagtca	taacaggatt	2220
teccacetae	cctctggctt	tctttctgaa	gtcagtagtc	tgaagcacct	cgatttaagt	2280
tccaatctgc	taaaaacaat	caacaaatcc	gcacttgaaa	ctaagaccac	caccaaatta	2340
tctatgttgg	aactacacgg	aaaccccttt	gaatgcacct	gtgacattgg	agatttccga	2400
agatggatgg	atgaacatct	gaatgtcaaa	attcccagac	tggtagatgt	catttgtgcc	2460

agtcctgggg	atcaaagagg	gaagagtatt	gtgagtctgg	agctgacaac	ttgtgtttca	2520
gatgtcactg	caġtgatatt	atttttcttc	acgttcttta	tcaccaccat	ggttatgttg	2580
gctgccctgg	ctcaccattt	gttttactgg	gatgtttggt	ttatatataa	tgtgtgttta	2640
gctaaggtaa	aaggctacag	gtctctttcc	acatcccaaa	ctttctatga	tgcttacatt	2700
tcttatgaca	ccaaagatgc	ctctgttact	gactgggtga	taaatgagct	gcgctaccac	2760
cttgaagaga	gccgagacaa	aaacgttctc	ctttgtctag	aggagagga	ttgggacccg	2820
ggattggcca	tcatcgacaa	cctcatgcag	agcatcaacc	aaagcaagaa	aacagtattt	2880
gttttaacca	aaaaatatgc	aaaaagctgg	aactttaaaa	cagcttttta	cttggctttg	2940
cagaggctaa	tggatgagaa	catggatgtg	attatattta	tcctgctgga	gccagtgtta	3000
cagcattctc	agtatttgag	gctacggcag	cggatctgta	agagctccat	cctccagtgg	3060
cctgacaacc	cgaaggcaga	aggcttgttt	tggcaaactc	tgagaaatgt	ggtcttgact	3120
gaaaatgatt	cacggtataa	caatatgtat	gtcgattcca	ttaagcaata	ctaactgacg	3180
ttaagtcatg	atttcgcgcc	ataataaaga	tgcaaaggaa	tgacatttct	gtattagtta	3240
tctattgcta	tgtaacaaat	tatcccaaaa	cttagtggtt	taaaacaaca	catttgctgg	3300
cccacagttt	t					3311

<211> 3367

<212> DNA

<213> Homo spaiens

<400> 47

ctcctgcata gagggtacca ttctgcgctg ctgcaagtta cggaatgaaa aattagaaca 60 acagaaacgt ggttctcttg acacttcagt gttagggaac atcagcaaga cccatcccag 120 gagacettga aggaageett tgaaagggag aatgaaggag teatetttge aaaatagete 180 ctgcagcctg ggaaaggaga ctaaaaagga aaacatgttc cttcagtcgt caatgctgac 240 ctgcattttc ctgctaatat ctggttcctg tgagttatgc gccgaagaaa atttttctag 300 aagctateet tgtgatgaga aaaagcaaaa tgaeteagtt attgeagagt geagcaateg 360 tegactacag gaagtteece aaaeggtggg caaatatgtg acagaactag acetgtetga 420 taatttcatc acacacataa cgaatgaatc atttcaaggg ctgcaaaatc tcactaaaat 480 aaatctaaac cacaacccca atgtacagca ccagaacgga aatcccggta tacaatcaaa 540 tggcttgaat atcacagacg gggcattcct caacctaaaa aacctaaggg agttactgct 600 tgaagacaac cagttacccc aaataccctc tggtttgcca gagtctttga cagaacttag 660 tctaattcaa aacaatatat acaacataac taaagagggc atttcaagac ttataaactt 720

gaaaaatctc agaagatgga	tatttggcct gtatttgaaa	ggaactgcta cgctgacaaa	ttttaacaaa tttggagttg	gtttgcgaga ctatcactat	aaactaacat ctttcaattc	780 840
tctttcacac	gtgtcaccca	aactgccaag	ctccctacgc	aaacttttc	tgagcaacac	900
ccagatcaaa	tacattagtg	aagaagattt	caagggattg	ataaatttaa	cattactaga	960
tttaagcggg	aactgtccga	ggtgcttcaa	tgccccattt	ccatgcgtgc	cttgtgatgg	1020
tggtgcttca	attaatatag	atcgttttgc	ttttcaaaac	ttgacccaac	ttcgatacct	1080
aaacctctct	agcacttccc	tcaggaagat	taatgctgcc	tggtttaaaa	atatgeetea	1140
tctgaaggtg	ctggatcttg	aattcaacta	tttagtggga	gaaatagcct	ctggggcatt	1200
tttaacgatg	ctgccccgct	tagaaatact	tgacttgtct	tttaactata	taaaggggag	1260
ttatccacag	catattaata	tttccagaaa	cttctctaaa	cctttgtctc	tacgggcatt	1320
gcatttaaga	ggttatgtgt	tccaggaact	cagagaagat	gatttccagc	ccctgatgca	1380
gcttccaaac	ttatcgacta	tcaacttggg	tattaatttt	attaagcaaa	tcgatttcaa	1440
acttttccaa	aatttctcca	atctggaaat	tatttacttg	tcagaaaaca	gaatatcacc	1500
gttggtaaaa	gatacccggc	agagttatgc	aaatagttcc	tcttttcaac	gtcatatccg	1560
gaaacgacgc	tcaacagatt	ttgagtttga	cccacattcg	aacttttatc	atttcacccg	1620
tcctttaata	aagccacaat	gtgctgctta	tggaaaagcc	ttagatttaa	gcctcaacag	1680
tattttcttc	attgggccaa	accaatttga	aaatcttcct	gacattgcct	gtttaaatct	1740
gtctgcaaat	agcaatgctc	aagtgttaag	tggaactgaa	ttttcagcca	ttcctcatgt	1800
caaatatttg	gatttgacaa	acaatagact	agactttgat	aatgctagtg	ctcttactga	1860
attgtccgac	ttggaagttc	tagatctcag	ctataattca	cactatttca	gaatagcagg	1920
cgtaacacat	catctagaat	ttattcaaaa	tttcacaaat	ctaaaagttt	taaacttgag	1980
ccacaacaac	atttatactt	taacagataa	gtataacctg	gaaagcaagt	ccctggtaga	2040
attagttttc	agtggcaatc	gccttgacat	tttgtggaat	gatgatgaca	acaggtatat	2100
ctccattttc	aaaggtctca	agaatctgac	acgtctggat	ttatccctta	ataggctgaa	2160
gcacatccca	aatgaagcat	tccttaattt	gccagcgagt	ctcactgaac	tacatataaa	2220
tgataatatg	ttaaagtttt	ttaactggac	attactccag	cagtttcctc	gtctcgagtt	2280
gcttgactta	. cgtggaaaca	aactactctt	tttaactgat	agcctatctg	actttacatc	2340
ttcccttcgg	acactgctgc	tgagtcataa	caggatttcc	cacctaccct	ctggctttct	2400
ttctgaagtc	agtagtctga	agcacctcga	tttaagttco	aatctgctaa	aaacaatcaa	2460
caaatccgca	cttgaaacta	. agaccaccac	caaattatct	atgttggaac	tacacggaaa	2520
cccctttgaa	tgcacctgtg	acattggaga	tttccgaaga	tggatggatg	aacatctgaa	2580
tgtcaaaatt	cccagactgg	tagatgtcat	ttgtgccagt	cctggggato	: aaagagggaa	2640

gagtattgtg agtctgg	agc taacaacttg	tgtttcagat	gtcactgcag	tgatattatt	2700
tttcttcacg ttctttat	ca ccaccatggt	tatgttggct	geectggete	accatttgtt	2760
ttactgggat gtttggtt	ta tatataatgt	gtgtttagct	aagataaaag	gctacaggtc	2820
tctttccaca tcccaaa	ett tetatgatge	ttacatttct	tatgacacca	aagatgcctc	2880
tgttactgac tgggtgal	aa atgagctgcg	ctaccacctt	gaagagagcc	gagacaaaaa	2940
cgttctcctt tgtctaga	agg agagggattg	ggacccggga	ttggccatca	tcgacaacct	3000
catgcagagc atcaacca	aaa gcaagaaaac	agtatttgtt	ttaaccaaaa	aatatgcaaa	3060
aagctggaac tttaaaa	cag ctttttactt	ggctttgcag	aggctaatgg	atgagaacat	3120
ggatgtgatt atattta	tee tgetggagee	agtgttacag	cattctcagt	atttgaggct	3180
acggcagcgg atctgta	aga gctccatcct	ccagtggcct	gacaacccga	aggcagaagg	3240
cttgttttgg caaactc	tga gaaatgtggt	cttgactgaa	aatgattcac	ggtataacaa	3300
tatgtatgtc gattcca	tta agcaatacta	actgacgtta	agtcatgatt	tegegecata	3360
ataaaga				•	3367

<211> 4211

<212> DNA

<213> Homo spaiens

<400> 48

ctcctgcata gagggtacca ttctgcgctg ctgcaagtta cggaatgaaa aattagaaca 60 120 acagaaacat ggaaaacatg ttccttcagt cgtcaatgct gacctgcatt ttcctgctaa 180 tatctggttc ctgtgagtta tgcgccgaag aaaatttttc tagaagctat ccttgtgatg agaaaaagca aaatgactca gttattgcag agtgcagcaa tcgtcgacta caggaagttc 240 300 cccaaacggt gggcaaatat gtgacagaac tagacctgtc tgataatttc atcacacaca 360 taacgaatga atcatttcaa gggctgcaaa atctcactaa aataaatcta aaccacaacc ccaatgtaca gcaccagaac ggaaatcccg gtatacaatc aaatggcttg aatatcacag 420 480 acggggcatt cctcaaccta aaaaacctaa gggagttact gcttgaagac aaccagttac cccaaatacc ctctggtttg ccagagtctt tgacagaact tagtctaatt caaaacaata 540 tatacaacat aactaaagag ggcatttcaa gacttataaa cttgaaaaat ctctatttgg 600 cctqgaactg ctattttaac aaagtttgcg agaaaactaa catagaagat ggagtatttg 660 720 aaacgctgac aaatttggag ttgctatcac tatctttcaa ttctctttca cacgtgccac 780 ccaaactgcc aagctcccta cgcaaacttt ttctgagcaa cacccagatc aaatacatta gtgaagaaga tttcaaggga ttgataaatt taacattact agatttaagc gggaactgtc 840

110 200470	774071				101/0040	01/012/00
		tttccatgcg aacttgaccc				900 960
ccctcaggaa	gattaatgct	gcctggttta	aaaatatgcc	tcatctgaag	gtgctggatc	1020
ttgaattcaa	ctatttagtg	ggagaaatag	cctctggggc	atttttaacg	atgctgcccc	1080
gcttagaaat	acttgacttg	tcttttaact	atataaaggg	gagttatcca	cagcatatta	1140
atatttccag	aaacttctct	aaacttttgt	ctctacgggc	attgcattta	agaggttatg	1200
tgttccagga	actcagagaa	gatgatttcc	agcccctgat	gcagcttcca	aacttatcga	1260
ctatcaactt	gggtattaat	tttattaagc	aaatcgattt	caaacttttc	caaaatttct	1320
ccaatctgga	aattatttac	ttgtcagaaa	acagaatatc	accgttggta	aaagataccc	1380
ggcagagtta	tgcaaatagt	tcctctttc	aacgtcatat	ccggaaacga	cgctcaacag	1440
attttgagtt	tgacccacat	tcgaactttt	atcatttcac	ccgtccttta	ataaagccac	1500
aatgtgctgc	ttatggaaaa	gccttagatt	taagcctcaa	cagtattttc	ttcattgggc	1560
caaaccaatt	tgaaaatctt	cctgacattg	cctgtttaaa	tctgtctgca	aatagcaatg	1620
ctcaagtgtt	aagtggaact	gaattttcag	ccattcctca	tgtcaaatat	ttggatttga	1680
caaacaatag	actagacttt	gataatgcta	gtgctcttac	tgaattgtcc	gacttggaag	1740
ttctagatct	cagctataat	tcacactatt	tcagaatagc	aggcgtaaca	catcatctag	1800
aatttattca	aaatttcaca	aatctaaaag	ttttaaactt	gagccacaac	aacatttata	1860
ctttaacaga	taagtataac	ctggaaagca	agtccctggt	agaattagtt	ttcagtggca	1920
atcgccttga	cattttgtgg	aatgatgatg	acaacaggta	tatctccatt	ttcaaaggtc	1980
tcaagaatct	gacacgtctg	gatttatccc	ttaataggct	gaagcacatc	ccaaatgaag	2040
cattccttaa	tttgccagcg	agtctcactg	aactacatat	aaatgataat	atgttaaagt	2100
tttttaactg	gacattactc	cagcagtttc	ctcgtctcga	gttgcttgac	ttacgtggaa	2160
acaaactact	ctttttaact	gatagcctat	ctgactttac	atcttccctt	cggacactgc	2220
tgctgagtca	taacaggatt	tcccacctac	cctctggctt	tctttctgaa	gtcagtagtc	2280
tgaagcacct	cgatttaagt	tccaatctgc	taaaaacaat	caacaaatcc	gcacttgaaa	2340
ctaagaccac	caccaaatta	tctatgttgg	aactacacgg	aaaccccttt	gaatgcacct	2400
gtgacattgg	agatttccga	agatggatgg	atgaacatct	gaatgtcaaa	attcccagac	2460
tggtagatgt	catttgtgcc	agtcctgggg	atcaaagagg	gaagagtatt	gtgagtctgg	2520
agctaacaac	ttgtgtttca	gatgtcactg	cagtgatatt	atttttcttc	acgttcttta	2580
tcaccaccat	ggttatgttg	gctgccctgg	ctcaccattt	gttttactgg	gatgtttggt	2640
ttatatataa	tgtgtgttta	gctaaggtaa	aaggctacag	gtctctttcc	acatcccaaa	2700
ctttctatga	tgcttacatt	tcttatgaca	ccaaagatgc	ctctgttact	gactgggtga	2760

taaatgagct	gcgctaccac	cttgaagaga	gccgagacaa	aaacgttctc	ctttgtctag	2820
aggagaggga	ttgggatccg	ggattggcca	tcatcgacaa	cetcatgcag	agcatcaacc	2880
aaagcaagaa	aacagtattt	gttttaacca	aaaaatatgc	aaaaagctgg	aactttaaaa	2940
cagcttttta	cttggctttg	cagaggctaa	tggatgagaa	catggatgtg	attatattta	3000
tcctgctgga	gccagtgtta	cagcattctc	agtatttgag	gctacggcag	cggatctgta	3060
agagctccat	cctccagtgg	cctgacaacc	cgaaggcaga	aggcttgttt	tggcaaactc	3120
tgagaaatgt	ggtcttgact	gaaaatgatt	cacggtataa	caatatgtat	gtcgattcca	3180
ttaagcaata	ctaactgacg	ttaagtcatg	atttcgcgcc	ataataaaga	tgcaaaggaa	3240
tgacatttct	gtattagtta	tctattgcta	tgtaacaaat	tatcccaaaa	cttagtggtt	3300
taaaacaaca	catttgctgg	cccacagttt	ttgagggtca	ggagtccagg	cccagcataa	3360
ctgggtcctc	tgctcagggt	gtctcagagg	ctgcaatgta	ggtgttcacc	agagacatag	3420
gcatcactgg	ggtcacactc	atgtggttgt	tttctggatt	caattcctcc	tgggctattg	3480
gccaaaggct	atactcatgt	aagccatgcg	agcctctccc	acaaggcagc	ttgcttcatc	3540
agagctagca	aaaaagagag	gttgctagca	agatgaagtc	acaatctttt	gtaatcgaat	3600
caaaaaagtg	atatctcatc	actttggcca	tattctattt	gttagaagta	aaccacaggt	3660
cccaccagct	ccatgggagt	gaccacctca	gtccagggaa	aacagctgaa	gaccaagatg	3720
gtgagctctg	attgcttcag	ttggtcatca	actattttcc	cttgactgct	gtcctgggat	3780
ggcctgctat	cttgatgata	gattgtgaat	atcaggaggc	agggatcact	gtggaccatc	3840
ttagcagttg	acctaacaca	tettettte	aatatctaag	aacttttgcc	actgtgacta	3900
atggtcctaa	tattaagctg	ttgtttatat	ttatcatata	tctatggcta	catggttata	3960
ttatgctgtg	gttgcgttcg	gttttattta	cagttgcttt	tacaaatatt	tgctgtaaca	4020
tttgacttct	aaggtttaga	tgccatttaa	gaactgagat	ggatagcttt	taaagcatct	4080
tttacttctt	accattttt	aaaagtatgc	agctaaattc	gaagcttttg	gtctatattg	4140
ttaattgcca	ttgctgtaaa	tcttaaaatg	aatgaataaa	aatgtttcat	tttacaaaaa	4200
aaaaaaaaa	a					4211

<211> 3468

<212> DNA

<213> Homo sapiens

<400> 49

ctcctgcata gagggtacca ttctgcgctg ctgcaagtta cggaatgaaa aattagaaca 60
acagaaacat ggttctcttg acacttcagt gttagggaac atcagcaaga cccatcccag 120

gagaccttga ctgcagcctg	aggaagcctt ggaaaggaga	tgaaagggag ctaaaaagga	aatgaaggag aaacatgttc	tcatctttgc cttcagtcgt	aaaatagctc caatgctgac	180 240
ctgcattttc	ctgctaatat	ctggttcctg	tgagttatgc	gccgaagaaa	atttttctag	300
aagctatcct	tgtgatgaga	aaaagcaaaa	tgactcagtt	attgcagagt	gcagcaatcg	360
tcgactacag	gaagttcccc	aaacggtggg	caaatatgtg	acagaactag	acctgtctga	420
taatttcatc	acacacataa	cgaatgaatc	atttcaaggg	ctgcaaaatc	tcactaaaat	480
aaatctaaac	cacaacccca	atgtacagca	ccagaacgga	aatcccggta	tacaatcaaa	540
tggcttgaat	atcacagacg	gggcattcct	caacctaaaa	aacctaaggg	agttactgct	600
tgaagacaac	cagttacccc	aaataccctc	tggtttgcca	gagtctttga	cagaacttag	660
tctaattcaa	aacaatatat	acaacataac	taaagagggc	atttcaagac	ttataaactt	720
gaaaaatctc	tatttggcct	ggaactgcta	ttttaacaaa	gtttgcgaga	aaactaacat	780
agaagatgga	gtatttgaaa	cgctgacaaa	tttggagttg	ctatcactat	ctttcaattc	840
tctttcacac	gtgccaccca	aactgccaag	ctccctacgc	aaacttttc	tgagcaacac	900
ccagatcaaa	tacattagtg	aagaagattt	caagggattg	ataaatttaa	cattactaga	960
tttaagcggg	aactgtccga	ggtgcttcaa	tgccccattt	ccatgcgtgc	cttgtgatgg	1020
tggtgcttca	attaatatag	atcgttttgc	ttttcaaaac	ttgacccaac	ttcgatacct	1080
aaacctctct	agcacttccc	tcaggaagat	taatgctgcc	tggtttaaaa	atatgcctca	1140
tctgaaggtg	ctggatcttg	aattcaacta	tttagtggga	gaaatagcct	ctggggcatt	1200
tttaacgatg	ctgccccgct	tagaaatact	tgacttgtct	tttaactata	taaaggggag	1260
ttatccacag	catattaata	tttccagaaa	cttctctaaa	cttttgtctc	tacgggcatt	1320
gcatttaaga	ggttatgtgt	tccaggaact	cagagaagat	gatttccagc	ccctgatgca	1380
gcttccaaac	ttatcgacta	tcaacttggg	tattaatttt	attaagcaaa	tcgatttcaa	1440
acttttccaa	aatttctcca	atctggaaat	tatttacttg	tcagaaaaca	gaatatcacc	1500
gttggtaaaa	gatacccggc	agagttatgc	aaatagttcc	tcttttcaac	gtcatatccg	1560
gaaacgacgc	tcaacagatt	ttgagtttga	cccacattcg	aacttttatc	atttcacccg	1620
tcctttaata	aagccacaat	gtgctgctta	tggaaaagcc	ttagatttaa	gcctcaacag	1680
tattttcttc	attgggccaa	accaatttga	aaatcttcct	gacattgcct	gtttaaatct	1740
gtctgcaaat	agcaatgctc	aagtgttaag	tggaactgaa	ttttcagcca	ttcctcatgt	1800
caaatatttg	gatttgacaa	acaatagact	agactttgat	aatgctagtg	ctcttactga	1860
attgtccgac	: ttggaagttc	tagateteag	ctataattca	cactatttca	. gaatagcagg	1920
cgtaacacat	: catctagaat	ttattcaaaa	tttcacaaat	ctaaaagttt	taaacttgag	1980
ccacaacaac	atttatactt	taacagataa	gtataacctg	gaaagcaagt	ccctggtaga	2040

attagttttc	agtggcaatc	gccttgacat	tttgtggaat	gatgatgaca	acaggtatat	2100
ctccattttc	aaaggtctca	agaatctgac	acgtctggat	ttatccctta	ataggctgaa	2160
gcacatecea	aatgaagcat	tccttaattt	gccagcgagt	ctcactgaac	tacatataaa	2220
tgataatatg	ttaaagtttt	ttaactggac	attactccag	cagtttcctc	gtctcgagtt	2280
gcttgactta	cgtggaaaca	aactactctt	tttaactgat	agcctatctg	actttacatc	2340
ttcccttcgg	acactgctgc	tgagtcataa	caggatttcc	cacctaccct	ctggctttct	2400
ttctgaagtc	agtagtctga	agcacctcga	tttaagttcc	aatctgctaa	aaacaatcaa	2460
caaatccgca	cttgaaacta	agaccaccac	caaattatct	atgttggaac	tacacggaaa	2520
cccctttgaa	tgcacctgtg	acattggaga	tttccgaaga	tggaṭggatg	aacatctgaa	2580
tgtcaaaatt	cccagactgg	tagatgtcat	ttgtgccagt	cctggggatc	aaagagggaa	2640
gagtattgtg	agtctggagc	taacaacttg	tgtttcagat	gtcactgcag	tgatattatt	2700
tttcttcacg	ttctttatca	ccaccatggt	tatgttggct	gecetggete	accatttgtt	2760
ttactgggat	gtttggttta	tatataatgt	gtgtttagct	aaggtaaaag	gctacaggtc	2820
tctttccaca	tcccaaactt	tctatgatgc	ttacatttct	tatgacacca	aagatgcctc	2880
tgttactgac	tgggtgataa	atgagetgeg	ctaccacctt	gaagagagcc	gagacaaaaa	2940
egtteteett	tgtctagagg	agagggattg	ggatccggga	ttggccatca	tcgacaacct	3000
catgcagagc	atcaaccaaa	gcaagaaaac	agtatttgtt	ttaaccaaaa	aatatgcaaa	3060
aagctggaac	tttaaaacag	ctttttactt	ggctttgcag	aggctaatgg	atgagaacat	3120
ggatgtgatt	atatttatcc	tgctggagcc	agtgttacag	cattctcagt	atttgagget	3180
acggcagcgg	atctgtaaga	gctccatcct	ccagtggcct	gacaacccga	aggcagaagg	3240
cttgttttgg	caaactctga	gaaatgtggt	cttgactgaa	aatgattcac	ggtataacaa	3300
tatgtatgtc	gattccatta	agcaatacta	actgacgtta	agtcatgatt	tcgcgccata	3360
ataaagatgc	aaaggaatga	catttctgta	ttagttatct	attgctatgt	aacaaattat	3420
cccaaaactt	agtggtttaa	aacaacacat	ttgctggccc	acagtttt		3468

<210> 50 <211> 1041 <212> PRT <213> Homo sapiens

<400> 50

Met Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile Phe Leu 5

Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe Ser Arg 25

#### WO 2004/094671 - 114 - PCT/US2004/012788

Ser	Tyr	Pro 35	Суз	Asp	Glu	Lys	Lys 40	Gln	Asn	Asp	Ser	Val 45	Ile	Ala	Glu
Сув	Ser 50	Asn	Arg	Arg	Leu	Gln 55	Glu	Val	Pro	Gln	Thr 60	Val	Gly	ГÀЗ	Tyr
Val 65	Thr	Glu	Leu	Asp	Leu 70	Ser	Asp	Asn	Phe	Ile 75	Thr	His	Ile	Thr	Asn 80
Glu	Ser	Phe	Gln	Gly 85	Leu	Gln	Asn	Leu '	Thr 90	Lys	Ile	Asn	Leu	Asn 95	His
Asn	Pro	Asn	Val 100	Gln	His	Gln	Asn	Gly 105	Asn	Pro	Gly	Ile	Gln 110	Ser	Asn
Gly	Leu	Asn 115	Ile	Thr	Asp	Gly	Ala 120	Phe	Leu	Asn	Leu	Lys 125	Asn	Leu	Arg
Glu	Leu 130	Leu	Leu	Glu	Asp	Asn 135	Gln	Leu	Pro	Gln ,	Ile 140	Pro	Ser	Gly	Leu
Pro 145	Glu	Ser	Leu	Thr	Glu 150	Leu	Ser	Leu	Ile	Gln 155	Asn	Asn	Ile	Tyr	Asn 160
Ile	Thr	Lys	Glu	Gly 165	Ile	Ser	Arg		11e 170	Asn	Leu	Lys	Asn	Leu 175	Tyr
Leu	Ala	Trp	Asn 180	Суѕ	Tyr	Phe	Asn	Lys 185	Val	Cys	Glu	Lys	Thr 190	Asn	Ile
Glu	Asp	Gly 195	Val	Phe	Glu	Thr	Leu 200	Thr	Asn	Leu	Glu	Leu 205	Leu	Ser	Leu
Ser	Phe 210	Asn	Ser	Leu	Ser	His 215	Val	Pro	Pro	Lys	Leu 220	Pro	Ser	Ser	Leu
Arg 225	Lys	Leu	Phe	Leu	Ser 230	Asn	Thr	Gln	Ile	Lys 235	Tyr	Ile	Ser	Glu	Glu 240
Asp	Phe	Lys	Gly	Leu 245	Ile	Asn	Leu	Thr	Leu 250	Leu	Asp	Leu	Ser	Gly 255	Asn
Cys	Pro	Arg	Сув 260	Phe	Asn	Ala	Pro	Phe 265	Pro	Сув	Val	Pro	Сув 270	Asp	Gly
Gly	Ala	Ser 275	Ile	Asn	Ile	Asp	Arg 280		Ala	Phe	Gln	Asn 285	Leu	Thr	Gln
Leu	Arg 290	Tyr	Leu	Asn	Leu	Ser 295	Ser	Thr	Ser	Leu	Arg 300	Lys	Ile	Asn	Ala
Ala 305	Trp	Phe	Lys	Asn	Met 310	Pro	His	Leu	Lys	Val 315	Leu	Asp	Leu	Glu	Phe 320
Asn	Tyr	Leu	Val	Gly 325		Ile	Ala	Ser	Gly 330	Ala	Phe	Leu	Thr	Met 335	Leu
Pro	Arg	Leu	Glu 340	Ile	Leu	qaA	Leu	Ser 345	Phe	Asn	Tyr	Ile	Lys 350	Gly	Ser
Tyr	Pro	Gln	His	Ile	Asn	Ile	Ser	Arg	Asn	Phe	Ser	Lys	Leu	Leu	Ser

Leu Arg Ala Leu His Leu Arg Gly Tyr Val Phe Gln Glu Leu Arg Glu
Asp Asp Phe Gln Pro Leu Met Gln Leu Pro Asn Leu Ser Thr Ile Asn
385

Leu Gly Ile Asn Phe Ile Lys Gln Ile Asp Phe Lys Leu Phe Gln Asn 405 410 415

Phe Ser Asn Leu Glu Ile Ile Tyr Leu Ser Glu Asn Arg Ile Ser Pro 420 425 430

Leu Val Lys Asp Thr Arg Gln Ser Tyr Ala Asn Ser Ser Ser Phe Gln 435 440 445

Arg His Ile Arg Lys Arg Arg Ser Thr Asp Phe Glu Phe Asp Pro His 450 455 460

Ser Asn Phe Tyr His Phe Thr Arg Pro Leu Ile Lys Pro Gln Cys Ala 465 470 475 480

Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Ser Ile Phe Phe Ile 485 490 495

Gly Pro Asn Gln Phe Glu Asn Leu Pro Asp Ile Ala Cys Leu Asn Leu 500 505 510

Ser Ala Asn Ser Asn Ala Gln Val Leu Ser Gly Thr Glu Phe Ser Ala 515 520 525

Ile Pro His Val Lys Tyr Leu Asp Leu Thr Asn Asn Arg Leu Asp Phe 530 535 540

Asp Asn Ala Ser Ala Leu Thr Glu Leu Ser Asp Leu Glu Val Leu Asp 545 550 555 560

Leu Ser Tyr Asn Ser His Tyr Phe Arg Ile Ala Gly Val Thr His His 565 570 575

Leu Glu Phe Ile Gln Asn Phe Thr Asn Leu Lys Val Leu Asn Leu Ser 580 585 590

His Asn Asn Ile Tyr Thr Leu Thr Asp Lys Tyr Asn Leu Glu Ser Lys 595 600 605

Ser Leu Val Glu Leu Val Phe Ser Gly Asn Arg Leu Asp Ile Leu Trp 610 615 . 620

Asn Asp Asp Asp Asn Arg Tyr Ile Ser Ile Phe Lys Gly Leu Lys Asn 625 630 635 640

Leu Thr Arg Leu Asp Leu Ser Leu Asn Arg Leu Lys His Ile Pro Asn 645 650 655

Glu Ala Phe Leu Asn Leu Pro Ala Ser Leu Thr Glu Leu His Ile Asn 660 665 670

Asp Asn Met Leu Lys Phe Phe Asn Trp Thr Leu Leu Gln Gln Phe Pro 675 680 685

Arg Leu Glu Leu Leu Asp Leu Arg Gly Asn Lys Leu Leu Phe Leu Thr

Asp 705	690 Ser	Leu	Ser	Asp	Phe 710	695 Thr	Ser	Ser	Leu	Arg 715	700 Thr	Leu	Leu	Leu	Ser 720
His	Asn	Arg	Ile	Ser 725	His	Leu	Pro	Ser	Gly 730	Phe	Leu	Ser	Glu	Val 735	Ser
Ser	Leu	Lys	His 740	Leu	Asp	Leu	Ser	Ser 745	Asn	Leu	Leu	Lys	Thr 750	Ile	Asn
Lys	Ser	Ala 755	Leu	Glu	Thr	Lys	Thr 760	Thr	Thr	ГЛв	Leu	Ser 765	Met	Leu	Glu
Leu	His 770	Gly	Asn	Pro	Phe	Glu 775	Сув	Thr	Cys	Asp	Ile 780	Gly	Asp	Phe	Arg
Arg 785	Trp	Met	qaA	Glu	His 790	Leu	Asn	Val	Lys	Ile 795	Pro	Arg	Leu	Val	Asp 800
Val	Ile	Cys	Ala	Ser 805	Pro	Gly	Asp	Gln	Arg 810	Gly	Lys	Ser	Ile	Val 815	Ser
Leu	Glu	Leu	Thr 820	Thr	Сув	Val	Ser	Asp 825	Val	Thr	Ala	Val	Ile 830	Leu	Phe
Phe	Phe	Thr 835	Phe	Phe	Ile	Thr	Thr 840	Met	Val	Met	Leu	Ala 845	Ala	Leu	Ala
His	His 850	Leu	Phe	Tyr	Trp	Asp 855	Val	Trp	Phe	Ile	Tyr 860	Asn	Val	Сув	Leu
Ala 865	Lys	Val	Lys	Gly	Tyr 870	Arg	Ser	Leu	Ser	Thr 875	Ser	Gln	Thr	Phe	<b>Tyr</b> 880
Asp	Ala	Tyr	Ile	Ser 885	Tyr	Asp	Thr	Lys	Asp 890	Ala	Ser	Val	Thr	Asp 895	Trp
Val	Ile	Asn	Glu 900	Leu	Arg	Tyr	His	Leu 905	Glu	Glu	Ser	Arg	Asp 910	Lys	Asn
Val	Leu	Leu 915	Сув	Leu	Glu	Glu	Arg 920	Asp	Trp	Asp	Pro	Gly 925	Leu	Ala	Ile
Ile	Asp 930	Asn	Leu	Met	Gln	Ser 935	Ile	Asn	Gln	Ser	Lys 940	ГÀв	Thr	Val	Phe
Val 945	Leu	Thr	Lys	Lys	Туr 950	Ala	ГÀв	Ser	Trp	Asn 955	Phe	ГÀЗ	Thr	Ala	Phe 960
Tyr	Leu	Ala	Leu	Gln 965	Arg	Leu	Met	Asp	Glu 970	Asn	Met	Asp	Val	Ile 975	Ile
Phe	Ile	Leu	Leu 980	Glu	Pro	Val	Leu	Gln 985	His	Ser	Gln	Tyr	Leu 990	Arg	Leu
Arg	Gln	Arg 995	Ile	Сув	Lys	Ser	Ser 100		e Lei	ı Glı	n Trj	) Pro		ap As	sn Pro
Lys	Ala 101		ı Gly	y Let	ı Phe	Tr 10:		ln Tì	ar Le	eu A	_	sn ' 020	Val '	Val 1	Leu

Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val Asp Ser Ile

1035

1025 1030 Lys Gln Tyr

цув Gin тул 1040

<210> 51

<211> 1059

<212> PRT

<213> Homo sapiens

<400> 51

Met Lys Glu Ser Ser Leu Gln Asn Ser Ser Cys Ser Leu Gly Lys Glu 1 5 10 15

Thr Lys Lys Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile 20 25 30

Phe Leu Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe 35 40 45

Ser Arg Ser Tyr Pro Cys Asp Glu Lys Lys Gln Asn Asp Ser Val Ile 50 55 60

Ala Glu Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly 65 70 75 80

Lys Tyr Val Thr Glu Leu Asp Leu Ser Asp Asn Phe Ile Thr His Ile 85 90 95

Thr Asn Glu Ser Phe Gln Gly Leu Gln Asn Leu Thr Lys Ile Asn Leu 100 105 110

Asn His Asn Pro Asn Val Gln His Gln Asn Gly Asn Pro Gly Ile Gln 115 120 125

Ser Asn Gly Leu Asn Ile Thr Asp Gly Ala Phe Leu Asn Leu Lys Asn 130 135 140

Leu Arg Glu Leu Leu Leu Glu Asp Asn Gln Leu Pro Gln Ile Pro Ser 145 150 155 160

Gly Leu Pro Glu Ser Leu Thr Glu Leu Ser Leu Ile Gln Asn Asn Ile 165 170 175

Tyr Asn Ile Thr Lys Glu Gly Ile Ser Arg Leu Ile Asn Leu Lys Asn 180 185 190

Leu Tyr Leu Ala Trp Asn Cys Tyr Phe Asn Lys Val Cys Glu Lys Thr 195 200 205

Asn Ile Glu Asp Gly Val Phe Glu Thr Leu Thr Asn Leu Glu Leu Leu 210 215 220

Ser Leu Ser Phe Asn Ser Leu Ser His Val Ser Pro Lys Leu Pro Ser 225 230 235 240

Ser Leu Arg Lys Leu Phe Leu Ser Asn Thr Gln Ile Lys Tyr Ile Ser 245 250 255

Glu Glu Asp Phe Lys Gly Leu Ile Asn Leu Thr Leu Leu Asp Leu Ser 260 265 270

## WO 2004/094671 - 118 - PCT/US2004/012788

Gly	Asn	Cys 275	Pro	Arg	Cys	Phe	Asn 280	Ala	Pro	Phe	Pro	Cys 285	Val	Pro	Cys <sup>*</sup>
Asp	Gly 290	Gly	Ala	Ser	Ile	Asn 295	Ile	Asp	Arg	Phe	Ala 300	Phe	Gln	Asn	Leu
Thr 305	Gln	Leu	Arg	Tyr	Leu 310	Asn	Leu	Ser	Ser	Thr 315	Ser	Leu	Arg	Lys	Ile 320
Asn	Ala	Ala	Trp	Phe 325	Lys	Asn	Met	Pro	His 330	Leu	Lys	Val	Leu	Asp 335	Leu
Glu	Phe	Asn	Tyr 340	Leu	Val	Gly	Glu	Ile 345	Ala	Ser	Gly	Ala	Phe 350	Leu	Thr
Met	Leu	Pro 355	Arg	Leu	Glu	Ile	Leu 360	Asp	Leu	Ser	Phe	Asn 365	Tyr	Ile	Ьys
Gly	Ser 370	Tyr	Pro	Gln	His	Ile 375	Asn	Ile	Ser	Arg	Asn 380	Phe	Ser	Lys	Pro
Leu 385	Ser	Leu	Arg	Ala	Leu 390	His	Leu	Arg	Gly	Tyr 395	Val	Phe	Gln	Glu	Leu 400
Arg	Glu	Asp	Asp	Phe 405	Gln	Pro	Leu	Met	Gln 410	Leu	Pro	Asn	Leu	Ser 415	Thr
Ile	Asn	Leu	Gly 420	Ile	Asn	Phe	Ile	Lys 425	Gln	Ile	Asp	Phe	Lys 430	Leu	Phe
Gln	Asn	Phe 435	Ser	Asn	Leu	Glu	Ile 440	Ile	Tyr	Leu	Ser	Glu 445	Asn	Arg	Ile
Ser	Pro 450	Leu	Val	Lys	Asp	Thr 455	Arg	Gln	Ser	Tyr	Ala 460	Asn	Ser	Ser	Ser
Phe 465	Gln	Arg	His	Ile	Arg 470	ГÀз	Arg	Arg	Ser	Thr 475	Asp	Phe	Glu	Phe	Asp 480
Pro	His	Ser	Asn	Phe 485	Tyr	His	Phe	Thr	Arg 490	Pro	Leu	Ile	ГÀа	Pro 495	Gln
Cya	Ala	Ala	Tyr 500	Gly	Lys	Ala	Leu	Asp 505	Leu	Ser	Leu	Asn	Ser 510	Ile	Phe
Phe	Ile	Gly 515	Pro	Asn	Gln	Phe	Glu 520	Asn	Leu	Pro	Asp	Ile 525	Ala	Cys	Leu
Asn	Leu 530	Ser	Ala	Asn	Ser	Asn 535	Ala	Gln	Val	Leu	Ser 540	Gly	Thr	Glu	Phe
Ser 545	Ala	Ile	Pro	His	Val 550	Lys	Tyr	Leu	Asp	Leu 555	Thr	Asn	Asn	Arg	Leu 560
Asp	Phe	Asp	Asn	Ala 565	Ser	Ala	Leu	Thr	Glu 570	Leu	Ser	Asp	Leu	Glu 575	۷al
Leu	Asp	Leu	Ser 580	Tyr	Asn	Ser	His	Tyr 585	Phe	Arg	Ile	Ala	Gly 590	Val	Thr
His	His	Leu	Glu	Phe	Ile	Gln	Asn	Phe	Thr	Asn	Leu	Lys	Val	Leu	Asn

# WO 2004/094671 - 119 - PCT/US2004/012788

Leu	Ser 610	His	Asn	Asn	Ile	Tyr 615	Thr	Leu	Thr	Asp	Lys 620	605 Tyr	Asn	Leu	Glu
		Ser	Leu	Val			Val	Phe	Ser			Arg	Leu	Asp	Ile
625 Leu	<b>Ду</b> -	7.0-	N ~~	7.~~	630	7	7	m	**	635	~-7	<b>7</b> 07	<b>.</b>	<b>0</b> 3	640
Бец	rrp	АБП	Asp	645	Asp	ASII	Arg	туr	650	ser	He	Pne	гу	655	Leu
Lys	Asn	Leu	Thr 660	Arg	Leu	Asp	Leu	Ser 665	Leu	Asn	Arg	Leu	Lys 670	His	Ile
Pro	Asn	Glu 675	Ala	Phe	Leu	Asn	Leu 680	Pro	Ala	Ser	Leu	Thr 685	Glu	Leu	His
Ile	Asn 690	Asp	Asn	Met	Leu	Lys 695	Phe	Phe	Asn	Trp	Thr 700	Leu	Leu	Gln	Gln
Phe 705	Pro	Arg	Leu	Glu	Leu 710	Leu	qaA	Leu	Arg	Gly 715	Asn	Lys	Leu	Leu	Phe 720
Leu	Thr	Asp	Ser	Leu 725	Ser	Asp	Phe	Thr	Ser 730	Ser	Leu	Arg	Thr	Leu 735	Leu
Leu	Ser	His	Asn 740	Arg	Ile	Ser	His	Leu 745	Pro	Ser	Gly	Phe	Leu 750	Ser	Glu
Val	Ser	Ser 755	Leu	Lys	His	Leu	Asp 760	Leu	Ser	Ser	Asn	Leu 765	Leu	Lys	Thr
Ile	Asn 770	Lys	Ser	Ala	Leu	Glu 775	Thr	Lys	Thr	Thr	Thr 780	Lys	Leu	Ser	Met
Leu 785	Glu	Leu	His	Gly	Asn 790	Pro	Phe	Glu	Сув	Thr 795	Сув	Asp	Ile	.Gly	Asp 800
Phe	Arg	Arg	Trp	Met 805	Asp	Glu	His	Leu	Asn 810	Val	Lys	Ile	Pro	Arg 815	Leu
Val	ĄaĄ	Val	Ile 820	Cys	Ala	Ser	Pro	Gly 825	Asp	Gln	Arg	Gly	Lys 830	Ser	Ile
Val	Ser	Leu 835	Glu	Leu	Thr	Thr	Cys 840	Val	Ser	Asp	Val	Thr 845	Ala	Val	Ile
Leu	Phe 850	Phe	Phe	Thr	Phe	Phe 855	Ile	Thr	Thr	Met	Val 860	Met	Leu	Ala	Ala
Leu 865	Ala	His	His	Leu	Phe 870	Tyr	Trp	Asp	Val	Trp 875	Phe	Ile	Tyr	Asn	Val 880
Сув	Leu	Ala	Lys	Ile 885	Lys	Gly	Tyr	Arg	Ser 890	Leu	Ser	Thr	Ser	Gln 895	Thr
Phe	Tyr	Asp	Ala 900	Tyr	Ile	Ser	Tyr	Asp 905	Thr	Lys	Asp	Ala	Ser 910	Val	Thr
Asp	Trp	Val 915	Ile	Asn	Glu	Leu	Arg 920	Tyr	His	Leu	Glu	Glu 925	Ser	Arg	Asp
Lys	Asn	Val	Leu	Leu	Сув	Leu	Glu	Glu	Arg	Asp	Trp	Asp	Pro	Gly	Leu

--

930 935 940

Ala Ile Ile Asp Asn Leu Met Gln Ser Ile Asn Gln Ser Lys Lys Thr 945 950 955 960

Val Phe Val Leu Thr Lys Lys Tyr Ala Lys Ser Trp Asn Phe Lys Thr 965 970 975

Ala Phe Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val 980 985 990

Ile Ile Phe Ile Leu Leu Glu Pro Val Leu Gln His Ser Gln Tyr Leu 995 1000 1005

Arg Leu Arg Gln Arg Ile Cys Lys Ser Ser Ile Leu Gln Trp Pro 1010 1015 1020

Asp Asn Pro Lys Ala Glu Gly Leu Phe Trp Gln Thr Leu Arg Asn 1025 1030 1035

Val Val Leu Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val 1040 1045 1050

Asp Ser Ile Lys Gln Tyr 1055

<210> 52

<211> 1041

<212> PRT

<213> Homo sapiens

<400> 52

Met Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile Phe Leu 1 5 10 15

Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe Ser Arg 20 25 30

Ser Tyr Pro Cys Asp Glu Lys Lys Gl $\dot{n}$  Asn Asp Ser Val Ile Ala Glu 35 40 45

Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly Lys Tyr 50 55 60

Val Thr Glu Leu Asp Leu Ser Asp Asn Phe Ile Thr His Ile Thr Asn 65 70 75 80

Glu Ser Phe Gln Gly Leu Gln Asn Leu Thr Lys Ile Asn Leu Asn His 85 90 95

Asn Pro Asn Val Gln His Gln Asn Gly Asn Pro Gly Ile Gln Ser Asn 100 105 110

Gly Leu Asn Ile Thr Asp Gly Ala Phe Leu Asn Leu Lys Asn Leu Arg 115 120 125

Glu Leu Leu Glu Asp Asn Gln Leu Pro Gln Ile Pro Ser Gly Leu 130 135 140

Pro Glu Ser Leu Thr Glu Leu Ser Leu Ile Gln Asn Asn Ile Tyr Asn 145 150 155 160

#### WO 2004/094671 - 121 - PCT/US2004/012788

- Ile Thr Lys Glu Gly Ile Ser Arg Leu Ile Asn Leu Lys Asn Leu Tyr 165 170 175
- Leu Ala Trp Asn Cys Tyr Phe Asn Lys Val Cys Glu Lys Thr Asn Ile 180 185 190
- Glu Asp Gly Val Phe Glu Thr Leu Thr Asn Leu Glu Leu Leu Ser Leu 195 200 205
- Ser Phe Asn Ser Leu Ser His Val Pro Pro Lys Leu Pro Ser Ser Leu 210 215 220
- Arg Lys Leu Phe Leu Ser Asn Thr Gln Ile Lys Tyr Ile Ser Glu Glu 225 230 235 240
- Asp Phe Lys Gly Leu Ile Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn 245 250 255
- Cys Pro Arg Cys Phe Asn Ala Pro Phe Pro Cys Val Pro Cys Asp Gly 260 265 270
- Gly Ala Ser Ile Asn Ile Asp Arg Phe Ala Phe Gln Asn Leu Thr Gln 275 280 285
- Leu Arg Tyr Leu Asn Leu Ser Ser Thr Ser Leu Arg Lys Ile Asn Ala 290 295 300
- Ala Trp Phe Lys Asn Met Pro His Leu Lys Val Leu Asp Leu Glu Phe 305 310 315 320
- Asn Tyr Leu Val Gly Glu Ile Ala Ser Gly Ala Phe Leu Thr Met Leu 325 330 335
- Pro Arg Leu Glu Ile Leu Asp Leu Ser Phe Asn Tyr Ile Lys Gly Ser 340 345 350
- Tyr Pro Gln His Ile Asn Ile Ser Arg Asn Phe Ser Lys Leu Leu Ser 355 360 365
- Leu Arg Ala Leu His Leu Arg Gly Tyr Val Phe Gln Glu Leu Arg Glu 370 375 380
- Asp Asp Phe Gln Pro Leu Met Gln Leu Pro Asn Leu Ser Thr Ile Asn 385 390 395 400
- Leu Gly Ile Asn Phe Ile Lys Gln Ile Asp Phe Lys Leu Phe Gln Asn 405 410 415
- Phe Ser Asn Leu Glu Ile Ile Tyr Leu Ser Glu Asn Arg Ile Ser Pro 420 425 430
- Leu Val Lys Asp Thr Arg Gln Ser Tyr Ala Asn Ser Ser Ser Phe Gln
  435 440 445
- Arg His Ile Arg Lys Arg Arg Ser Thr Asp Phe Glu Phe Asp Pro His 450 450
- Ser Asn Phe Tyr His Phe Thr Arg Pro Leu Ile Lys Pro Gln Cys Ala 465 470 475 480
- Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Ser Ile Phe Phe Ile

## WO 2004/094671 - 122 - PCT/US2004/012788

Gly	Pro	Asn	Gln 500	485 Phe	Glu	Asn	Leu	Pro 505	490 Asp	Ile	Ala	Cys	Leu 510	495 Asn	Leu
Ser	Ala	Asn 515	Ser	Asn	Ala	Gln	Val 520	Leu	Ser	Gly	Thr	Glu 525	Phe	Ser	Ala
Ile	Pro 530	His	Val	Lys	Tyr	Leu 535	Asp	Leu	Thr	Asn	Asn 540	Arg	Leu	Asp	Phe
Asp 545	Asn	Ala	Ser	Ala	Leu 550	Thr	Glu	Leu	Ser	Asp 555	Leu	Glu	Val	Leu	Asp 560
Leu	Ser	Tyr	Asn	Ser 565	His	Tyr	Phe	Arg	Ile 570	Ala	Gly	Val	Thr	His 5 <b>75</b>	His
Leu	Glu	Phe	Ile 580	Gln	Asn	Phe	Thr	Asn 585	Leu	Lys	Val	Leu	Asn 590	Leu	Ser
His	Asn	Asn 595	Ile	Tyr	Thr	Leu	Thr 600	Asp	Lys	Tyr	Asn	Leu 605	Glu	Ser	Lys
Ser	Leu 610	Val	Glu	Leu	Val	Phe 615	Ser	Gly	Asn	Arg	Leu 620	Asp	Ile	Leu	Trp
Asn 625	Asp	Asp	Asp	Asn	Arg 630	Tyr	Ile	Ser	Ile	Phe 635	Lys	Gly	Leu	Lys	Asn 640
Leu	Thr	Arg	Leu	Asp 645	Leu	Ser	Leu	Asn	Arg 650	Leu	Lys	His	Ile	Pro 655	Asn
Glu	Ala	Phe	Leu 660	Asn	Leu	Pro	Ala	Ser 665	Leu	Thr	Glu	Leu	His 670	Ile	Asn
_		675		_	Phe		680					685			
	690					695					700				Thr
705					710					715					Ser 720
				725					730					735	Ser
			740					745					750		Asn
_		755					760					765			Glu
	770	_				775					780				Arg
785	_				790					795					Asp 800
		_		805					810					815	
Leu	Glu	Leu	Thr	Thr	Сув	Val	Ser	Asp	Val	Thr	Ala	Val	Ile	Leu	Phe

820 825 830

Phe Phe Thr Phe Phe Ile Thr Thr Met Val Met Leu Ala Ala Leu Ala 835 840 845

His His Leu Phe Tyr Trp Asp Val Trp Phe Ile Tyr Asn Val Cys Leu 850 855 860

Ala Lys Val Lys Gly Tyr Arg Ser Leu Ser Thr Ser Gln Thr Phe Tyr 865 870 875 880

Asp Ala Tyr Ile Ser Tyr Asp Thr Lys Asp Ala Ser Val Thr Asp Trp 885 890 895

Val Ile Asn Glu Leu Arg Tyr His Leu Glu Glu Ser Arg Asp Lys Asn 900 905 910

Val Leu Cys Leu Glu Glu Arg Asp Trp Asp Pro Gly Leu Ala Ile '
915 920 925

Ile Asp Asn Leu Met Gln Ser Ile Asn Gln Ser Lys Lys Thr Val Phe 930 935 940

Val Leu Thr Lys Lys Tyr Ala Lys Ser Trp Asn Phe Lys Thr Ala Phe 945 950 955 960

Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val Ile Ile 965 970 975

Phe Ile Leu Leu Glu Pro Val Leu Gln His Ser Gln Tyr Leu Arg Leu 980 985 990

Arg Gln Arg Ile Cys Lys Ser Ser Ile Leu Gln Trp Pro Asp Asn Pro 995 1000 1005

Lys Ala Glu Gly Leu Phe Trp Gln Thr Leu Arg Asn Val Val Leu 1010 1015 1020

Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val Asp Ser Ile 1025 1030 1035

Lys Gln Tyr 1040

<210> 53

<211> 1041

<212> PRT

<213> Homo sapiens

<400> 53

Met Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile Phe Leu 1 5 10 15

Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe Ser Arg 20 25 30

Ser Tyr Pro Cys Asp Glu Lys Lys Gln Asn Asp Ser Val Ile Ala Glu 35 40

Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly Lys Tyr 50 55 60

# WO 2004/094671 - 124 - PCT/US2004/012788

Val 65	Thr	Glu	Leu	Asp	Leu 70	Ser	Asp	Asn	Phe	Ile 75	Thr	His	Ile	Thr	Asn 80
Glu	Ser	Phe	Gln	Gly 85	Leu	Gln	Asn	Leu	Thr 90	ГÀЗ	Ile	Asn	Leu	Asn 95	His
Asn	Pro	Asn	Val 100	Gln	His	Gln	Asn	Gly 105	Asn	Pro	Gly	Ile	Gln 110	Ser	Asn
Gly	Leu	Asn 115	Ile	Thr	Asp	Gly	Ala 120	Phe	Leu	Asn	Leu	Lys 125	Asn	Leu	Arg
Glu	Leu 130	Leu	Leu	Glu	Asp	Asn 135	Gln	Leu	Pro	Gln	Ile 140	Pro	Ser	Gly	Leu
Pro 145	Glu	Ser	Leu	Thr	Glu 150	Leu	Ser	Leu	Ile	Gln 155	Asn	Asn	Ile	Tyr	Asn 160
Ile	Thr	ГÀв	Glu	Gly 165	Ile	Ser	Arg	Leu	Ile 170	Asn	Leu	ГÀЗ	Asn	Leu 175	Tyr
Leu	Ala	Trp	Asn 180	Cys	Tyr	Phe	Asn	Lys 185	Val	Сув	Glu	Lys	Thr 190	Asn	Ile
Glu	Asp	Gly 195	Val	Phe	Glu	Thr	Leu 200	Thr	Asn	Leu	Glu	Leu 205	Leu	Ser	Leu
Ser	Phe 210	Asn	Ser	Leu	Ser	His 215	Val	Pro	Pro	Lys	Leu 220	Pro	Ser	Ser	Leu
Arg 225	Lys	Leu	Phe	Leu	Ser 230	Asn	Thr	Gln	Ile	Lys 235	Tyr	Ile	Ser	Glu	Glu 240
Asp	Phe	ГÀЗ	Gly	Leu 245	Ile	Asn	Leu	Thr	Leu 250	Leu	Asp	Leu	Ser	Gly 255	Asn
Cys	Pro	Arg	Cys 260	Phe	Asn	Ala	Pro	Phe 265	Pro	Сув	Val	Pro	Cys 270	Asp	Gly
Gly	Ala	Ser 275	Ile	Asn	Ile	Asp	Arg 280	Phe	Ala	Phe	Gln	Asn 285	Leu	Thr	Gln
Leu	Arg 290	Tyr	Leu	Asn	Leu	Ser 295	Ser	Thr	Ser	Leu	Arg 300	Lys	Ile	Asn	Ala
Ala 3.05	Trp	Phe	Lys	Asn	Met 310	Pro	His	Leu	ГÀв	Val 315	Leu	Asp	Leu	Glu	Phe 320
Asn	Tyr	Leu	Val	Gly 325	Glu	Ile	Ala	Ser	Gly 330	Ala	Phe	Leu	Thr	Met 335	Leu
Pro	Arg	Leu	Glu 340	Ile	Leu	Asp	Leu	Ser 345	Phe	Asn	Tyr	Ile	Lys 350	Gly	Ser
Tyr	Pro	Gln 355	His	Ile	Asn	Ile	Ser 360	Arg	Asn	Phe	Ser	Lys 365	Leu	Leu	Ser
Leu	Arg 370	Ala	Leu	His	Leu	Arg 375	Gly	Tyr	Val	Phe	Gln 380	Glu	Leu	Arg	Glu
qaA	qaA	Phe	Gln	Pro	Leu	Met	Gln	Leu	Pro	Asn	Leu	Ser	Thr	Ile	Asn

385 390 . 395 400
Leu Gly Ile Asn Phe Ile Lys Gln Ile Asp Phe Lys Leu Phe Gln Asn
405 410 415

Phe Ser Asn Leu Glu Ile Ile Tyr Leu Ser Glu Asn Arg Ile Ser Pro 420 425 430

Leu Val Lys Asp Thr Arg Gln Ser Tyr Ala Asn Ser Ser Ser Phe Gln 435 440 445

Arg His Ile Arg Lys Arg Arg Ser Thr Asp Phe Glu Phe Asp Pro His
450 455

Ser Asn Phe Tyr His Phe Thr Arg Pro Leu Ile Lys Pro Gln Cys Ala 465 470 475 480

Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Ser Ile Phe Phe Ile 485 490 495

Gly Pro Asn Gln Phe Glu Asn Leu Pro Asp Ile Ala Cys Leu Asn Leu 500 505 510

Ser Ala Asn Ser Asn Ala Gln Val Leu Ser Gly Thr Glu Phe Ser Ala 515 520 525

Ile Pro His Val Lys Tyr Leu Asp Leu Thr Asn Asn Arg Leu Asp Phe 530 540

Asp Asn Ala Ser Ala Leu Thr Glu Leu Ser Asp Leu Glu Val Leu Asp 545 550 555 560

Leu Ser Tyr Asn Ser His Tyr Phe Arg Ile Ala Gly Val Thr His His 565 570 575

Leu Glu Phe Ile Gln Asn Phe Thr Asn Leu Lys Val Leu Asn Leu Ser 580 585 590

His Asn Asn Ile Tyr Thr Leu Thr Asp Lys Tyr Asn Leu Glu Ser Lys 595 600 605

Ser Leu Val Glu Leu Val Phe Ser Gly Asn Arg Leu Asp Ile Leu Trp 610 615 620

Asn Asp Asp Asp Asn Arg Tyr Ile Ser Ile Phe Lys Gly Leu Lys Asn 625 630 635 640

Leu Thr Arg Leu Asp Leu Ser Leu Asn Arg Leu Lys His Ile Pro Asn 645 650 655

Glu Ala Phe Leu Asn Leu Pro Ala Ser Leu Thr Glu Leu His Ile Asn 660 665 670

Asp Asn Met Leu Lys Phe Phe Asn Trp Thr Leu Leu Gln Gln Phe Pro 675 680 685

Arg Leu Glu Leu Leu Asp Leu Arg Gly Asn Lys Leu Leu Phe Leu Thr 690 695 700

Asp Ser Leu Ser Asp Phe Thr Ser Ser Leu Arg Thr Leu Leu Leu Ser 705 710 715 720

His Asn Arq Ile Ser His Leu Pro Ser Gly Phe Leu Ser Glu Val Ser

Ser	Leu	Lys	His 740	725 Leu	Asp	Leu	Ser	Ser 745	730 Asn	Leu	Leu	Lys	Thr 750	735 Ile	Asn
Lys	Ser	Ala 755	Leu	Glu	Thr	Lys	Thr 760	Thr	Thr	Lys	Leu	Ser 765	Met	Leu	Glu
Leu	His 770	Gly	Asn	Pro	Phe	Glu 775	Сув	Thr	Суз	Asp	Ile 780	Gly	Asp	Phe	Arg
Arg 785	Trp	Met	Asp	Glu	His 790	Leu	Asn	Val	Ъуs	Ile 795	Pro	Arg	Leu	Val	Asp 800
Val	Ile	Сув	Ala	Ser 805	Pro	Gly	Asp	Gln	Arg 810	Gly	Lys	Ser	Ile	Val 815	Ser
Leu	Glu	Leu	Thr 820	Thr	Сув	Val	Ser	Asp 825	Val	Thr	Ala	Val	Ile 830	Leu	Phe
Phe	Phe	Thr 835	Phe	Phe	Ile	Thr	Thr 840	Met	Val	Met	Leu	Ala 845	Ala	Leu	Ala
His	His 850	Leu	Phe	Tyr	Trp	Asp 855	Val	Trp	Phe	Ile	Tyr 860	Asn	Val	Сув	Leu
Ala 865	Lys	Val	Lys	Gly	Tyr 870	Arg	Ser	Leu	Ser	Thr 875	Ser	Gln	Thr	Phe	Tyr 880
Asp	Ala	Tyr	Ile	Ser 885	Tyr	Asp	Thr	Lys	Asp 890	Ala	Ser	Val	Thr	Asp 895	Trp
Val	Ile	Asn	Glu 900	Leu	Arg	Tyr	His	Leu 905	Glu	Glu	Ser	Arg	Asp 910	Lys	Asn
Val	Leu	Leu 915	Cys	Leu	Glu	Glu	Arg 920	Asp	Trp	Asp	Pro	Gly 925	Leu	Ala	Ile
Ile	Asp 930	Asn	Leu	Met	Gln	Ser 935	Ile	Asn	Gln	Ser	Lув 940	ГÀв	Thr	Val	Phe
Val 945	Leu	Thr	Lys	Lys	Tyr 950	Ala	ГÀЗ	Ser	Trp	Asn 955	Phe	Lys	Thr	Ala	Phe 960
Tyr	Leu	Ala	Leu	Gln 965	Arg	Leu	Met	Asp	Glu 970	Asn	Met	qaA	Val	Ile 975	Ile
Phe	Ile	Leu	Leu 980	Glu	Pro	Val	Leu	Gln 985	His	Ser	Gln	Tyr	Leu 990	Arg	Leu
Arg	Gln	Arg 995	Ile	Сув	Lys	Ser	Ser 1000		e Lei	u Gli	n Trj	p Pro		sp A	sn Pro
Lys	Ala 1010		ı Gly	y Let	u Ph	e Trj 10:	p G: 15	ln T	hr Le	eu Ai	_	sn ' 020	Val 1	Val 1	Leu
Thr	Glu 102!		n Ası	, Se	r Ar	Ty:	r A:	sn As	sn M	et Ty	-	al <i>i</i> 035	Asp :	Ser :	Ile

Lys Gln Tyr 1040

#### WO 2004/094671 - 127 - PCT/US2004/012788

<210> 54

<211> 1059

<212> PRT

<213> Homo sapiens

<400> 54

Met Lys Glu Ser Ser Leu Gln Asn Ser Ser Cys Ser Leu Gly Lys Glu
1 5 10 15

Thr Lys Lys Glu Asn Met Phe Leu Gln Ser Ser Met Leu Thr Cys Ile 20 25 30

Phe Leu Leu Ile Ser Gly Ser Cys Glu Leu Cys Ala Glu Glu Asn Phe 35 40 45

Ser Arg Ser Tyr Pro Cys Asp Glu Lys Lys Gln Asn Asp Ser Val Ile 50 55 60

Ala Glu Cys Ser Asn Arg Arg Leu Gln Glu Val Pro Gln Thr Val Gly 65 70 75 80

Lys Tyr Val Thr Glu Leu Asp Leu Ser Asp Asn Phe Ile Thr His Ile 85 90 95

Thr Asn Glu Ser Phe Gln Gly Leu Gln Asn Leu Thr Lys Ile Asn Leu 100 105 110

Asn His Asn Pro Asn Val Gln His Gln Asn Gly Asn Pro Gly Ile Gln
115 120 125

Ser Asn Gly Leu Asn Ile Thr Asp Gly Ala Phe Leu Asn Leu Lys Asn 130 135 140

Leu Arg Glu Leu Leu Glu Asp Asn Gln Leu Pro Gln Ile Pro Ser 145 150 155 160

Gly Leu Pro Glu Ser Leu Thr Glu Leu Ser Leu Ile Gln Asn Asn Ile 165 170 175

Tyr Asn Ile Thr Lys Glu Gly Ile Ser Arg Leu Ile Asn Leu Lys Asn 180 185 190

Leu Tyr Leu Ala Trp Asn Cys Tyr Phe Asn Lys Val Cys Glu Lys Thr 195 200 205

Asn Ile Glu Asp Gly Val Phe Glu Thr Leu Thr Asn Leu Glu Leu Leu 210 215 220

Ser Leu Ser Phe Asn Ser Leu Ser His Val Pro Pro Lys Leu Pro Ser 225 230 235 240

Ser Leu Arg Lys Leu Phe Leu Ser Asn Thr Gln Ile Lys Tyr Ile Ser 245 250 255

Glu Glu Asp Phe Lys Gly Leu Ile Asn Leu Thr Leu Leu Asp Leu Ser

Gly Asn Cys Pro Arg Cys Phe Asn Ala Pro Phe Pro Cys Val Pro Cys 275 280 285

## WO 2004/094671 - 128 - PCT/US2004/012788

Asp	Gly 290	Gly	Ala	Ser	Ile	Asn 295	Ile	Asp	Arg	Phe	Ala 300	Phe	Gln	Asn	Leu
Thr 305	Gln	Leu	Arg	Tyr	Leu 310	Asn	Leu	Ser	Ser	Thr 315	Ser	Leu	Arg	Lys	Ile 320
Asn	Ala	Ala	Trp	Phe 325	Lys	Asn	Met	Pro	His 330	Leu	Lys	Val	Leu	Asp 335	Leu
Glu	Phe	Asn	Tyr 340	Leu	Val	Gly	Glu	Ile 345	Ala	Ser	Gly		Phe 350	Leu	Thr
Met	Leu	Pro 355	Arg	Leu	Glu	Ile	Leu 360	Asp	Leu	Ser	Phe	Asn 365	Tyr	Ile	Lys
Gly	Ser 370	Tyr	Pro	Gln	His	Ile 375	Asn	Ile	Ser	Arg	Asn 380	Phe	Ser	ГÀв	Leu
Leu 385	Ser	Leu	Arg	Ala	Leu 390	His	Leu <sup>.</sup>	Arg	Gly	Tyr 395	Val	Phe	Gln	Glu	Leu 400
Arg	Glu	Asp	Asp	Phe 405	Gln	Pro	Leu	Met	Gln 410	Leu	Pro	Asn	Leu	Ser 415	Thr
Ile	Asn	Leu	Gly 420	Ile	Asn	Phe	Ile	Lys 425	Gln	Ile	Asp	Phe	Lys 430	Leu	Phe
Gln	Asn	Phe 435	Ser	Asn	Leu	Glu	Ile 440	Ile	Tyr	Leu	Ser	Glu 445	Asn	Arg	Ile
Ser	Pro 450	Leu	Val	Lys	Asp	Thr 455	Arg	Gln	Ser	Tyr	Ala 460	Asn	Ser	Ser	Ser
Phe 465	Gln	Arg	His	Ile	Arg 470	Lys	Arg	Arg	Ser	Thr 475	Asp	Phe	Glu	Phe	Asp 480
Pro	His	Ser	Asn	Phe 485	Tyr	His	Phe	Thr	Arg 490	Pro	Leu	Ile	Lys	Pro 495	Gln
Cys	Ala	Ala	Tyr 500	Gly	Lys	Ala	Leu	Asp 505	Leu	Ser	Leu	Asn	Ser 510	Ile	Phe
Phe	Ile	Gly 515	Pro	Asn	Gln	Phe	Glu 520	Asn	Leu	Pro	qaA	Ile 525	Ala	Cys	Leu
Asn	Leu 530	Ser	Ala	Asn	Ser	Asn 535	Ala	Gln	Val	Leu	Ser 540	Gly	Thr	Glu	Phe
Ser 545		Ile	Pro	His	Val 550	ГÀЗ	Tyr	Leu	Asp	Leu 555	Thr	Asn	Asn	Arg	Leu 560
Asp	Phe	Asp	Asn	Ala 565	Ser	Ala	Leu	Thr	Glu 570	Leu	Ser	Asp	Leu	Glu 575	Val
Leu	Asp	Leu	Ser 580	Tyr	Asn	Ser	His	Tyr 585	Phe	Arg	Ile	Ala	Gly 590	Val	Thr
His	His	Leu 595	Glu	Phe	Ile	Gln	Asn 600	Phe	Thr	Asn	Leu	Lys 605	Val	Leu	Asn
Leu	Ser	His	Asn	Asn	Ile	Tyr	Thr	Leu	Thr	Asp	Lys	Tyr	Asn	Leu	Glu

615 620 Ser Lys Ser Leu Val Glu Leu Val Phe Ser Gly Asn Arg Leu Asp Ile 630 Leu Trp Asn Asp Asp Asp Asn Arg Tyr Ile Ser Ile Phe Lys Gly Leu 650 Lys Asn Leu Thr Arg Leu Asp Leu Ser Leu Asn Arg Leu Lys His Ile Pro Asn Glu Ala Phe Leu Asn Leu Pro Ala Ser Leu Thr Glu Leu His Ile Asn Asp Asn Met Leu Lys Phe Phe Asn Trp Thr Leu Leu Gln Gln 695 Phe Pro Arg Leu Glu Leu Leu Asp Leu Arg Gly Asn Lys Leu Leu Phe Leu Thr Asp Ser Leu Ser Asp Phe Thr Ser Ser Leu Arg Thr Leu Leu Leu Ser His Asn Arg Ile Ser His Leu Pro Ser Gly Phe Leu Ser Glu 745 740 Val Ser Ser Leu Lys His Leu Asp Leu Ser Ser Asn Leu Leu Lys Thr 760 Ile Asn Lys Ser Ala Leu Glu Thr Lys Thr Thr Thr Lys Leu Ser Met 775 Leu Glu Leu His Gly Asn Pro Phe Glu Cys Thr Cys Asp Ile Gly Asp Phe Arg Arg Trp Met Asp Glu His Leu Asn Val Lys Ile Pro Arg Leu Val Asp Val Ile Cys Ala Ser Pro Gly Asp Gln Arg Gly Lys Ser Ile Val Ser Leu Glu Leu Thr Thr Cys Val Ser Asp Val Thr Ala Val Ile 840 Leu Phe Phe Thr Phe Phe Ile Thr Thr Met Val Met Leu Ala Ala Leu Ala His His Leu Phe Tyr Trp Asp Val Trp Phe Ile Tyr Asn Val Cys Leu Ala Lys Val Lys Gly Tyr Arg Ser Leu Ser Thr Ser Gln Thr Phe Tyr Asp Ala Tyr Ile Ser Tyr Asp Thr Lys Asp Ala Ser Val Thr Asp Trp Val Ile Asn Glu Leu Arg Tyr His Leu Glu Glu Ser Arg Asp 920 Lys Asn Val Leu Leu Cys Leu Glu Glu Arg Asp Trp Asp Pro Gly Leu 935 Ala Ile Ile Asp Asn Leu Met Gln Ser Ile Asn Gln Ser Lys Lys Thr

945 950 955 960 Val Phe Val Leu Thr Lys Lys Tyr Ala Lys Ser Trp Asn Phe Lys Thr 965 970 975

Ala Phe Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val 980 985 990

Ile Ile Phe Ile Leu Leu Glu Pro Val Leu Gln His Ser Gln Tyr Leu 995 1000 1005

Arg Leu Arg Gln Arg Ile Cys Lys Ser Ser Ile Leu Gln Trp Pro 1010 1015 1020

Asp Asn Pro Lys Ala Glu Gly Leu Phe Trp Gln Thr Leu Arg Asn 1025 1030 1035

Val Val Leu Thr Glu Asn Asp Ser Arg Tyr Asn Asn Met Tyr Val 1040 1045 1050

Asp Ser Ile Lys Gln Tyr 1055

<210> 55

<211> 3220

<212> DNA

<213> murine

<400> 55

attcagagtt ggatgttaag agagaaacaa acgttttacc ttcctttqtc tatagaacat 60 ggaaaacatg ccccctcagt catggattct gacgtgcttt tgtctgctgt cctctggaac 120 cagtgccatc ttccataaag cgaactattc cagaagctat ccttgtgacg agataaggca 180 caactccctt gtgattgcag aatgcaacca tcgtcaactg catgaagttc cccaaactat 240 aggcaagtat gtgacaaaca tagacttgtc agacaatgcc attacacata taacgaaaga 300 gtcctttcaa aagctgcaaa acctcactaa aatcgatctg aaccacaatg ccaaacaaca 360 gcacccaaat gaaaataaaa atggtatgaa tattacagaa ggggcacttc tcagcctaag 420 aaatctaaca gttttactgc tggaagacaa ccagttatat actatacctg ctgggttgcc 480 tgagtctttg aaagaactta gcctaattca aaacaatata tttcaggtaa ctaaaaacaa 540 cacttttggg cttaggaact tggaaagact ctatttgggc tggaactgct attttaaatg 600 taatcaaacc tttaaggtag aagatggggc atttaaaaat cttatacact tgaaggtact 660 ctcattatct ttcaataacc ttttctatgt gccccccaaa ctaccaagtt ctctaaggaa 720 actttttctg agtaatgcca aaatcatgaa catcactcag gaagacttca aaggactgga 780 aaatttaaca ttactagatc tgagtggaaa ctgtccaagg tgttacaatg ctccatttcc 840 ttgcacacct tgcaaggaaa actcatccat ccacatacat cctctggctt ttcaaagtct 900 cacccaactt ctctatctaa acctttccag cacttccctc aggacgattc cttctacctg 960 gtttgaaaat ctgtcaaatc tgaaggaact ccatcttgaa ttcaactatt tagttcaaga 1020

aattgcctcg ggggcatttt	taacaaaact	acccagttta	caaatccttg	atttgtcctt	1080
caactttcaa tataaggaat					1140
tcgttctctc aagaagttgc					1200
tttcgagcat ctccagagtc					1260
					1320
tgagaaaatt gatttcaaag					1380
aggaaatcgc atagcatctg			•		
tcggaaacct ctctcaacag					1440
caccaaacct ttaataaagc					1500
gaacaatatt ttcattattg	ggaaaagcca	atttgaaggt	tttcaggata	tcgcctgctt	1560
aaatctgtcc ttcaatgcca	atactcaagt	gtttaatggc	acagaattct	cctccatgcc	1620
ccacattaaa tatttggatt	taaccaacaa	cagactagac	tttgatgata	acaatgcttt	1680
cagtgatctt cacgatctag	aagtgctgga	cctgagccac	aatgcacact	atttcagtat	1740
agcaggggta acgcaccgto	taggatttat	ccagaactta	ataaacctca	gggtgttaaa	1800
cctgagccac aatggcattt	acaccctcac	agaggaaagt	gagctgaaaa	gcatctcact	1860
gaaagaattg gttttcagtg	gaaatcgtct	tgaccatttg	tggaatgcaa	atgatggcaa	1920
atactggtcc atttttaaaa	gtctccagaa	tttgatacgc	ctggacttat	catacaataa	1980
ccttcaacaa atcccaaatg	gagcattcct	caatttgcct	cagageetee	aagagttact	2040
tatcagtggt aacaaattac	gtttcttaa	ttggacatta	ctccagtatt	ttcctcacct	2100
tcacttgctg gatttatcga	ı gaaatgagct	gtattttcta	cccaattgcc	tatctaagtt	2160
tgcacattcc ctggagacac	tgctactgag	ccataatcat	ttctctcacc	taccctctgg	2220
cttcctctcc gaagccagga	atctggtgca	cctggatcta	agtttcaaca	caataaagat	2280
gatcaataaa teeteeetge	: aaaccaagat	gaaaacgaac	ttgtctattc	tggagctaca	2340
tgggaactat tttgactgca	a cgtgtgacat	aagtgatttt	cgaagctggc	tagatgaaaa	2400
tctgaatatc acaattccta	a aattggtaaa	tgttatatgt	tccaatcctg	gggatcaaaa	2460
atcaaagagt atcatgagc	tagatctcac	gacttgtgta	toggatacca	ctgcagctgt	2520
cctgtttttc ctcacattc	ttaccacctc	catggttatg	ttggctgctc	tggttcacca	2580
cctgttttac tgggatgtt	t ggtttatcta	tcacatgtgc	tctgctaagt	taaaaggcta	2640
caggacttca tccacatcc	c aaactttcta	tgatgcttat	atttcttatg	acaccaaaga	2700
tgcatctgtt actgactgg	g taatcaatga	actgcgctac	caccttgaag	agagtgaaga	2760
caaaagtgtc ctcctttgt	t tagaggagag	ggattgggat	ccaggattac	ccatcattga	2820
taacctcatg cagagcata	a accagagcaa	gaaaacaatc	: tttgttttaa	ccaagaaata	2880

tgccaagagc	tggaacttta	aaacagcttt	ctacttggcc	ttgcagaggc	taatggatga	2940
gaacatggat	gtgattattt	tcatcctcct	ggaaccagtg ~	ttacagtact	cacagtacct	3000
gaggettegg	cagaggatct	gtaagagctc	catcctccag	tggcccaaca	atcccaaagc	3060
agaaaacttg	ttttggcaaa	gtctgaaaaa	tgtggtcttg	actgaaaatg	attcacggta	3120
tgacgatttg	tacattgatt	ccattaggca	atactagtga	tgggaagtca	cgactctgcc	3180
atcataaaaa	cacacagctt	ctccttacaa	tgaaccgaat			3220

<211> 3220

DNA

murine

<400> 56

attcagagtt ggatgttaag agagaaacaa acgttttacc ttcctttgtc tatagaacat 60 ggaaaacatg cccctcagt catggattct gacgtgcttt tgtctgctgt cctctggaac 120 cagtgccatc ttccataaag cgaactattc cagaagctat ccttgtgacg agataaggca 180 caactccctt gtgattgcag aatgcaacca tcgtcaactg catgaagttc cccaaactat 240 300 aggcaagtat gtgacaaaca tagacttgtc agacaatgcc attacacata taacgaaaga gtcctttcaa aagctgcaaa acctcactaa aatcgatctg aaccacaatg ccaaacaaca 360 gcacccaaat gaaaataaaa atggtatgaa tattacagaa ggggcacttc tcagcctaag 420 aaatctaaca gttttactgc tggaagacaa ccagttatat actatacctg ctgggttgcc 480 tgagtctttg aaagaactta gcctaattca aaacaatata tttcaggtaa ctaaaaacaa 540 cacttttggg cttaggaact tggaaagact ctatttgggc tggaactgct attttaaatg 600 taatcaaacc tttaaggtag aagatggggc atttaaaaat cttatacact tgaaggtact 660 ctcattatct ttcaataacc ttttctatgt gccccccaaa ctaccaagtt ctctaaggaa 720 actttttctg agtaatgcca aaatcatgaa catcactcag gaagacttca aaggactgga 780 aaatttaaca ttactagatc tgagtggaaa ctgtccaagg tgttacaatg ctccatttcc 840 ttgcacacct tgcaaggaaa actcatccat ccacatacat cctctggctt ttcaaagtct 900 cacccaactt ctctatctaa acctttccag cacttccctc aggacgattc cttctacctg 960 gtttgaaaat ctgtcaaatc tgaaggaact ccatcttgaa ttcaactatt tagttcaaga 1020 aattqcctcg ggggcatttt taacaaaact acccagttta caaatccttg atttgtcctt 1080 caactttcaa tataaggaat atttacaatt tattaatatt tcctcaaatt tctctaagct 1140 tegttetete aagaagttge acttaagagg ctatgtgtte egagaactta aaaagaagea 1200 tttcgagcat ctccagagtc ttccaaactt ggcaaccatc aacttgggca ttaactttat 1260

tgagaaaatt aggaaatcgc	gatttcaaag atagcatctg	ctttccagaa tattagatgg	tttttccaaa tacagattat	ctcgacgtta tcctcttggc	tctatttatc gaaatcgtct	1320 1380
tcggaaacct	ctctcaacag	acgatgatga	gtttgatcca	cacgtgaatt	tttaccatag	1440
caccaaacct	ttaataaagc	cacagtgtac	tgcttatggc	aaggccttgg	atttaagttt	1500
gaacaatatt	ttcattattg	ggaaaagcca	atttgaaggt	tttcaggata	tegeetgett	1560
aaatctgtcc	ttcaatgcca	atactcaagt	gtttaatggc	acagaattct	cctccatgcc	1620
ccacattaaa	tatttggatt	taaccaaçaa	cagactagac	tttgatgata	acaatgcttt	1680
cagtgatctt	cacgatctag	aagtgctgga	cctgagccac	aatgcacact	atttcagtat	1740
agcaggggta	acgcaccgtc	taggatttat	ccagaactta	ataaacctca	gggtgttaaa	1800
cctgagccac	aatggcattt	acaccctcac	agaggaaagt	gagctgaaaa	gcatctcact	1860
gaaagaattg	gttttcagtg	gaaatcgtct	tgaccatttg	tggaatgcaa	atgatggcaa	1920
atactggtcc	atttttaaaa	gtctccagaa	tttgatacgc	ctggacttat	catacaataa	1980
ccttcaacaa	atcccaaatg	gagcattcct	caatttgcct	cagagcctcc	aagagttact	2040
tatcagtggt	aacaaattac	gtttctttaa	ttggacatta	ctccagtatt	ttcctcacct	2100
tcacttgctg	gatttatcga	gaaatgagct	gtattttcta	cccaattgcc	tatctaagtt	2160
tgcacattcc	ctggagacac	tgctactgag	ccataatcat	ttctctcacc	taccctctgg	2220
cttcctctcc	gaagccagga	atctggtgca	cctggatcta	agtttcaaca	caataaagat	2280
gatcaataaa	tectecetge	aaaccaagat	gaaaacgaac	ttgtctattc	tggagctaca	2340
tgggaactat	tttgactgca	cgtgtgacat	aagtgatttt	cgaagctggc	tagatgaaaa	2400
tctgaatatc	acaattccta	aattggtaaa	tgttatatgt	tccaatcctg	gggatcaaaa	2460
atcaaagagt	atcatgagcc	tagateteae	gacttgtgta	tcggatacca	ctgcagctgt	2520
cctgttttc	ctcacattcc	ttaccacctc	catggttatg	ttggctgctc	tggttcacca	2580
cctgttttac	tgggatgttt	ggtttatcta	tcacatgtgc	tctgctaagt	taaaaggcta	2640
caggacttca	tccacatccc	aaactttcta	tgatgcttat	atttcttatg	acaccaaaga	2700
tgcatctgtt	actgactggg	taatcaatga	actgcgctac	caccttgaag	agagtgaaga	2760
caaaagtgto	ctcctttgtt	tagaggagag	ggattgggat	ccaggattac	ccatcattga	2820
taacctcatg	cagagcataa	accagagcaa	gaaaacaatc	tttgttttaa	ccaagaaata	2880
tgccaagagc	: tggaacttta	aaacagcttt	ctacttggcc	ttgcagaggc	: taatggatga	2940
gaacatggat	gtgattattt	tcatcctcct	ggaaccagtg	ttacagtact	cacagtacct	3000
gaggettegg	g cagaggatct	gtaagagcto	: catcctccag	tggcccaaca	atcccaaagc	3060
agaaaacttg	; ttttggcaaa	gtctgaaaaa	tgtggtcttg	actgaaaatg	g attcacggta	3120
tgacgatttg	g tacattgatt	ccattaggca	ı atactagtga	tgggaagtca	cgactctgcc	3180

3220

atcataaaaa cacacagctt ctccttacaa tgaaccgaat

<210> 57 <211> 1032 <212> PRT <213> murine <400> 57 Met Glu Asn Met Pro Pro Gln Ser Trp Ile Leu Thr Cys Phe Cys Leu 5 Leu Ser Ser Gly Thr Ser Ala Ile Phe His Lys Ala Asn Tyr Ser Arg Ser Tyr Pro Cys Asp Glu Ile Arg His Asn Ser Leu Val Ile Ala Glu Cys Asn His Arg Gln Leu His Glu Val Pro Gln Thr Ile Gly Lys Tyr Val Thr Asn Ile Asp Leu Ser Asp Asn Ala Ile Thr His Ile Thr Lys 70 75 Glu Ser Phe Gln Lys Leu Gln Asn Leu Thr Lys Ile Asp Leu Asn His 90 Asn Ala Lys Gln Gln His Pro Asn Glu Asn Lys Asn Gly Met Asn Ile Thr Glu Gly Ala Leu Leu Ser Leu Arg Asn Leu Thr Val Leu Leu Leu Glu Asp Asn Gln Leu Tyr Thr Ile Pro Ala Gly Leu Pro Glu Ser Leu Lys Glu Leu Ser Leu Ile Gln Asn Asn Ile Phe Gln Val Thr Lys Asn Asn Thr Phe Gly Leu Arg Asn Leu Glu Arg Leu Tyr Leu Gly Trp Asn 170 Cys Tyr Phe Lys Cys Asn Gln Thr Phe Lys Val Glu Asp Gly Ala Phe 185 Lys Asn Leu Ile His Leu Lys Val Leu Ser Leu Ser Phe Asn Asn Leu Phe Tyr Val Pro Pro Lys Leu Pro Ser Ser Leu Arg Lys Leu Phe Leu 215 Ser Asn Ala Lys Ile Met Asn Ile Thr Gln Glu Asp Phe Lys Gly Leu 225 Glu Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn Cys Pro Arg Cys Tyr 250

Asn Ala Pro Phe Pro Cys Thr Pro Cys Lys Glu Asn Ser Ser Ile His

260

#### WO 2004/094671 - 135 - PCT/US2004/012788

Ile Ris Pro Leu Ala Phe Gln Ser Leu Thr Gln Leu Leu Tyr Leu Asn Leu Ser Ser Thr Ser Leu Arg Thr Ile Pro Ser Thr Trp Phe Glu Asn Leu Ser Asn Leu Lys Glu Leu His Leu Glu Phe Asn Tyr Leu Val Gln 310 Glu Ile Ala Ser Gly Ala Phe Leu Thr Lys Leu Pro Ser Leu Gln Ile 325 Leu Asp Leu Ser Phe Asn Phe Gln Tyr Lys Glu Tyr Leu Gln Phe Ile Asn Ile Ser Ser Asn Phe Ser Lys Leu Arg Ser Leu Lys Lys Leu His Leu Arg Gly Tyr Val Phe Arg Glu Leu Lys Lys Lys His Phe Glu. His Leu Gln Ser Leu Pro Asn Leu Ala Thr Ile Asn Leu Gly Ile Asn Phe Ile Glu Lys Ile Asp Phe Lys Ala Phe Gln Asn Phe Ser Lys Leu Asp Val Ile Tyr Leu Ser Gly Asn Arg Ile Ala Ser Val Leu Asp Gly Thr Asp Tyr Ser Ser Trp Arg Asn Arg Leu Arg Lys Pro Leu Ser Thr Asp Asp Asp Glu Phe Asp Pro His Val Asn Phe Tyr His Ser Thr Lys Pro Leu Ile Lys Pro Gln Cys Thr Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Asn Ile Phe Ile Ile Gly Lys Ser Gln Phe Glu Gly Phe Gln Asp Ile Ala Cys Leu Asn Leu Ser Phe Asn Ala Asn Thr Gln Val Phe 500 Asn Gly Thr Glu Phe Ser Ser Met Pro His Ile Lys Tyr Leu Asp Leu 520 Thr Asn Asn Arg Leu Asp Phe Asp Asp Asn Asn Ala Phe Ser Asp Leu His Asp Leu Glu Val Leu Asp Leu Ser His Asn Ala His Tyr Phe Ser Ile Ala Gly Val Thr His Arg Leu Gly Phe Ile Gln Asn Leu Ile Asn Leu Arg Val Leu Asn Leu Ser His Asn Gly Ile Tyr Thr Leu Thr Glu Glu Ser Glu Leu Lys Ser Ile Ser Leu Lys Glu Leu Val Phe Ser Gly

#### WO 2004/094671 - 136 - PCT/US2004/012788

600 Asn Arg Leu Asp His Leu Trp Asn Ala Asn Asp Gly Lys Tyr Trp Ser 615 Ile Phe Lys Ser Leu Gln Asn Leu Ile Arg Leu Asp Leu Ser Tyr Asn 635 Asn Leu Gln Gln Ile Pro Asn Gly Ala Phe Leu Asn Leu Pro Gln Ser 650 Leu Gln Glu Leu Leu Ile Ser Gly Asn Lys Leu Arg Phe Phe Asn Trp 665 Thr Leu Leu Gln Tyr Phe Pro His Leu His Leu Leu Asp Leu Ser Arg 680 Asn Glu Leu Tyr Phe Leu Pro Asn Cys Leu Ser Lys Phe Ala His Ser 695 Leu Glu Thr Leu Leu Leu Ser His Asn His Phe Ser His Leu Pro Ser 715 710 Gly Phe Leu Ser Glu Ala Arg Asn Leu Val His Leu Asp Leu Ser Phe Asn Thr Ile Lys Met Ile Asn Lys Ser Ser Leu Gln Thr Lys Met Lys Thr Asn Leu Ser Ile Leu Glu Leu His Gly Asn Tyr Phe Asp Cys Thr Cys Asp Ile Ser Asp Phe Arg Ser Trp Leu Asp Glu Asn Leu Asn Ile Thr Ile Pro Lys Leu Val Asn Val Ile Cys Ser Asn Pro Gly Asp Gln 790 . Lys Ser Lys Ser Ile Met Ser Leu Asp Leu Thr Thr Cys Val Ser Asp Thr Thr Ala Ala Val Leu Phe Phe Leu Thr Phe Leu Thr Thr Ser Met Val Met Leu Ala Ala Leu Val His His Leu Phe Tyr Trp Asp Val Trp Phe Ile Tyr His Met Cys Ser Ala Lys Leu Lys Gly Tyr Arg Thr Ser Ser Thr Ser Gln Thr Phe Tyr Asp Ala Tyr Ile Ser Tyr Asp Thr Lys Asp Ala Ser Val Thr Asp Trp Val Ile Asn Glu Leu Arg Tyr His Leu 890 Glu Glu Ser Glu Asp Lys Ser Val Leu Leu Cys Leu Glu Glu Arg Asp 905 Trp Asp Pro Gly Leu Pro Ile Ile Asp Asn Leu Met Gln Ser Ile Asn 920 Gln Ser Lys Lys Thr Ile Phe Val Leu Thr Lys Lys Tyr Ala Lys Ser 930 935 940

Trp Asn Phe Lys Thr Ala Phe Tyr Leu Ala Leu Gln Arg Leu Met Asp 945 950 955 960

Glu Asn Met Asp Val Ile Ile Phe Ile Leu Leu Glu Pro Val Leu Gln 965 970 975

Tyr Ser Gln Tyr Leu Arg Leu Arg Gln Arg Ile Cys Lys Ser Ser Ile 980 985 990

Leu Gln Trp Pro Asn Asn Pro Lys Ala Glu Asn Leu Phe Trp Gln Ser 995 1000 1005

Leu Lys Asn Val Val Leu Thr Glu Asn Asp Ser Arg Tyr Asp Asp 1010 1015 1020

Leu Tyr Ile Asp Ser Ile Arg Gln Tyr 1025 1030

<210> 58

<211> 1032

<212> PRT

<213> murine

<400> 58

Met Glu Asn Met Pro Pro Gln Ser Trp Ile Leu Thr Cys Phe Cys Leu 1 5 10 15

Leu Ser Ser Gly Thr Ser Ala Ile Phe His Lys Ala Asn Tyr Ser Arg 20 25 30

Ser Tyr Pro Cys Asp Glu Ile Arg His Asn Ser Leu Val Ile Ala Glu 35 40 45

Cys Asn His Arg Gln Leu His Glu Val Pro Gln Thr Ile Gly Lys Tyr 50 55 60

Val Thr Asn Ile Asp Leu Ser Asp Asn Ala Ile Thr His Ile Thr Lys 65 70 75 80

Glu Ser Phe Gln Lys Leu Gln Asn Leu Thr Lys Ile Asp Leu Asn His 85 90 95

Asn Ala Lys Gln Gln His Pro Asn Glu Asn Lys Asn Gly Met Asn Ile 100 105 110

Thr Glu Gly Ala Leu Leu Ser Leu Arg Asn Leu Thr Val Leu Leu Leu 115 120 125

Glu Asp Asn Gln Leu Tyr Thr Ile Pro Ala Gly Leu Pro Glu Ser Leu 130 135 140

Lys Glu Leu Ser Leu Ile Gln Asn Asn Ile Phe Gln Val Thr Lys Asn 145 150 155 160

Asn Thr Phe Gly Leu Arg Asn Leu Glu Arg Leu Tyr Leu Gly Trp Asn 165 170 175

Cys Tyr Phe Lys Cys Asn Gln Thr Phe Lys Val Glu Asp Gly Ala Phe 180 185 190

Lys Asn Leu Ile His Leu Lys Val Leu Ser Leu Ser Phe Asn Asn Leu 200 Phe Tyr Val Pro Pro Lys Leu Pro Ser Ser Leu Arg Lys Leu Phe Leu 215 Ser Asn Ala Lys Ile Met Asn Ile Thr Gln Glu Asp Phe Lys Gly Leu 230 235 Glu Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn Cys Pro Arg Cys Tyr 250 Asn Ala Pro Phe Pro Cys Thr Pro Cys Lys Glu Asn Ser Ser Ile His Ile His Pro Leu Ala Phe Gln Ser Leu Thr Gln Leu Leu Tyr Leu Asn Leu Ser Ser Thr Ser Leu Arg Thr Ile Pro Ser Thr Trp Phe Glu Asn 295 Leu Ser Asn Leu Lys Glu Leu His Leu Glu Phe Asn Tyr Leu Val Gln 315 Glu Ile Ala Ser Gly Ala Phe Leu Thr Lys Leu Pro Ser Leu Gln Ile 330 Leu Asp Leu Ser Phe Asn Phe Gln Tyr Lys Glu Tyr Leu Gln Phe Ile Asn Ile Ser Ser Asn Phe Ser Lys Leu Arg Ser Leu Lys Lys Leu His Leu Arg Gly Tyr Val Phe Arg Glu Leu Lys Lys His Phe Glu His Leu Gln Ser Leu Pro Asn Leu Ala Thr Ile Asn Leu Gly Ile Asn Phe 385 390 Ile Glu Lys Ile Asp Phe Lys Ala Phe Gln Asn Phe Ser Lys Leu Asp 410 Val Ile Tyr Leu Ser Gly Asn Arg Ile Ala Ser Val Leu Asp Gly Thr 425 Asp Tyr Ser Ser Trp Arg Asn Arg Leu Arg Lys Pro Leu Ser Thr Asp 440 、 Asp Asp Glu Phe Asp Pro His Val Asn Phe Tyr His Ser Thr Lys Pro Leu Ile Lys Pro Gln Cys Thr Ala Tyr Gly Lys Ala Leu Asp Leu Ser Leu Asn Asn Ile Phe Ile Ile Gly Lys Ser Gln Phe Glu Gly Phe Gln Asp Ile Ala Cys Leu Asn Leu Ser Phe Asn Ala Asn Thr Gln Val Phe Asn Gly Thr Glu Phe Ser Ser Met Pro His Ile Lys Tyr Leu Asp Leu

520 525 Thr Asn Asn Arg Leu Asp Phe Asp Asp Asn Asn Ala Phe Ser Asp Leu 535 His Asp Leu Glu Val Leu Asp Leu Ser His Asn Ala His Tyr Phe Ser Ile Ala Gly Val Thr His Arg Leu Gly Phe Ile Gln Asn Leu Ile Asn Leu Arg Val Leu Asn Leu Ser His Asn Gly Ile Tyr Thr Leu Thr Glu Glu Ser Glu Leu Lys Ser Ile Ser Leu Lys Glu Leu Val Phe Ser Gly 600 Asn Arg Leu Asp His Leu Trp Asn Ala Asn Asp Gly Lys Tyr Trp Ser Ile Phe Lys Ser Leu Gln Asn Leu Ile Arg Leu Asp Leu Ser Tyr Asn 630 Asn Leu Gln Gln Ile Pro Asn Gly Ala Phe Leu Asn Leu Pro Gln Ser Leu Gln Glu Leu Leu Ile Ser Gly Asn Lys Leu Arg Phe Phe Asn Trp 665 Thr Leu Leu Gln Tyr Phe Pro His Leu His Leu Leu Asp Leu Ser Arg 680 Asn Glu Leu Tyr Phe Leu Pro Asn Cys Leu Ser Lys Phe Ala His Ser 695 Leu Glu Thr Leu Leu Leu Ser His Asn His Phe Ser His Leu Pro Ser 715 710 Gly Phe Leu Ser Glu Ala Arg Asn Leu Val His Leu Asp Leu Ser Phe 730 725 Asn Thr Ile Lys Met Ile Asn Lys Ser Ser Leu Gln Thr Lys Met Lys 745 Thr Asn Leu Ser Ile Leu Glu Leu His Gly Asn Tyr Phe Asp Cys Thr 760 Cys Asp Ile Ser Asp Phe Arg Ser Trp Leu Asp Glu Asn Leu Asn Ile Thr Ile Pro Lys Leu Val Asn Val Ile Cys Ser Asn Pro Gly Asp Gln Lys Ser Lys Ser Ile Met Ser Leu Asp Leu Thr Thr Cys Val Ser Asp Thr Thr Ala Ala Val Leu Phe Phe Leu Thr Phe Leu Thr Thr Ser Met 825 Val Met Leu Ala Ala Leu Val His His Leu Phe Tyr Trp Asp Val Trp Phe Ile Tyr His Met Cys Ser Ala Lys Leu Lys Gly Tyr Arg Thr Ser 850 855 860 Ser Thr Ser Gln Thr Phe Tyr Asp Ala Tyr Ile Ser Tyr Asp Thr Lys 865 870 875 880

Asp Ala Ser Val Thr Asp Trp Val Ile Asn Glu Leu Arg Tyr His Leu 885 890 895

Glu Glu Ser Glu Asp Lys Ser Val Leu Cys Leu Glu Glu Arg Asp 900 905 910

Trp Asp Pro Gly Leu Pro Ile Ile Asp Asn Leu Met Gln Ser Ile Asn 915 920 925

Gln Ser Lys Lys Thr Ile Phe Val Leu Thr Lys Lys Tyr Ala Lys Ser 930 935 940

Trp Asn Phe Lys Thr Ala Phe Tyr Leu Ala Leu Gln Arg Leu Met Asp 945 950 955 960

Glu Asn Met Asp Val Ile Ile Phe Ile Leu Leu Glu Pro Val Leu Gln 965 970 975

Tyr Ser Gln Tyr Leu Arg Leu Arg Gln Arg Ile Cys Lys Ser Ser Ile 980 985 990

Leu Gln Trp Pro Asn Asn Pro Lys Ala Glu Asn Leu Phe Trp Gln Ser

Leu Lys Asn Val Val Leu Thr Glu Asn Asp Ser Arg Tyr Asp Asp 1010 1015 1020

Leu Tyr Ile Asp Ser Ile Arg Gln Tyr 1025 1030

<210> 59

<211> 1032

<212> PRT

<213> murine

<400> 59

Met Glu Asn Met Pro Pro Gln Ser Trp Ile Leu Thr Cys Phe Cys Leu 1 5 10 15

Leu Ser Ser Gly Thr Ser Ala Ile Phe His Lys Ala Asn Tyr Ser Arg 20 25 30

Ser Tyr Pro Cys Asp Glu Ile Arg His Asn Ser Leu Val Ile Ala Glu 35 40 45

Cys Asn His Arg Gln Leu His Glu Val Pro Gln Thr Ile Gly Lys Tyr 50 55 60

Val Thr Asn Ile Asp Leu Ser Asp Asn Ala Ile Thr His Ile Thr Lys 65 70 75 80

Glu Ser Phe Gln Lys Leu Gln Asn Leu Thr Lys Ile Asp Leu Asn His 85 90 95

Asn Ala Lys Gln Gln His Pro Asn Glu Asn Lys Asn Gly Met Asn Ile 100 105 110

- Thr Glu Gly Ala Leu Leu Ser Leu Arg Asn Leu Thr Val Leu Leu Leu 115 120 125
- Glu Asp Asn Gln Leu Tyr Thr Ile Pro Ala Gly Leu Pro Glu Ser Leu 130 135 140
- Lys Glu Leu Ser Leu Ile Gln Asn Asn Ile Phe Gln Val Thr Lys Asn 145 150 155 160
- Asn Thr Phe Gly Leu Arg Asn Leu Glu Arg Leu Tyr Leu Gly Trp Asn 165 170 175
- Cys Tyr Phe Lys Cys Asn Gln Thr Phe Lys Val Glu Asp Gly Ala Phe 180 185 190
- Lys Asn Leu Ile His Leu Lys Val Leu Ser Leu Ser Phe Asn Asn Leu 195 200 205
- Phe Tyr Val Pro Pro Lys Leu Pro Ser Ser Leu Arg Lys Leu Phe Leu 210 215 220
- Ser Asn Ala Lys Ile Met Asn Ile Thr Gln Glu Asp Phe Lys Gly Leu 225 230 235 240
- Glu Asn Leu Thr Leu Leu Asp Leu Ser Gly Asn Cys Pro Arg Cys Tyr 245 250 255
- Asn Ala Pro Phe Pro Cys Thr Pro Cys Lys Glu Asn Ser Ser Ile His 260 265 270
- Ile His Pro Leu Ala Phe Gln Ser Leu Thr Gln Leu Leu Tyr Leu Asn 275 280 285
- Leu Ser Ser Thr Ser Leu Arg Thr Ile Pro Ser Thr Trp Phe Glu Asn 290 295 300
- Leu Ser Asn Leu Lys Glu Leu His Leu Glu Phe Asn Tyr Leu Val Gln 305 310 315 320
- Glu Ile Ala Ser Gly Ala Phe Leu Thr Lys Leu Pro Ser Leu Gln Ile 325 330 335
- Leu Asp Leu Ser Phe Asn Phe Gln Tyr Lys Glu Tyr Leu Gln Phe Ile 340 345 350
- Asn Ile Ser Ser Asn Phe Ser Lys Leu Arg Ser Leu Lys Lys Leu His 355 360 365
- Leu Arg Gly Tyr Val Phe Arg Glu Leu Lys Lys Lys His Phe Glu His 370 375 380
- Leu Gln Ser Leu Pro Asn Leu Ala Thr Ile Asn Leu Gly Ile Asn Phe 385 390 395 400
- Ile Glu Lys Ile Asp Phe Lys Ala Phe Gln Asn Phe Ser Lys Leu Asp
- Val Ile Tyr Leu Ser Gly Asn Arg Ile Ala Ser Val Leu Asp Gly Thr 420 425 430
- Asp Tyr Ser Ser Trp Arg Asn Arg Leu Arg Lys Pro Leu Ser Thr Asp

Asp	Asp 450	435 Glu	Phe	Asp	Pro		440 Val	Asn	Phe	Tyr	His 460	445 Ser	Thr	Lys	Pro
Leu 465	Ile	Lys	Pro	Gln	Cys 470	Thr	Ala	Tyr	Gly	Lys 475	Ala	Leu	Asp	Leu	Ser , 480
Leu	Asn	Asn	Ile	Phe 485	Ile	Ile	Gly	Lys	Ser 490	Gln	Phe	Glu	Gly	Phe 495	Gln
Asp	Ile	Ala	Суз 500	Leu	Asn	Leu	Ser	Phe 505	Asn	Ala	Asn	Thr	Gln 510	Val	Phe
Asn	Gly	Thr 515	Glu	Phe	Ser	Ser	Met 520	Pro	His	Ile	Lys	Tyr 525	Leu	Asp	Leu
Thr	Asn 530	Asn	Arg	Leu	Asp	Phe 535	Asp	Asp	Asn	Asn	Ala 540	Phe	Ser	Asp	Leu
His 545	Asp	Leu	Glu	Val	Leu 550	Asp	Leu	Ser	His	Asn 555	Ala	His	Tyr	Phe	Ser 560
Ile	Ala	Gly	Val	Thr 565	His	Arg	Leu	Gly	Phe 570	Ile	Gln	Asn	Leu	Ile 575	Asn
Leu	Arg	Val	Leu 580	Asn	Leu	Ser	His	Asn 585	Gly	Ile	Tyr	Thr	Leu 590	Thr	Glu
Glu	Ser	Glu 595	Leu	Lys	Ser	Ile	Ser 600	Leu	Lys	Glu	Leu	Val 605	Phe	Ser	Gly
Asn	Arg 610	Leu	Asp	His	Leu	Trp 615	Asn	Ala	Asn	Asp	Gly 620		Tyr	Trp	Ser
Ile 625		Lys	Ser	Leu	Gln 630	Asn	Leu	Ile	Arg	Leu 635	Asp	Leu	Ser	Tyr	Asn 640
Asn	Leu	Gln	Gln	Ile 645	Pro	Asn	Gly	Ala	Phe 650		Asn	Leu	Pro	Gln 655	Ser
Leu	Gln	Glu	Leu 660		Ile	Ser	Gly	Asn 665	Lys	Leu	Arg	Phe	Phe 670		Trp
Thr	Leu	Leu 675		Tyr	Phe	Pro	His 680		His	Leu	Leu	Asp 685		Ser	Arg
Asn	Glu 690		Tyr	Phe	Leu	Pro 695	Asn	Суз	Leu	Ser	Tys		Ala	. His	Ser
Leu 705		Thr	Leu	Leu	Leu 710		His	Asn	His	715		His	Leu	Pro	Ser 720
Gly	Phe	Leu	Ser	Glu 725		Arg	Asn	Leu	Val 730		Leu	Asp	Leu	735	Phe
Asn	Thr	Ile	Lys 740		Ile	Asn	Lys	Ser 745		Leu	Gln	Thr	750		Гув
Thr	aaA :	Leu 755		lle	Leu	Glu	Leu 760		Gly	Asr	туг	765		су Сув	Thr
Cys	Asp	Ile	Ser	Asp	Phe	Arg	Ser	Trp	Lev	Asp	Glu	a Asn	Lev	Asr	Ile

770 775 780 Thr Ile Pro Lys Leu Val Asn Val Ile Cys Ser Asn Pro Gly Asp Gln 790 795 Lys Ser Lys Ser Ile Met Ser Leu Asp Leu Thr Thr Cys Val Ser Asp 810 Thr Thr Ala Ala Val Leu Phe Phe Leu Thr Phe Leu Thr Thr Ser Met 825 Val Met Leu Ala Ala Leu Val His His Leu Phe Tyr Trp Asp Val Trp Phe Ile Tyr His Met Cys Ser Ala Lys Leu Lys Gly Tyr Arg Thr Ser Ser Thr Ser Gln Thr Phe Tyr Asp Ala Tyr Ile Ser Tyr Asp Thr Lys 870 Asp Ala Ser Val Thr Asp Trp Val Ile Asn Glu Leu Arg Tyr His Leu 885 890 Glu Glu Ser Glu Asp Lys Ser Val Leu Leu Cys Leu Glu Glu Arg Asp 900 905 Trp Asp Pro Gly Leu Pro Ile Ile Asp Asn Leu Met Gln Ser Ile Asn 920 Gln Ser Lys Lys Thr Ile Phe Val Leu Thr Lys Lys Tyr Ala Lys Ser 935 Trp Asn Phe Lys Thr Ala Phe Tyr Leu Ala Leu Gln Arg Leu Met Asp Glu Asn Met Asp Val Ile Ile Phe Ile Leu Leu Glu Pro Val Leu Gln 970 Tyr Ser Gln Tyr Leu Arg Leu Arg Gln Arg Ile Cys Lys Ser Ser Ile 985 Leu Gln Trp Pro Asn Asn Pro Lys Ala Glu Asn Leu Phe Trp Gln Ser 1000 Leu Lys Asn Val Val Leu Thr Glu Asn Asp Ser Arg Tyr Asp Asp 1015 Leu Tyr Ile Asp Ser Ile Arg Gln Tyr 1025 <210> 60 <211> 3352 <212> DNA

<400> 60
aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag
ggacctcgag tgtgaagcat ccttccctgt agctgctgtc cagtctgccc gccagaccct

etggagaage ceetgeeece cageatgggt ttetgeegea gegeeetgea ceegetgtet

60

120

180

<213> Homo sapiens

		gctggccatg ccacggcctg				240 300
gtgccccact	tetecatgge	agcaccccgt	ggcaatgtca	ccagcctttc	cttgtcctcc	360
aaccgcatcc	accacctcca	tgattctgac	tttgcccacc	tgcccagcct	gcggcatctc	420
aacctcaagt	ggaactgccc	gccggttggc	ctcagcccca	tgcacttccc	ctgccacatg	480
accatcgagc	ccagcacctt	cttggctgtg	cccaccctgg	aagagctaaa	cctgagctac	540
aacaacatca	tgactgtgcc	tgcgctgccc	aaatccctca	tatccctgtc	cctcagccat	600
accaacatcc	tgatgctaga	ctctgccagc	ctcgccggcc	tgcatgccct	gcgcttccta	660
ttcatggacg	gcaactgtta	ttacaagaac	ccctgcaggc	aggcactgga	ggtggccccg	720
ggtgccctcc	ttggcctggg	caacctcacc	cacctgtcac	tcaagtacaa	caacctcact	780
gtggtgcccc	gcaacctgcc	ttccagcctg	gagtatctgc	tgttgtccta	caaccgcatc	840
gtcaaactgg	cgcctgagga	cctggccaat	ctgaccgccc	tgcgtgtgct	cgatgtgggc	900
ggaaattgcc	geegetgega	ccacgeteee	aacccctgca	tggagtgccc	tcgtcacttc	960
ccccagctac	atcccgatac	cttcagccac	ctgagccgtc	ttgaaggcct	ggtgttgaag	1020
gacagttctc	teteetgget	gaatgccagt	tggttccgtg	ggctgggaaa	cctccgagtg	1080
ctggacctga	gtgagaactt	cctctacaaa	tgcatcacta	aaaccaaggc	cttccagggc	1140
ctaacacagc	tgcgcaagct	taacctgtcc	ttcaattacc	aaaagagggt	gtcctttgcc	1200
cacctgtctc	tggccccttc	cttcgggagc	ctggtcgccc	tgaaggagct	ggacatgcac	1260
ggcatcttct	tccgctcact	cgatgagacc	acgctccggc	cactggcccg	cctgcccatg	1320
ctccagactc	tgcgtctgca	gatgaacttc	atcaaccagg	cccagctcgg	catcttcagg	1380
gccttccctg	gcctgcgcta	cgtggacctg	teggacaace	gcatcagcgg	agcttcggag	1440
ctgacagcca	ccatggggga	ggcagatgga	ggggagaagg	tctggctgca	gcctggggac	1500
cttgctccgg	ccccagtgga	cactcccagc	tctgaagact	tcaggcccaa	ctgcagcacc	1560
ctcaacttca	ccttggatct	gtcacggaac	aacctggtga	ccgtgcagcc	ggagatgttt	1620
gcccagctct	cgcacctgca	gtgcctgcgc	ctgagccaca	actgcatctc	gcaggcagtc	1680
aatggctccc	agttcctgcc	gctgaccggt	ctgcaggtgc	tagacetgte	ccgcaataag	1740
ctggacctct	accacgagca	ctcattcacg	gagctaccgc	gactggaggc	cctggacctc	1800
agctacaaca	gccagccctt	tggcatgcag	ggcgtgggcc	acaacttcag	cttcgtggct	1860
cacctgcgca	ccctgcgcca	cctcagcctg	gcccacaaca	acatccacag	ccaagtgtcc	1920
cagcagctct	gcagtacgtc	gctgcgggcc	ctggacttca	gcggcaatgc	actgggccat	1980
atgtgggccg	agggagacct	ctatctgcac	ttcttccaag	gcctgagcgg	tttgatctgg	2040
ctggacttgt	cccagaaccg	cctgcacacc	ctcctgcccc	aaaccctgcg	caacctcccc	2100

aagagcctac	aggtgctgcg	tctccgtgac	aattacctgg	ccttctttaa	gtggtggagc	2160
ctccacttcc	tgcccaaact	ggaagtcctc	gacctggcag	gaaaccggct	gaaggccctg	2220
accaatggca	gcctgcctgc	tggcacccgg	ctccggaggc	tggatgtcag	ctgcaacagc	2280
atcagcttcg	tggcccccgg	cttctttcc	aaggccaagg	agctgcgaga	gctcaacctt	2340
agcgccaacg	ccctcaagac	agtggaccac	tcctggtttg	ggeceetgge	gagtgccctg	2400
caaatactag	atgtaagcgc	caaccctctg	cactgcgcct	gtggggcggc	ctttatggac	2460
ttcctgctgg	aggtgcaggc	tgccgtgccc	ggtctgccca	gccgggtgaa	gtgtggcagt	2520
ccgggccagc	tccagggcct	cagcatcttt	gcacaggacc	tgcgcctctg	cctggatgag	2580
geceteteet	gggactgttt	egeceteteg	ctgctggctg	tggctctggg	cctgggtgtg	2640
cccatgctgc	atcacctctg	tggctgggac	ctctggtact	gcttccacct	gtgcctggcc	2700
tggcttccct	ggcgggggcg	gcaaagtggg	cgagatgagg	atgccctgcc	ctacgatgcc	2760
ttcgtggtct	tcgacaaaac	gcagagcgca	gtggcagact	gggtgtacaa	cgagcttcgg	2820
gggcagctgg	aggagtgccg	tgggcgctgg	gcactccgcc	tgtgcctgga	ggaacgcgac	2880
tggctgcctg	gcaaaaccct	ctttgagaac	ctgtgggcct	cggtctatgg	cagccgcaag	2940
acgctgtttg	tgctggccca	cacggaccgg	gtcagtggtc	tcttgcgcgc	cagcttcctg	3000
ctggcccagc	agcgcctgct	ggaggaccgc	aaggacgtcg	tggtgctggt	gatcctgagc	3060
cctgacggcc	geegeteeeg	ctacgtgcgg	ctgcgccagc	gcctctgccg	ccagagtgtc	3120
ctcctctggc	cccaccagcc	cagtggtcag	cgcagcttct	gggcccagct	gggcatggcc	3180
ctgaccaggg	acaaccacca	cttctataac	cggaacttct	gccagggacc	cacggccgaa	3240
tagccgtgag	ccggaatcct	gcacggtgcc	acctccacac	tcacctcacc	tetgeetgee	3300
tggtctgacc	ctcccctgct	cgcctccctc	accccacacc	tgacacagag	ca	3352

<211> 3257

<212> DNA

<213> Homo sapiens

<400> 61

cegetgetge cectgtggga agggaceteg agtgtgaage atcettecet gtagetgetg 60
tecagtetge cegecagace etetggagaa geceetgeee eccageatgg gtttetgeeg 120
cagegeetg caceegetgt eteteetggt geaggeeate atgetggeea tgaeeetgge 180
cetgggtace ttgeetgeet tectaceetg tgageteeag ecceaeggee tggtgaaetg 240
caactggetg tteetgaagt etgtgeeeca etteteeatg geageaeece gtggeaatgt 300
caceageett teettgteet ecaaeegeat ecaeeaeete eatgattetg aetttgeea 360

		tcaacctcaa tgaccatcga				420 480
ggaagagcta	aacctgagct	acaacaacat	catgactgtg	cctgcgctgc	ccaaatccct	540
catatccctg	tccctcagcc	ataccaacat	cctgatgcta	gactctgcca	gcctcgccgg	600
cctgcatgcc	ctgcgcttcc	tattcatgga	cggcaactgt	tattacaaga	acccctgcag	660
gcaggcactg	gaggtggccc	cgggtgccct	ccttggcctg	ggcaacctca	cccacctgtc	720
actcaagtac	aacaacctca	ctgtggtgcc	ccgcaacctg	ccttccagcc	tggagtatct	780
gctgttgtcc	tacaaccgca	tcgtcaaact	ggcgcctgag	gacctggcca	atctgaccgc	840
cctgcgtgtg	ctcgatgtgg	gcggaaattg	ccgccgctgc	gaccacgctc	ccaacccctg	900
catggagtgc	cctcgtcact	tcccccagct	acatcccgat	accttcagcc	acctgagccg	960
tcttgaaggc	ctggtgttga	aggacagttc	tctctcctgg	ctgaatgcca	gttggttccg	1020
tgggctggga	aacctccgag	tgctggacct	gagtgagaac	ttcctctaca	aatgcatcac	1080
taaaaccaag	gccttccagg	gcctaacaca	gctgcgcaag	cttaacctgt	ccttcaatta	1140
ccaaaagagg	gtgtcctttg	cccacctgtc	tetggeeeet	teetteggga	gcctggtcgc	1200
cctgaaggag	ctggacatgc	acggcatctt	cttccgctca	ctcgatgaga	ccacgctccg	1260
gccactggcc	cgcctgccca	tgctccagac	tctgcgtctg	cagatgaact	tcatcaacca	1320
ggcccagctc	ggcatcttca	gggccttccc	tggcctgcgc	tacgtggacc	tgtcggacaa	1380
ccgcatcagc	ggagcttcgg	agctgacagc	caccatgggg	gaggcagatg	gaggggagaa	1440
ggtctggctg	cagcctgggg	accttgctcc	ggccccagtg	gacactccca	gctctgaaga	1500
cttcaggccc	aactgcagca	ccctcaactt	caccttggat	ctgtcacgga	acaacctggt	1560
gaccgtgcag	ccggagatgt	ttgcccagct	ctcgcacctg	cagtgcctgc	gcctgagcca .	1620
caactgcatc	tcgcaggcag	tcaatggctc	ccagttcctg	ccgctgaccg	gtctgcaggt	1680
gctagacctg	tcccacaata	agctggacct	ctaccacgag	cactcattca	cggagctacc	1740
acgactggag	gccctggacc	tcagctacaa	cagccagccc	tttggcatgc	agggcgtggg	1800
ccacaacttc	agcttcgtgg	ctcacctgcg	caccctgcgc	cacctcagcc	tggcccacaa	1860
caacatccac	agccaagtgt	cccagcagct	ctgcagtacg	tegetgeggg	ccctggactt	1920
cagcggcaat	gcactgggcc	atatgtgggc	cgagggagac	ctctatctgc	acttcttcca	1980
aggcctgagc	ggtttgatct	ggctggactt	gtcccagaac	cgcctgcaca	ccctcctgcc	2040
ccaaaccctg	cgcaacctcc	ccaagagcct	acaggtgctg	cgtctccgtg	acaattacct	2100
ggccttcttt	aagtggtgga	gcctccactt	cctgcccaaa	ctggaagtcc	tcgacctggc	2160
aggaaaccag	ctgaaggccc	tgaccaatgg	cagcctgcct	gctggcaccc	ggctccggag	2220
gctggatgtc	agctgcaaca	gcatcagctt	cgtggccccc	ggcttctttt	ccaaggccaa	2280

ggagetgega	gageteaace	ttagcgccaa	cgccctcaag	acagtggacc	actcctggtt	2340
tgggcccctg	gcgagtgccc	tgcaaatact	agatgtaagc	gccaaccctc	tgcactgcgc	2400
ctgtggggcg	gcctttatgg	acttcctgct	ggaggtgcag	gctgccgtgc	ccggtctgcc	2460
cagcegggtg	aagtgtggca	gtccgggcca	gctccagggc	ctcagcatct	ttgcacagga	2520
cctgcgcctc	tgcctggatg	aggccctctc	ctgggactgt	ttcgccctct	cgctgctggc	2580
tgtggctctg	ggcctgggtg	tgcccatgct	gcatcacctc	tgtggctggg	acctctggta	2640
ctgcttccac	ctgtgcctgg	cctggcttcc	ctggcggggg	cggcaaagtg	ggcgagatga	2700
ggatgccctg	ccctacgatg	ccttcgtggt	cttcgacaaa	acgcagagcg	cagtggcaga	2760
ctgggtgtac	aacgagcttc	gggggcagct	ggaggagtgc	egtgggeget	gggcactccg	2820
cctgtgcctg	gaggaacgcg	actggctgcc	tggcaaaacc	ctctttgaga	acctgtgggc	2880
ctcggtctat	ggcagccgca	agacgctgtt	tgtgctggcc	cacacggacc	gggtcagtgg	2940
tetettgege	gccagcttcc	tgctggccca	gcagcgcctg	ctggaggacc	gcaaggacgt	3000
cgtggtgctg	gtgatcctga	gccctgacgg	ccgccgctcc	cgctacgtgc	ggctgcgcca	3060
gegeetetge	cgccagagtg	tectectetg	gccccaccag	cccagtggtc	agcgcagctt	3120
ctgggcccag	ctgggcatgg	ccctgaccag	ggacaaccac	cacttctata	accggaactt	3180
ctgccaggga	cccacggccg	aatagccgtg	agccggaatc	ctgcacggtg	ccacctccac	3240
actcacctca	cctctgc					3257

<211> 1032

<212> PRT

<213> Homo sapiens

<400> 62

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln 1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn 50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp 65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
85 · 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met

105 Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu 120 Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser 135 Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser 150 155 Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly 170 Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro 185 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr 200 Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr 215 Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly 280 285 Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu 375 Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly 410 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu 425 Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu

440 445 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu 455 460 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser 490 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu 520 Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly 550 555 Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr 570 Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser 585 Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln 650 Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala

Ala Phe Met Asp Phe Leu Leu Glu Val. Gln Ala Ala Val Pro Gly Leu ,

770
Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp 805

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His 835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp 850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln 865 870 875 888

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu 885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp 900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val 980 985 990

Leu Leu.Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln 995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg 1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu 1025 1030

<210> 63

<211> 1032

<212> PRT

<213> Homo sapiens

<400> 63

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe 20 . 30

## WO 2004/094671 - 151 - PCT/US2004/012788

- Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu 35 40 45
- Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn 50 55 60
- Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp 65 70 75 80
- Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp 85 90 95
- Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met 100 105 110
- Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu 115 120 125
- Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser 130 135 140
- Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser 145 150 155 160
- Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
  165 170 175
- Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro 180 185 190
- Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr 195. 200 205
- Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr 210 215 220
- Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu 225 230 235 240
- Ala Asn. Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
  245 250 255
- Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe 260 265 270
- Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly 275 280 285
- Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe 290 295 300
- Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu 305 310 315 320
- Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu 325 330 335
- Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala 340 345 350
- His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu

360 365 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu 375 380 Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Glu Lys Val Trp Leu Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser 470 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser 485 490 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val 505 500 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu 520 Ser His Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser 585 Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe 615 Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln 650 Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Gln 680 Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg

690 695 700 Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
770 775 780

Pro Ser Arg Val Lys. Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp 805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His 835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp 850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu 885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp 900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln 995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg 1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu

1025 1030

<210> 64

<211> 333

<212> PRT

<213> Homo sapiens

<400> 64

Met Pro Met Lys Trp Ser Gly Trp Arg Trp Ser Trp Gly Pro Ala Thr 1 5 10 15

His Thr Ala Leu Pro Pro Pro Gln Gly Phe Cys Arg Ser Ala Leu His 20 25 30

Pro Leu Ser Leu Leu Val Gln Ala Ile Met Leu Ala Met Thr Leu Ala 35 40 45

Leu Gly Thr Leu Pro Ala Phe Leu Pro Cys Glu Leu Gln Pro His Gly 50 55 60

Leu Val Asn Cys Asn Trp Leu Phe Leu Lys Ser Val Pro His Phe Ser 65 70 75 80

Met Ala Ala Pro Arg Gly Asn Val Thr Ser Leu Ser Leu Ser Ser Asn 85 90 95

Arg Ile His His Leu His Asp Ser Asp Phe Ala His Leu Pro Ser Leu 100 105 110

Arg His Leu Asn Leu Lys Trp Asn Cys Pro Pro Val Gly Leu Ser Pro 115 120 125

Met His Phe Pro Cys His Met Thr Ile Glu Pro Ser Thr Phe Leu Ala 130 140

Val Pro Thr Leu Glu Glu Leu Asn Leu Ser Tyr Asn Asn Ile Met Thr 145 150 155 160

Val Pro Ala Leu Pro Lys Ser Leu Ile Ser Leu Ser Leu Ser His Thr 165 170 175

Asn Ile Leu Met Leu Asp Ser Ala Ser Leu Ala Gly Leu His Ala Leu 180 185 190

Arg Phe Leu Phe Met Asp Gly Asn Cys Tyr Tyr Lys Asn Pro Cys Arg 195 200 205

Gln Ala Leu Glu Val Ala Pro Gly Ala Leu Leu Gly Leu Gly Asn Leu 210 215 220

Thr His Leu Ser Leu Lys Tyr Asn Asn Leu Thr Val Val Pro Arg Asn 225 230 235 240

Leu Pro Ser Ser Leu Glu Tyr Leu Leu Leu Ser Tyr Asn Arg Ile Val 245 250 255

Lys Leu Ala Pro Glu Asp Leu Ala Asn Leu Thr Ala Leu Arg Val Leu 260 265 270

Asp Val Gly Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys
275 280 285

Met Glu Cys Pro Arg His Phe Pro Gln Leu His Pro Asp Thr Phe Ser 290 295 300

His Leu Ser Arg Leu Glu Gly Leu Val Leu Lys Asp Ser Ser Leu Ser 305 310 315 320

Trp Leu Asn Ala Ser Trp Phe Arg Gly Leu Gly Asn Leu 325 330

<210> 65

<211> 216

<212> PRT

<213> Homo sapiens

<400> 65

Met Leu Tyr Ser Ser Cys Lys Ser Arg Leu Leu Asp Ser Val Glu Gln 1 5 10 15

Asp Phe His Leu Glu Ile Ala Lys Lys Gly Phe Cys Arg Ser Ala Leu 20 25 30

His Pro Leu Ser Leu Leu Val Gln Ala Ile Met Leu Ala Met Thr Leu 35 40 45

Ala Leu Gly Thr Leu Pro Ala Phe Leu Pro Cys Glu Leu Gln Pro His 50 55 60

Gly Leu Val Asn Cys Asn Trp Leu Phe Leu Lys Ser Val Pro His Phe 65 70 75 80

Ser Met Ala Ala Pro Arg Gly Asn Val Thr Ser Leu Ser Leu Ser Ser 85 90 95

Asn Arg Ile His His Leu His Asp Ser Asp Phe Ala His Leu Pro Ser 100 105 110

Leu Arg His Leu Asn Leu Lys Trp Asn Cys Pro Pro Val Gly Leu Ser 115 120 125

Pro Met His Phe Pro Cys His Met Thr Ile Glu Pro Ser Thr Phe Leu 130 135 140

Ala Val Pro Thr Leu Glu Glu Leu Asn Leu Ser Tyr Asn Asn Ile Met 145 150 155 160

Thr Val Pro Ala Leu Pro Lys Ser Leu Ile Ser Leu Ser Leu Ser His
165 170 175

Thr Asn Ile Leu Met Leu Asp Ser Ala Ser Leu Ala Gly Leu His Ala 180 185 190

Leu Arg Phe Leu Phe Met Asp Gly Asn Cys Tyr Tyr Lys Asn Pro Cys 195 200 205

Arg Gln Ala Leu Glu Val Ala Pro 210 215 WO 2004/094671 - 156 - PCT/US2004/012788

<211> 117

<212> PRT

<213> Homo sapiens

<400> 66

Met Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala 1 5 10 15

Phe Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp
20 25 30

Leu Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly
35 40 45

Asn Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His 50 55 60

Asp Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys 65 70 75 80

Trp Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His 85 90 95

Met Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu 100 105 110

Leu Asn Leu Ser Tyr 115

<210> 67

<211> 1032

<212> PRT

<213> Homo sapiens

<400> 67

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln 1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn 50 55 60

Vàl Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp 65 70 .75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met 100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu 115 120 125

### WO 2004/094671 - 157 - PCT/US2004/012788

- Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser 130 135 140
- Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser 145 150 155
- Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
  165 170 175
- Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro 180 185 190
- Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr 195 200 205
- Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr 210 215 220
- Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu 225 230 235 240
- Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
  245 250 255
- Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe 260 265 270
- Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly 275 · 280 285
- Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe 290 295 300
- Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu 305 310 315
- Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu 325 330 335
- Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala 340 345 350
- His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu 355 360 365
- Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu 370 375 380
- Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met 385 390 395 400
- Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly 405 410 415
- Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu 420 425 430
- Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Glu Lys Val Trp Leu
  435
  440
- Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu

# WO 2004/094671 - 158 - PCT/US2004/012788

Asp 465	450 Phe	Arg	Pro	Asn	Cys 470	455 Ser	Thr	Leu	Asn	Phe 475	460 Thr	Leu	Asp	Leu	Ser 480
Arg	Asn	Asn	Leu	Val 485	Thr	Val	Gln	Pro	Glu 490	Met	Phe	Ala	Gln	Leu 495	Ser
His	Leu	Gln	Cys 500	Leu	Arg	Leu	Ser	His 505	Asn	Суз	Ile	Ser	Gln 510	Ala	Val
Asn	Gly	Ser 515	Gln	Phe	Leu	Pro	Leu 520	Thr	Gly	Leu	Gln	Val 525	Leu	Asp	Leu
Ser	His 530	Asn	Lys	Leu	Asp	Leu 535	Tyr	His	Glu	His	Ser 540	Phe	Thr	Glu	Leu
Pro 545	Arg	Leu	Glu	Ala	Leu 550	Ąsp	Leu	Ser	Tyr	Asn 555	Ser	Gln	Pro	Phe	Gly 560
Met	Gln	Gly	Val	Gly 565	His	Asn	Phe	Ser	Phe 570	Val	Ala	His	Leu	Arg 575	Thr
Leu	Arg	His	Leu 580	Ser	Leu	Ala	His	Asn 585	Asn	Ile	His	Ser	Gln 590	Val	Ser
Gln	Gln	Leu 595	Сув	Ser	Thr	Ser	Leu 600	Arg	Ala	Leu	Asp	Phe 605	Ser	Gly	Asn
Ala	Leu 610	Gly	His	Met	Trp	Ala 615	Glu	Gly	Asp	Leu	Tyr 620	Leu	His	Phe	Phe
Gln 625	Gly	Leu	Ser	Gly	Leu 630	Ile	Trp	Leu	Asp	Leu 635	Ser	Gln	Asn	Arg	Leu 640
His	Thr	Leu	Leu	Pro 645	Gln	Thr	Leu	Arg	Asn 650	Leu	Pro	Lys	Ser	Leu 655	Gln
Val	Leu	Arg	Leu 660	Arg	Asp	Asn	Tyr	Leu 665	Ala	Phe	Phe	Lys	Trp 670	Trp	Ser
Leu	His	Phe 675	Leu	Pro	Lys	Leu	Glu 680		Leu	Asp	Leu	Ala 685	Gly	Asn	Gln
Leu	Ьуs 690		Leu	Thr	Asn	Gly 695		Leu	Pro	Ala	Gly 700	Thr	Arg	Leu '	Arg
Arg 705		Asp	Val	Ser	Cys 710		Ser	Ile	Ser	Phe 715		Ala	Pro	Gly	Phe 720
Phe	Ser	ГÀЗ	Ala	Lys 725		Leu	Arg	Glu	Leu 730		Leu	Ser	Ala	Asn 735	Ala
Leu	Lys	Thr	Val 740	_	His	Ser	Trp	745		Pro	Leu	Ala	5er 750		Leu
Gln	Ile	Leu 755	_	Val	Ser	Ala	760		Leu	His	Cys	Ala 765		Gly	Ala
Ala	770		Asp	Phe	Leu	Leu 775		Val	Gln	Ala	Ala 780		Pro	Gly	Leu
Pro	Ser	Arg	Val	Lys	сув	Gly	Ser	Pro	Gly	Gln	Leu	Gln	Gly	Leu	Ser

785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val

820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His 835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp 850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu 885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp 900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser 930 . 935 940

Gly Leu Leu Arg-Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln 995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg 1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu 1025 1030

<210> 68

<211> 3200

<212> DNA

<213> murine

<400> 68

tgtcagaggg agcctcggga gaatcctcca tctcccaaca tggttctccg tcgaaggact 60
ctgcacccct tgtccctcct ggtacaggct gcagtgctgg ctgagactct ggccctgggt 120
accctgcctg ccttcctacc ctgtgagctg aagcctcatg gcctggtgga ctgcaattgg 180
ctgttcctga agtctgtacc ccgtttctct gcggcagcat cctgctccaa catcacccgc 240
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc 300

aacctgcggc	agctgaacct	caagtggaac	tgtccaccca	ctggccttag	cccctgcac	360
ttctcttgcc	acatgaccat	tgagcccaga	accttcctgg	ctatgcgtac	actggaggag	420
ctgaacctga	gctataatgg	tatcaccact	gtgccccgac	tgcccagctc	cctggtgaat	480
ctgagcctga	gccacaccaa	catcctggtt	ctagatgcta	acagcctcgc	cggcctatac	540
agcctgcgcg	ttctcttcat	ggacgggaac	tgctactaca	agaacccctg	cacaggagcg	600
gtgaaggtga	ccccaggcgc	cctcctgggc	ctgagcaatc	tcacccatct	gtctctgaag	660
tataacaacc	tcacaaaggt	gccccgccaa	ctgccccca	gcctggagta	cctcctggtg	720
tcctataacc	tcattgtcaa	gctggggcct	gaagacctgg	ccaatctgac	ctcccttcga	780
gtacttgatg	tgggtgggaa	ttgccgtcgc	tgcgaccatg	cccccaatcc	ctgtatagaa	840
tgtggccaaa	agtccctcca	cctgcaccct	gagaccttcc	atcacctgag	ccatctggaa	900
ggcctggtgc	tgaaggacag	ctctctccat	acactgaact	cttcctggtt	ccaaggtctg	960
gtcaacctct	cggtgctgga	cctaagcgag	aactttctct	atgaaagcat	caaccacacc	1020
aatgcctttc	agaacctaac	ccgcctgcgc	aagctcaacc	tgtccttcaa	ttaccgcaag	1080
aaggtatcct	ttgcccgcct	ccacctggca	agttccttca	agaacctggt	gtcactgcag	1140
gagctgaaca	tgaacggcat	cttcttccgc	tcgctcaaca	agtacacgct	cagatggctg	1200
gccgatctgc	ccaaactcca	cactctgcat	cttcaaatga	acttcatcaa	ccaggcacag	1260
ctcagcatct	ttggtacctt	ccgagccctt	cgctttgtgg	acttgtcaga	caatcgcatc	1320
agtgggcctt	caacgctgtc	agaagccacc	cctgaagagg	cagatgatgc	agagcaggag	1380
gagctgttgt	ctgcggatcc	tcacccagct	ccactgagca	cccctgcttc	taagaacttc	1440
atggacaggt	gtaagaactt	caagttcacc	atggacctgt	ctcggaacaa	cctggtgact	1500
atcaagccag	agatgtttgt	caatctctca	cgcctccagt	gtcttagcct	gagccacaac	1560
tccattgcac	aggctgtcaa	tggctctcag	ttcctgccgc	tgactaatct	gcaggtgctg	1620
gacctgtccc	ataacaaact	ggacttgtac	cactggaaat	cgttcagtga	gctaccacag	1680
ttgcaggccc	tggacctgag	ctacaacago	cagcccttta	gcatgaaggg	tataggccac	1740
aatttcagtt	ttgtggccca	tctgtccatg	ctacacagcc	ttagcctggc	acacaatgac	1800
attcatacco	gtgtgtcctc	acatctcaac	agcaactcag	tgaggtttct	tgacttcagc	1860
ggcaacggta	tgggccgcat	gtgggatgag	gggggccttt	atctccattt	cttccaaggc	1920
ctgagtggco	: tgctgaagct	ggacctgtct	caaaataacc	tgcatatcct	ccggccccag	1980
aaccttgaca	acctccccaa	gagcctgaag	ctgctgagcc	tccgagacaa	ctacctatct	2040
ttctttaact	ggaccagtct	gtccttcctg	cccaacctgg	aagtcctaga	cctggcaggc	2100
aaccagctaa	aggccctgac	caatggcacc	ctgcctaatg	gcaccctcct	ccagaaactg	2160

gatgtcagca	gcaacagtat	cgtctctgtg	gtcccagcct	tettegetet	ggcggtcgag	2220
ctgaaagagg	tcaacctcag	ccacaacatt	ctcaagacgg	tggatcgctc	ctggtttggg	2280
cccattgtga	tgaacctgac	agttctagac	gtgagaagca	accctctgca	ctgtgcctgt	2340
ggggcagcct	tegtagaett	actgttggag	gtgcagacca	aggtgcctgg	cctggctaat	2400
ggtgtgaagt	gtggcagccc	cggccagctg	cagggccgta	gcatcttcgc	acaggacctg	2460
cggctgtgcc	tggatgaggt	cctctcttgg	gactgctttg	gcctttcact	cttggctgtg	2520
gccgtgggca	tggtggtgcc	tatactgcac	catctctgcg	gctgggacgt	ctggtactgt	2580
tttcatctgt	gcctggcatg	gctacctttg	ctggcccgca	gccgacgcag	cgcccaagct	2640
ctcccctatg	atgccttcgt	ggtgttcgat	aaggcacaga	gcgcagttgc	ggactgggtg	2700
tataacgagc	tgcgggtgcg	gctggaggag	cggcgcggtc	gccgagccct	acgcttgtgt	2760
ctggaggacc	gagattggct	gcctggccag	acgctcttcg	agaacctctg	ggcttccatc	2820
tatgggagcc	gcaagactct	atttgtgctg	gcccacacgg	accgcgtcag	tggcctcctg	2880
cgcaccagct	tcctgctggc	tcagcagcgc	ctgttggaag	accgcaagga	cgtggtggtg	2940
ttggtgatcc	tgcgtccgga	tgcccaccgc	tcccgctatg	tgcgactgcg	ccagcgtctc	3000.
tgccgccaga	gtgtgctctt	ctggccccag	cagcccaacg	ggcaggggg	cttctgggcc	3060
cagctgagta	cagccctgac	tagggacaac	cgccacttct	ataaccagaa	cttctgccgg	3120
ggacctacag	cagaatagct	cagagcaaca	gctggaaaca	gctgcatctt	catgcctggt	3180
tecegagttg	ctctgcctgc					3200

<211> 3471

<212> DNA

<213> murine

tgaaagtgtc acttcctcaa ttctctgaga gaccctggtg tggaacatca ttctctgccg 60 cccagtttgt cagagggagc ctcgggagaa tcctccatct cccaacatgg ttctccgtcg 120 aaggactetg cacccettgt ceeteetggt acaggetgea gtgetggetg agactetgge 180 cctgggtacc ctgcctgcct tcctaccctg tgagctgaag cctcatggcc tggtggactg 240 caattggctg ttcctgaagt ctgtaccccg tttctctgcg gcagcatcct gctccaacat 300 caccegecte teettgatet ecaacegtat ecaecacetg cacaacteeg acttegteea 360 cctgtccaac ctgcggcagc tgaacctcaa gtggaactgt ccacccactg gccttagccc 420 cctgcacttc tcttgccaca tgaccattga gcccagaacc ttcctggcta tgcgtacact 480 ggaggagctg aacctgagct ataatggtat caccactgtg ccccgactgc ccagctccct 540

ggtgaatetg ageetgagee cetatacage etgegegtte					600 660	
aggagcggtg aaggtgaccc	caggcgccct	cctgggcctg	agcaatctca	cccatctgtc	720	
tctgaagtat aacaacctca	caaaggtgcc	ccgccaactg	cccccagcc	tggagtacct	780	
cctggtgtcc tataacctca	ttgtcaagct	ggggcctgaa	gacctggcca	atctgacctc	840	
ccttcgagta cttgatgtgg	gtgggaattg	ccgtcgctgc	gaccatgccc	ccaatccctg	900	
tatagaatgt ggccaaaagt	ccctccacct	gcaccctgag	accttccatc	acctgagcca	960	
tctggaaggc ctggtgctga	aggacagctc	tctccataca	ctgaactctt	cctggttcca	1020	
aggtetggte aacctetegg	tgctggacct	aagcgagaac	tttctctatg	aaagcatcaa	1080	
ccacaccaat gcctttcaga	acctaacccg	cctgcgcaag	ctcaacctgt	ccttcaatta	1140	
ccgcaagaag gtatcctttg	cccgcctcca	cctggcaagt	tccttcaaga	acctggtgtc	1200	
actgcaggag ctgaacatga	acggcatctt	cttccgctcg	ctcaacaagt	acacgctcag	1260	
atggctggcc gatctgccca	aactccacac	tctgcatctt	caaatgaact	tcatcaacca	1320	
ggcacagete ageatetttg	gtaccttccg	agcccttcgc	tttgtggact	tgtcagacaa	1380	•
tcgcatcagt gggccttcaa	cgctgtcaga	agccacccct	gaagaggcag	atgatgcaga	1440	
gcaggaggag ctgttgtctg	cggatcctca	cccagctcca	ctgagcaccc	ctgcttctaa	1500	
gaacttcatg gacaggtgta	agaacttcaa	gttcaccatg	gacctgtctc	ggaacaacct	1560	•
ggtgactatc aagccagaga	tgtttgtcaa	tctctcacgc	ctccagtgtc	ttagcctgag	1620	
ccacaactcc attgcacagg	ctgtcaatgg	ctctcagttc	ctgccgctga	ctaatctgca	1680	
ggtgctggac ctgtcccata	acaaactgga	cttgtaccac	tggaaatcgt	tcagtgagct	1740	
accacagttg caggecetgg	acctgagcta	caacagccag	ccctttagca	tgaagggtat	1800	
aggccacaat ttcagttttg	tgacccatct	gtccatgcta	cagagcctta	gcctggcaca	1860	
caatgacatt catacccgtg	tgtcctcaca	tctcaacagc	aactcagtga	ggtttcttga	1920	
cttcagcggc aacggtatgg	gccgcatgtg	ggatgagggg	ggcctttatc	tccatttctt	1980	
ccaaggcctg agtggcctgc	tgaagctgga	cctgtctcaa	aataacctgc	atatcctccg	2040	
gececagaac ettgacaace	tccccaagag	cctgaagctg	ctgagcctcc	gagacaacta	2100	
cctatctttc tttaactgga	ccagtctgtc	cttcctaccc	aacctggaag	tcctagacct	2160	
ggcaggcaac cagctaaagg	ccctgaccaa	tggcaccctg	cctaatggca	ccctcctcca	2220	
gaaactcgat gtcagtagca	acagtatcgt	ctctgtggtc	ccagccttct	tegetetgge	2280	
ggtcgagctg aaagaggtca	acctcagcca	caacattctc	aagacggtgg	atcgctcctg	2340	
gtttgggccc attgtgatga	acctgacagt	tctagacgtg	agaagcaacc	ctctgcactg	2400	
tgcctgtggg gcagccttcg	tagacttact	gttggaggtg	cagaccaagg	tgcctggcct	2460	•

ggctaatggt	gtgaagtgtg	gcagccccgg	ccagctgcag	ggccgtagca	tcttcgcgca	2520
ggacctgcgg	ctgtgcctgg	atgaggtcct	ctcttgggac	tgctttggcc	tttcactctt	2580
ggctgtggcc	gtgggcatgg	tggtgcctat	actgcaccat	ctctgcggct	gggacgtctg	2640
gtactgtttt	catctgtgcc	tggcatggct	acctttgctg	gcccgcagcc	gacgcagcgc	2700
ccaaactctc	ccttatgatg	ccttcgtggt	gttcgataag	gcacagagcg	cagttgccga	2760
ctgggtgtat	aacgagctgc	gggtgcggct	ggaggagcgg	cgcggtcgcc	gagecetacg	2820
cttgtgtctg	gaggaccgag	attggctgcc	tggccagacg	ctcttcgaga	acctctgggc	2880
ttccatctat	gggagccgca	agactctatt	tgtgctggcc	cacacggacc	gcgtcagtgg	2940
cctcctgcgc	accagettee	tgctggctca	gcagcgcctg	ttggaagacc	gcaaggacgt	3000
ggtggtgttg	gtgatcctgc	gtccggatgc	ccaccgctcc	cgctatgtgc	gactgcgcca	3060
gcgtctctgc	cgccagagtg	tgctcttctg	gccccagcag	cccaacgggc	aggggggctt	3120
ctgggcccag	ctgagtacag	ccctgactag	ggacaaccgc	cacttctata	accagaactt	3180
ctgccgggga	cctacagcag	aatagctcag	agcaacagct	ggaaacagct	gcatcttcat	3240
gcctggttcc	cgagttgctc	tgcctgcctt	gctctgtctt	actacaccgc	tatttggcaa	3300
gtgcgcaata	tatgctacca	agccaccagg	cccacggagc	aaaggttggc	agtaaagggt	3360
agttttcttc	ccatgcatct	ttcaggagag	tgaagataga	caccagaccc	acacagaaca	3420
ggactggagt	tcattctctg	cccctccacc	ccactttgcc	tgtctctgta	t	3471

<211> 3340

<212> DNA

<213> murine

<400> 70

tetetgagag accetggtgt ggaacateat tetetgeege ceagtttgte agagggagee 60 tegggagaat cetecatete ecaacatggt teteegtega aggaetetge acceettgte 120 cctcctggta caggctgcag tgctggctga gactctggcc ctgggtaccc tgcctgcctt 180 cctaccctgt gagetgaage ctcatggeet ggtggactge aattggetgt teetgaagte 240 tgtaccccgt ttctctgcgg cagcatcctg ctccaacatc acccgcctct ccttgatctc 300 caaccgtatc caccacctgc acaactccga cttcgtccac ctgtccaacc tgcggcagct 360 420 gaacctcaag tggaactgtc cacccactgg ccttagcccc ctgcacttct cttgccacat gaccattgag cccagaacct tcctggctat gcgtacactg gaggagctga acctgagcta 480 taatggtatc accactgtgc cccgactgcc cagetccctg gtgaatctga gcctgagcca 540 600 caccaacate etggttetag atgctaacag cetegeegge etatacagee tgegegttet

cttcatggac aggcgccctc	gggaactgct ctgggcctga	actacaagaa gcaatctcac	cccctgcaca ccatctgtct	ggagcggtga ctgaagtata	aggtgacccc acaacctcac	660 720
aaaggtgccc	cgccaactgc	ccccagcct	ggagtacctc	ctggtgtcct	ataacctcat	780
tgtcaagctg	gggcctgaag	acctggccaa	tctgacctcc	cttcgagtac	ttgatgtggg	840
tgggaattgc	cgtcgctgcg	accatgcccc	caatccctgt	atagaatgtg	gccaaaagtc	900
cctccacctg	caccctgaga	ccttccatca	cctgagccat	ctggaaggcc	tggtgctgaa	960
ggacagctct	ctccatacac	tgaactcttc	ctggttccaa	ggtctggtca	acctctcggt	1020
gctggaccta	agcgagaact	ttctctatga	aagcatcaac	cacaccaatg	cctttcagaa	1080
cctaacccgc	ctgcgcaagc	tcaacctgtc	cttcaattac	cgcaagaagg	tatcctttgc	1140
cegeeteeae	ctggcaagtt	ccttcaagaa	cctggtgtca	ctgcaggagc	tgaacatgaa	1200
cggcatcttc	ttccgctcgc	tcaacaagta	cacgctcaga	tggctggccg	atctgcccaa	1260
actccacact	ctgcatcttc	aaatgaactt	catcaaccag	gcacagctca	gcatctttgg	1320
taccttccga	gecetteget	ttgtggactt	gtcagacaat	cgcatcagtg	ggccttcaac	1380
gctgtcagaa	gccacccctg	aagaggcaga	tgatgcagag	caggaggagc	tgttgtctgc	1440
ggatcctcac	ccagctccac	tgagcacccc	tgcttctaag	aacttcatgg	acaggtgtaa	1500
gaacttcaag	ttcaccatgg	acctgtctcg	gaacaacctg	gtgactatca	agccagagat	1560 '.
gtttgtcaat	ctctcacgcc	tccagtgtct	tagcctgagc	cacaactcca	ttgcacaggc	1620
tgtcaatggc	tctcagttcc	tgccgctgac	taatctgcag	gtgctggacc	tgtcccataa	1680
caaactggac	ttgtaccact	ggaaatcgtt	cagtgagcta	ccacagttgc	aggccctgga	1740
cctgggctac	aacagccagc	cctttagcat	aaagggtata	ggccacaatt	tcagttttgt	1800
ggcccatctg	tccatgctac	acagccttag	cctggcacac	aatgacattc	atacccgtgt	1860
gtcctcacat	ctcaacagca	actcagtgag	gtttcttgac	ttcagcggca	acggtatggg	1920
ccgcatgtgg	gatgaggggg	gcctttatct	ccatttcttc	caaggcctga	gtggcctgct	1980
gaagctggac	ctgtctcaaa	ataacctgca	tatcctccgg	ccccagaacc	ttgacaacct	2040
ccccaagagc	ctgaagctgc	tgagcctccg	agacaactac	ctatctttct	ttaactggac	2100
cagtctgtcc	ttcctgccca	acctggaagt	cctagacctg	gcaggcaacc	agctaaaggc	2160
cctgaccaat	ggcaccctgc	ctaatggcac	cctcctccag	aaactggatg	tcagcagcaa	2220
cagtatcgtc	tctgtggtcc	cagccttctt	cgctctggcg	gtcgagctga	aagaggtcaa	2280
cctcagccac	aacattctca	agacggtgga	tegeteetgg	tttgggccca	ttgtgatgaa	2340
cctgacagtt	ctagacgtga	gaagcaaccc	tctgcactgt	gcctgtgggg	cagccttcgt	2400
agacttactg	ttggaggtgc	agaccaaggt	gcctggcctg	gctaatggtg	tgaagtgtgg	2460
cagccccggc	cagctgcagg	gccgtagcat	cttcgcacag	gacctgcggc	tgtgcctgga	2520

tgaggtcctc	tcttgggact	gctttggcct	ttcactcttg	gctgtggccg	tgggcatggt	2580
ggtgcctata	ctgcaccatc	tctgcggctg	ggacgtctgg	tactgttttc	atctgtgcct	2640
ggcatggcta	cctttgctgg	cccgcagccg	acgcagcgcc	caagctctcc	cctatgatgc	2700
cttcgtggtg	ttcgataagg	cacagagcgc	agttgcggac	tgggtgtata	acgagctgcg	2760
ggtgeggetg	gaggggcggc	gcggtcgccg	agccctacgc	ttgtgtctgg	aggaccgaga	2820
ttggctgcct	ggccagacgc	tcttcgagaa	cctctgggct	tccatctatg	ggagccgcaa	2880
gactctattt	gtgctggccc	acacggaccg	cgtcagtggc	ctcctgcgca	ccagcttcct	2940
gctggctcag	cagcgcctgt	tggaagaccg	caaggacgtg	gtggtgttgg	tgatcctgcg	3000
tccggatgcc	caccgctccc	gctatgtgcg	actgcgccag	cgtctctgcc	gccagagtgt	3060
gctcttttgg	ccccagcagc	ccaacgggca	ggggggcttc	tgggcccagc	tgagtacagc	3120
cctgactagg	gacaaccgcc	acttctataa	ccagaacttc	tgccggggac	ctacagcaga	3180
atagctcaga	gcaacagctg	gaaacagctg	catcttcatg	cctggttccc	gagttgctct	3240
gcctgccttg	ctctgtctta	ctacaccgct	atttggcaag	tgcgcaatat	atgctaccaa	3300
gccaccgggc	ccacggagca	aaggttggct	gtaaagggta			3340

<211> 3471

<212> DNA

<213> murine

<400> 71

tgaaagtgtc acttcctcaa ttctctgaga gaccctggtg tggaacatca ttctctgccg 60 120 cccagtttgt cagagggage ctcgggagaa tcctccatct cccaacatgg ttctccgtcg aaggactctg caccccttgt ccctcctggt acaggctgca gtgctggctg agactctggc 180 240 cctgggtacc ctgcctgcct tcctaccctg tgagctgaag cctcatggcc tggtggactg caattggctg ttcctgaagt ctgtaccccg tttctctgcg gcagcatcct gctccaacat 300 caccegette teettgatet ceaacegtat ceaecacetg cacaacteeg acttegteea 360 cctqtccaac ctgcggcagc tgaacctcaa gtggaactgt ccacccactg gccttagccc 420 cctgcacttc tcttgccaca tgaccattga gcccagaacc ttcctggcta tgcgtacact 480 ggaggagctg aacctgagct ataatggtat caccactgtg ccccgactgc ccagctccct 540 ggtgaatetg ageetgagee acaccaacat cetggtteta gatgetaaca geetegeegg 600 cctatacage etgegegtte tetteatgga egggaactge tactacaaga acceetgeae 660 aggageggtg aaggtgaeee caggegeeet cetgggeetg ageaatetea eecatetgte 720 780 tetgaagtat aacaacetea caaaggtgee eegecaactg eececeagee tggagtacet

cctggtgtcc ccttcgagta	tataacctca cttgatgtgg	ttgtcaagct gtgggaattg	ggggcctgaa ccgtcgctgc	gacctggcca gaccatgccc	atctgacctc ccaatccctg	840 900
tatagaatgt	ggccaaaagt	ccctccacct	gcaccctgag	accttccatc	acctgagcca	960
tctggaaggc	ctggtgctga	aggacagctc	tctccataca	ctgaactctt	cctggttcca	1020
aggtctggtc	aacctctcgg	tgctggacct	aagcgagaac	tttctctatg	aaagcatcaa	1080
ccacaccaat	gcctttcaga	acctaacccg	cctgcgcaag	ctcaacctgt	ccttcaatta	1140
ccgcaagaag	gtatcctttg	cccgcctcca	cctggcaagt	tccttcaaga	acctggtgtc	1200
actgcaggag	ctgaacatga	acggcatctt	cttccgctcg	ctcaacaagt	acacgctcag	1260
atggctggcc	gatctgccca	aactccacac	tctgcatctt	caaatgaact	tcatcaacca	1320
ggcacagctc	agcatctttg	gtaccttccg	agcccttcgc	tttgtggact	tgtcagacaa	1380
tcgcatcagt	gggccttcaa	cgctgtcaga	agccacccct	gaagaggcag	atgatgcaga	1440
gcaggaggag	ctgttgtctg	cggatcctca	cccagetcca	ctgagcaccc	ctgcttctaa	1500
gaacttcatg	gacaggtgta	agaacttcaa	gttcaccatg	gacctgtctc	ggaacaacct	1560
ggtgactatc	aagccagaga	tgtttgtcaa	tctctcacgc	ctccagtgtc	ttagcctgag	1620
ccacaactcc	attgcacagg	ctgtcaatgg	ctctcagttc	ctgccgctga	ctaatctgca	1680
ggtgctggac	ctgtcccata	acaaactgga	cttgtaccac	tggaaatcgt	tcagtgagct	174,0
accacagttg	caggccctgg	acctgagcta	caacagccag	ccctttagca	tgaagggtat	1800
aggccacaat	ttcagttttg	tgacccatct	gtccatgcta	cagagcctta	gcctggcaca	1860
caatgacatt	catacccgtg	tgtcctcaca	tctcaacagc	aactcagtga	ggtttcttga	1920
cttcagcggc	aacggtatgg	gccgcatgtg	ggatgagggg	ggcctttatc	tccatttctt	1980
ccaaggcctg	agtggcctgc	tgaagctgga	cctgtctcaa	aataacctgc	atatcctccg	2040
gccccagaac	cttgacaacc	tececaagag	cctgaagctg	ctgagcctcc	gagacaacta	2100
cctatctttc	tttaactgga	ccagtctgtc	cttcctaccc	aacctggaag	tcctagacct	2160
ggcaggcaac	cagctaaagg	ccctgaccaa	tggcaccctg	cctaatggca	ccctcctcca	2220
gaaactcgat	gtcagtagca	acagtatcgt	ctctgtggtc	ccagccttct	tegetetgge	2280
ggtcgagctg	aaagaggtca	acctcagcca	caacattctc	aagacggtgg	atcgctcctg	2340
gtttgggccc	attgtgatga	acctgacagt	tctagacgtg	agaagcaacc	ctctgcactg	2400
tgcctgtggg	gcagccttcg	tagacttact	gttggaggtg	cagaccaagg	tgcctggcct	2460
ggctaatggt	gtgaagtgtg	gcagccccgg	ccagctgcag	ggccgtagca	tcttcgcgca	2520
ggacctgcgg	ctgtgcctgg	atgaggtcct	ctcttgggac	: tgctttggcc	tttcactctt	2580
ggctgtggcc	: gtgggcatgg	tggtgcctat	actgcaccat	ctctgcggct	gggacgtctg	2640
gtactgtttt	catctgtgcc	: tggcatggct	acctttgctg	gcccgcagcc	gacgcagcgc	2700

ccaaactctc	ccttatgatg	ccttcgtggt	gttcgataag	gcacagagcg	cagttgccga	2760
ctgggtgtat	aacgagctgc	gggtgcggct	ggaggagcgg	cgcggtcgcc	gagccctacg	2820
cttgtgtctg	gaggaccgag	attggctgcc	tggccagacg	ctcttcgaga	acctctgggc	2880
ttccatctat	gggagccgca	agactctatt	tgtgctggcc	cacacggacc	gcgtcagtgg	2940
cctcctgcgc	accagcttcc	tgctggctca	gcagcgcctg	ttggaagacc	gcaaggacgt	3000
ggtggtgttg	gtgatcctgc	gtccggatgc	ccaccgctcc	cgctatgtgc	gactgcgcca	3060
gcgtctctgc	cgccagagtg	tgctcttctg	gccccagcag	cccaacgggc	aggggggctt	3120
ctgggcccag	ctgagtacag	ccctgactag	ggacaaccgc	cacttctata	accagaactt	3180
ctgccgggga	cctacagcag	aatagctcag	agcaacagct	ggaaacagct	gcatcttcat	3240
gcctggttcc	cgagttgctc	tgcctgcctt	gctctgtctt	actacaccgc	tatttggcaa	3300
gtgcgcaata	tatgctacca	agccaccagg	cccacggagc	aaaggttggc	agtaaagggt	3360
agttttcttc	ccatgcatct	ttcaggagag	tgaagataga	caccagaccc	acacagaaca	3420
ggactggagt	tcattctctg	cccctccacc	ccactttgcc	tgtctctgta	t	3471

<210> 72 <211> 1032 <212> PRT <213> murine

<400> 72

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser 135 140

# WO 2004/094671 - 168 - PCT/US2004/012788

Leu 145	Val	Asn	Leu	Ser	Leu 150	Ser	His	Thr	Asn	Ile 155	Leu	Val	Leu	Asp	Ala 160
Asn	Ser	Leu	Ala	Gly 165	Leu	Tyr	Ser	Leu	Arg 170	Val	Leu	Phe	Met	Asp 175	Gly
Asn	Cys	Tyr	Tyr 180	Lys	Asn	Pro	Cys	Thr 185	Gly	Ala	Val	Lys	Val 190	Thr	Pro
Gly	Ala	Leu 195	Leu	Gly	Leu	Ser	Asn 200	Leu	Thr	His	Leu	Ser 205	Leu	Lys	Tyr
Asn	Asn 210	Leu	Thr	Lys	Val	Pro 215	Arg	Gln	Leu	Pro	Pro 220	Ser	Leu	Glu	Tyr
Leu 225	Leu	Val	Ser	Tyr	Asn 230	Leu	Ile	Val	Lys	Leu 235	Gly	Pro	Glu	Asp	Leu 240
Ala	Asn	Leu	Thr	Ser 245	Leu	Arg	Val	Leu	Asp 250	Val	Gly	Gly	Asn	Cys 255	Arg
Arg	. Cys	Asp	His 260	Ala	Pro	Asn	Pro	Сув 265	Ile	Glu	Cys	Gly	Gln 270	Lys	Ser
Leu	His	Leu 275	His	Pro	Glu	Thr	Phe 280	His	His	Leu	Ser	His 285	Leu	Glu	Gly
Leu	Val 290	Leu	Lys	Asp	Ser	Ser 295	Leu	His	Thr	Leu	Asn 300	Ser	Ser	Trp	Phe
Gln 305	Gly	Leu	Val	Asn	Leu 310	Ser	Val	Leu	Asp	Leu 315	Ser	Glu	Asn	Phe	Leu 320
Tyr	Glu	Ser	Ile	Asn 325	His	Thr	Asn	Ala	Phe 330	Gln	Asn	Leu	Thr	Arg 335	Leu
Arg	Lys	Leu	Asn 340	Leu	Ser	Phe	Asn	Tyr 345	Arg	Lys	Lys	Val	Ser 350	Phe	Ala
Arg	Leu	His 355	Leu	Ala	Ser	Ser	Phe 360	Lys	Asn	Leu	Val	Ser 365	Leu	Gln	Glu
Leu	Asn 370	Met	Asn	Gly	Ile	Phe 375		Arg	Ser	Leu	Asn 380	Lys	Tyr	Thr	Leu
Arg 385		Leu	Ala	Asp	Leu 390	Pro	Lys	Leu	His	Thr 395		His	Leu	Gln	Met 400
Asn	Phe	Ile	Asn	Gln 405	Ala	Gln	Leu	Ser	Ile 410	Phe	Gly	Thr	Phe	Arg 415	Ala
Leu	Arg	Phe	Val 420		Leu	Ser	Asp	Asn 425		Ile	Ser	Gly	Pro 430	Ser	Thr
Leu	Ser	Glu 435		Thr	Pro	Glu	Glu 440		Asp	Asp	Ala	Glu 445		Glu	Glu
Leu	Leu 450	Ser	Ala	Asp	Pro	His 455		Ala	Pro	Leu	Ser 460		Pro	Ala	Ser
Lys	Asn	Phe	Met	Asp	Arg	Cys	Lys	Asn	Phe	Lys	Phe	Thr	Met	Asp	Leu

### WO 2004/094671 - 169 - PCT/US2004/012788

470 475 Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala 505 Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp 520 Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly 600 Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe 615 Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu 650 Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala 710 Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe Val Asp Leu Leu Glu Val Gln Thr Lys Val Pro Gly Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg 795

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser

385 Asn	Phe	Ile	Asn		390 Ala	Gln	Leu		Ile 410	395 Phe	Gly	Thr	Phe	Arg 415	400 Ala
Leu	Arg	Phe	Val 420	Asp	Leu	Ser	Asp	Asn 425	Arg	Ile	Ser	Gly	Pro 430	Ser	Thr
Leu	Ser	Glu 435	Ala	Thr	Pro	Glu	Glu 440	Ala	Asp	Asp	Ala	Glu 445	Gln	Glu	Glu
Leu	Leu 450	Ser	Ala	Asp	Pro	His 455	Pro	Ala	Pro	Leu	Ser 460	Thr	Pro	Ala	Ser
Lys 465	Asn	Phe	Met	Asp	Arg 470	Сув	ГÀв	Asn	Phe	Lys 475	Phe	Thr	Met	Asp	Leu 480
Ser	Arg	Asn	Asn	Leu 485	Val	Thr	Ile	ГÀЗ	Pro 490	Glu	Met	Phe	Val	Asn 495	Leu
Ser	Arg 、	Leu	Gln 500	Cys	Leu	Ser	Leu	Ser 505	His	Asn	Ser	Ile	Ala 510	Gln	Ala
Val	Asn	Gly 515	Ser	Gln	Phe	Leu	Pro 520	Leu	Thr	Asn	Leu	Gln 525	Val	Leu	Asp
Leu	Ser 530	His	Asn	Lys	Leu	Asp 535	Leu	Tyr	His	Trp	Lys 540	Ser	Phe	Ser	Glu
Leu 545	Pro	Gln	Leu	Gln	Ala 550	Leu	Asp	Leu	Gly	Tyr 555	Asn	Ser	Gln	Pro	Phe 560
Ser	Ile	Lys	Gly	Ile 565	Gly	His	Asn	Phe	Ser 570		Val	Ala	His	Leu 575	Ser
Met	Leu	His	Ser 580	Leu	Ser	Leu	Ala	His 585	Asn	Asp	Ile	His	Thr 590	Arg	Val
Ser	Ser	His 595		Asn	Ser	Asn	Ser 600	Val	Arg	Phe	Leu	Asp 605		Ser	Gly
Asn	Gly 610		Gly	Arg	Met	Trp 615	qaA	Glu	Gly	Gly	Leu 620	Tyr	Leu	His	Phe
Phe 625		Gly	Leu	Ser	Gly 630		Leu	ГÀЗ	Leu	Asp 635		Ser	Gln	Asn	Asn 640
Leu	His	Ile	Leu	Arg 645		Gln	Asn	Leu	Asp 650		Leu	Pro	Lys	655	Leu
Lys	Leu	Leu	Ser 660		Arg	Asp	Asn	Tyr 665		. Ser	Phe	Phe	670		Thr
Ser	: Leu	Ser 675		Leu	Pro	Asn	Leu 680		Va]	Lev	Asp	685		a Gly	Asn
Glr	Lev 690		ala	Leu	Thr	Asn 695		Thr	Leu	ı Pro	700		Thi	c Lev	Leu
Glr 705		Leu	ı As <u>r</u>	Val	Ser 710		Asn	Ser	∶Il€	val 715		· Val	. Val	l Pro	720
Phe	Phe	ala	a Lei	ı Ala	ı Val	Glu	Lev	Lys	Gli	ı Val	l Ası	Let	ı Sei	r His	s Asn

### WO 2004/094671 - 173 - PCT/US2004/012788

725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
755 760 765

Ala Ala Phe Val Asp Leu Leu Glu Val Gln Thr Lys Val Pro Gly 770 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser 805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val 820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe 835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu 885 890 895

Gly Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu 945 950 955 960

Asp Arg Lys Asp Val Val Leu Val Ile Leu Arg Pro Asp Ala His
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu 1025 1030

<210> 74

<211> 1032

<212> PRT

<213> murine <400> 74

Met Val Leu Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu 305 310 315 320

## WO 2004/094671 - 175 - PCT/US2004/012788

- Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu 325 330 335
- Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala 340 345 350
- Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu 355 360 365
- Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu 370 375 380
- Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met 385 390 395 400
- Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala 405 410 415
- Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr 420 425 430
- Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Glu Glu 435 440 445
- Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser 450 455 460
- Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu 465 470 475 480
- Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu 485 490 495
- Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala 500 505 510
- Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp 515 520 525
- Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu 530 535 540
- Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe 545 550 555 556
- Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Thr His Leu Ser 565 570 575
- Met Leu Gln Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val 580 585 590
- Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly 595 600 605
- Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe 610 615 620
- Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn 625 630 635 640
- Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu

Lys.	Leu	Leu	Ser 660	645 Leu	Arg	Asp	Asn	Tyr 665	650 Leu	Ser	Phe	Phe	Asn 670	655 Trp	Thr
Ser	Leu	Ser 675	Phe	Leu	Pro	Asn	Leu 680	Glu	Val	Leu	Asp	Leu 685	Ala	Gly	Asn
Gln	Leu 690	Lys	Ala	Leu	Thr	Asn 695	Gly	Thr	Leu	Pro	Asn 700	Gly	Thr	Leu	Leu
Gln 705	Lys	Leu	Asp	Val	Ser 710	Ser	Asn	Ser	Ile	Val 715	Ser	Val	Val	Pro	Ala 720
Phe	Phe	Ala	Leu	Ala 725	Val	Glu	Leu	Lys	Glu 730	Val	Asn	Leu	Ser	His 735	Asn
Ile	Leu	Lys	Thr 740	Val	Asp	Arg	Ser	Trp 745	Phe	Gly	Pro	Ile	Val 750	Met	Asn
Leu	Thr	Val 755	Leu	Asp	Val	Arg	Ser 760	Asn	Pro	Leu	His	Cys 765	Ala	Сув	Gly
Ala	Ala. 770	Phe	Val	Asp	Leu	Leu 775	Leu	Glu	Val	Gln	Thr 780	ГÀЗ	Val	Pro	Gly
Leu 785	Ala	Asn	Gly	Val	<b>Lys</b> 790	Сув	Gly	Ser	Pro	Gly 795	Gln	Leu	Gln	Gly	Arg 800
Ser	Ile	Phe	Ala	Gln 805	qaA	Leu	Arg	Leu	Cys 810	Leu	Asp	Glu	Val	Leu 815	Ser
Trp	Asp	Cys	Phe 820	Gly	Leu	Ser	Leu	Leu 825		Val	Ala	Val	Gly 830	Met	Val
Val	Pro	Ile 835	Leu	His	His	Leu	Суs 840	Gly	Trp	Asp	Val	Trp 845	Tyr	Cya	Phe
His	Leu 850	Cys	Leu	Ala	Trp	Leu 855		Leu	Leu	Ala	Arg 860	Ser	Arg	Arg	Ser
Ala 865		Thr	Leu	Pro	Tyr 870		Ala	Phe	Val	Val 875	Phe	Asp	Lys	Ala	Gln 880
Ser	Ala	Val	Ala	Asp 885		Val	Tyr	Asn	Glu 890		Arg	Val	Arg	Leu 895	Glu
Glu	Arg	Arg	Gly 900		Arg	Ala	Leu	Arg 905		Суз	Leu	Glu	Asp 910		Asp
Trp	Leu	Pro 915	_	Gln	Thr	Leu	920		Asn	. Leu	Trp	Ala 925		Ile	Tyr
Gly	Ser 930	_	Lys	Thr	Leu	935		Leu	Ala	His	Thr 940		Arg	Val	Ser
Gly 945		Leu	Arg	Thr	950		. Leu	Leu	Ala	Gln 955		Arg	Leu	Leu	Glu 960
Asp	Arg	Lys	Asp	Val 965		. Val	. Leu	. Val	. Il∈ 970		Arg	Pro	Asp	Ala 975	His
Arg	Ser	Arg	туг	Va]	. Arg	Lev	ı Arg	Gln	Arg	Leu	Cys	Arg	Gln	Ser	Val

980 985 990 Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu 1025 1030

<210> 75

<211> 1032

<212> PRT

<213> murine

<400> 75

Met Val Leu Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ser Cys Ser Asn 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser 130 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu 225 230 235 240

Ala	Asn	Leu	Thr	Ser 245	Leu	Arg	Val	Leu	Asp 250	Val	Gly	Gly	Asn	Cys 255	Arg
Arg	Сув	Asp	His 260	Ala	Pro	Asn	Pro	Cys 265	Ile	Glu	Сув	Gly	Gln 270	ГЛа	Ser
Leu	His	Leu ,275	His	Pro	Glu	Thr	Phe 280	His	His	Leu	Ser	His 285	Leu	Glu	Gly
Leu	Val 290	Leu	Lys	Asp	Ser	Ser 295	Leu	His	Thr	Leu	Asn 300	Ser	Ser	Trp	Phe
Gln 305	Gly	Leu	Val	Asn	Leu 310	Ser	Val	Leu	Asp	Leu 315	Ser	Glu	Asn	Phe	Leu 320
Tyr	Glu	Ser	Ile	Asn 325	His	Thr	Asn	Ala	Phe 330	Gln	Asn	Leu	Thr	Arg 335	Leu
Arg	Lys	Leu	Asn 340	Leu	Ser	Phe	Asn	Tyr 345	Arg	Lys	Lys	Val	Ser 350	Phe	Ala
Arg	Leu	His 355	Leu	Ala	Ser	Ser	Phe 360	Lys	Asn	Leu	Val	Ser 365	Leu	Gln	Glu
Leu	Asn 370	Met	Asn	Gly	Ile	Phe 375	Phe	Arg	Ser	Leu	Asn 380	Lys	Tyr	Thr	Leu
Arg 385	Trp	Leu	Ala	Asp	Leu 390	Pro	Lys	Leu	His	Thr 395	Leu	His	Leu	Gln	Met 400
Asn	Phe	Ile	Asn	Gln 405	Ala	Gln	Leu	Ser	Ile 410	Phe	Gly	Thr	Phe	Arg 415	Ala
Leu	Arg	Phe	Val 420	Asp	Leu	Ser	Asp	Asn 425	Arg	Ile	Ser	Gly	Pro 430	Ser	Thr
Leu	Ser	Glu 435	Ala	Thr	Pro	Glu	Glu 440	Ala	Asp	Asp	Ala	Glu 445	Gln	Glu	Glu
Leu	Leu 450		Ala	Asp	Pro	His 455	Pro	Ala	Pro	Leu	Ser 460	Thr	Pro	Ala	Ser
Lys 465	Asn	Phe	Met	Asp	Arg 470	Cys	Lys	Asn	Phe	Lys 475	Phe	Thr	Met	Asp	Leu 480
Ser	Arg	Asn	Asn	Leu 485	Val	Thr	Ile	Lys	Pro 490	Glu	Met	Phe	Val	Asn 495	Leu
Ser	Arg	Leu	Gln 500	Cys	Leu	Ser	Leu	Ser 505	His	Asn	Ser	Ile	Ala 510	Gln	Ala
Val	Asn	Gly 515	Ser	Gln	Phe	Leu	Pro 520	Leu	Thr	Asn	Leu	Gln 525	Val	Leu	Asp
Leu	Ser 530	His	Asn	ГÀЗ	Leu	Asp 535	Leu	Tyr	His	Trp	Lys 540	Ser	Phe	Ser	Glu
Leu 545	Pro	Gln	Leu	Gln	Ala 550	Leu	Asp	Leu	Ser	Tyr 555	Asn	Ser	Gln	Pro	Phe 560
Ser	Met	Lys	Gly	Ile	Gly	His	Asn	Phe	Ser	Phe	Val	Thr	His	Leu	Ser

570 565 Met Leu Gln Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val 585 Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly 600 Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe 615 Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu 650 Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn 680 Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu 695 Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala 710 715 Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn 730 Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn 745 Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe Val Asp Leu Leu Glu Val Gln Thr Lys Val Pro Gly Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser 810 Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser Ala Gln Thr Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu 890 Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp

- 180 -PCT/US2004/012788 WO 2004/094671

Trp	Leu	Pro 915	900 Gly	Gln	Thr	Leu	Phe 920	905 Glu	Asn	Leu	Trp	Ala 925	910 Ser	Ile	Tyr
Gly	Ser 930	Arg	Lys	Thr	Leu	Phe 935	Val	Leu	Ala	His	Thr 940	Asp	Arg	Val	Ser
Gly 945	Leu	Leu	Arg	Thr	Ser 950	Phe	Leu	Leu	Ala	Gln 955	Gln	Arg	Leu	Leu	Glu 960
Asp	Arg	r ,	Asp	Val 965	Val	Val	Leu	Val	Ile 970	Leu	Arg	Pro	Asp	Ala 975	His
Arg	Ser	Arg	Tyr 980	Val	Arg	Leu	Arg	Gln 985	Arg	Leu	Cys	Arg	Gln 990	Ser	Val

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln 1000

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln 1010 1015

Asn Phe Cys Arg Gly Pro Thr Ala Glu 1030 1025

<210> 76 <211> 3002 <212> DNA

<213> Homo sapiens

<400> 76 gtggcttggt attcactggc aggtttcaga catttagatc tttcttttaa tgactaacac 60 catgcctatc tgtggagaag ctggcaacat gtcacacctg gaaattgttt ttcaacatta 120 atactattat ttggcagtaa tccagattgc ttttgccacc aacctgaaga catatagagg 180 cagaaggaca ggaataattc tatttgtttc ctgttttgaa acttccatct gtaaggctat 240 300 caaaaggaga tgtgagagag ggtattgagt ctggcctgac aatgcagttc ttaaaccaaa 360 ggtccattat gcttctcctc tctgagaatc ctgacttacc tcaacaacgg agacatggca cagtagccag cttggagact tctcagccaa tgctctgaga tcaagtcgaa gacccaatat 420 480 acagggtttt gagctcatct tcatcattca tatgaggaaa taagtggtaa aatccttgga aatacaatga gactcatcag aaacatttac atattttgta gtattgttat gacagcagag 540 ggtgatgctc cagagctgcc agaagaaagg gaactgatga ccaactgctc caacatgtct 600 ctaagaaagg ttcccgcaga cttgacccca gccacaacga cactggattt atcctataac 660 ctcctttttc aactccagag ttcagatttt cattctgtct ccaaactgag agttttgatt 720 ctatgccata acagaattca acagctggat ctcaaaacct ttgaattcaa caaggagtta 780 agatatttag atttgtctaa taacagactg aagagtgtaa cttggtattt actggcaggt 840 ctcaggtatt tagatctttc ttttaatgac tttgacacca tgcctatctg tgaggaagct 900

2820

		aatcctaggt gcatctaaat				960 1020
cattatgaag	aaggtagcct	gcccatctta	aacacaacaa	aactgcacat	tgttttacca	1080
atggacacaa	atttctgggt	tcttttgcgt	gatggaatca	agacttcaaa	aatattagaa	1140
atgacaaata	tagatggcaa	aagccaattt	gtaagttatg	aaatgcaacg	aaatcttagt	1200
ttagaaaatg	ctaagacatc	ggttctattg	cttaataaag	ttgatttact	ctgggacgac	1260
cttttcctta	tcttacaatt	tgtttggcat	acatcagtgg	aacactttca	gatccgaaat	1320
gtgacttttg	gtggtaaggc	ttatcttgac	cacaattcat	ttgactactc	aaatactgta	1380
atgagaacta	taaaattgga	gcatgtacat	ttcagagtgt	tttacattca	acaggataaa	1440
atctatttgc	ttttgaccaa	aatggacata	gaaaacctga	caatatcaaa	tgcacaaatg	1500
ccacacatgc	ttttcccgaa	ttatcctacg	aaattccaat	atttaaattt	tgccaataat	1560
atcttaacag	acgagttgtt	taaaagaact	atccaactgc	ctcacttgaa	aactctcatt	1620
ttgaatggca	ataaactgga	gacactttct	ttagtaagtt	gctttgctaa	caacacaccc	1680
ttggaacact	tggatctgag	tcaaaatcta	ttacaacata	aaaatgatga	aaattgctca	1740
tggccagaaa	ctgtggtcaa	tatgaatctg	tcatacaata	aattgtctga	ttctgtcttc	1800
aggtgcttgc	ccaaaagtat	tcaaatactt	gacctaaata	ataaccaaat	ccaaactgta	1860
cctaaagaga	ctattcatct	gatggcctta	cgagaactaa	atattgcatt	taattttcta	1920
actgatctcc	ctggatgcag	tcatttcagt	agactttcag	ttctgaacat	tgaaatgaac	1980
ttcattctca	gcccatctct	ggattttgtt	cagagctgcc	aggaagttaa	aactctaaat	2040
gcgggaagaa	atccattccg	gtgtacctgt	gaattaaaaa	atttcattca	gcttgaaaca	2100
tattcagagg	tcatgatggt	tggatggtca	gattcataca	cctgtgaata	ccctttaaac	2160
ctaaggggaa	ttaggttaaa	agacgttcat	ctccacgaat	tatcttgcaa	cacagetetg	2220
ttgattgtca	ccattgtggt	tattatgcta	gttctggggt	tggctgtggc	cttctgctgt	2280
ctccactttg	atctgccctg	gtatctcagg	atgctaggtc	aatgcacaca	aacatggcac	2340
agggttagga	aaacaaccca	agaacaactc	aagagaaatg	tccgattcca	cgcatttatt	2400
tcatacagtg	aacatgattc	tctgtgggtg	aagaatgaat	tgatccccaa	tctagagaag	2460
gaagatggtt	ctatcttgat	ttgcctttat	gaaagctact	ttgaccctgg	caaaagcatt	2520
agtgaaaata	ttgtaagctt	cattgagaaa	agctataagt	ccatctttgt	tttgtctccc	2580
aactttgtcc	agaatgagtg	gtgccattat	gaattttact	ttgcccacca	caatctcttc	2640
catgaaaatt	ctgatcatat	aattcttatc	ttactggaac	ccattccatt	ctattgcatt	2700
cccaccaggt	atcataaact	gaaagctctc	ctggaaaaaa	aagcatactt	ggaatggccc	2760
			~~~~~~++-		++ <del></del> ++	2020

aaggataggc gtaaatgtgg gcttttctgg gcaaaccttc gagctgctat taatgttaat

2880

2940

3000

3002

gtattago	gtattagcca ccagagaaat gtatgaactg cagacattca cagagttaaa tgaagagtct													
cgaggtto	ta c	aato	tctc	t ga	tgag	aaca	gat	tgto	tat	aaaa	tccc	ac a	gtco	ttggg
aagttggg	ga c	caca	taca	c tg	ttgg	gatg	tac	attg	ata	caac	cttt	at c	gatgg	caatt
tg														
<211> 8 <212> E <213> E	77. 811 PRT Homo	sapi	ens			•								
	77											_		_
Met Arg 1	Leu	Ile	Arg 5	Asn	Ile	Tyr	Ile	Phe 10	Cys	Ser	Ile	Val	Met 15	Thr
Ala Glu	_	Asp 20	Ala	Pro	Glu	Leu	Pro 25	Glu	Glu	Arg	Glu	Leu 30	Met	Thr
Asn Cys	Ser 35	Asn	Met	Ser	Leu	Arg 40	Lys	Val	Pro	Ala	Asp 45	Leu	Thr	Pro
Ala Thr 50	Thr	Thr	Leu	Asp	Leu 55	Ser	Tyr	Asn	Leu	Leu 60	Phe	Gln	Leu	Gln
Ser Ser 65	Asp	Phe	His	Ser 70	Val	Ser	Lys	Leu	Arg 75	Val	Leu	Ile	Leu	Сув 80
His Asn	Arg	Ile	Gln 85	Gln	Leu	Asp	Leu	Lys 90	Thr	Phe	Glu	Phe	Asn 95	Lys
Glu Leu	Arg	Tyr 100	Leu	qaA	Leu	Ser	Asn 105	Asn	Arg	Leu	Ьув	Ser 110	Val	Thr
Trp Tyr	Leu 115	Leu	Ala	Gly	Leu	Arg 120	Tyr	Leu	Asp	Leu	Ser 125	Phe	Asn	Asp
Phe Asp 130	Thr	Met	Pro	Ile	Cys 135	Glu	Glu	Ala	Gly	Asn 140	Met	Ser	His	Leu
Glu Ile 145	Leu	Gly	Leu	Ser 150	Gly	Ala	Lys	Ile	Gln 155	Lys	Ser	Asp	Phe	Gln 160
Lys Ile	Ala	His	Leu 165	His	Leu	Asn	Thr	Val 170	Phe	Leu	Gly	Phe	Arg 175	Thr
Leu Pro	His	Tyr 180	Glu	Glu	Gly	Ser	Leu 185	Pro	Ile	Leu	Asn	Thr 190	Thr	Lys
Leu His	Ile 195	Val	Leu	Pro	Met	Asp 200	Thr	Asn	Phe	Trp	Val 205	Leu	Leu	Arg
Asp Gly 210		Lys	Thr	Ser	Lys 215	Ile	Leu	Glu	Met	Thr 220	Asn	Ile	qaA	Gly
Lys Ser 225	Gln	Phe	Val	Ser 230	Tyr	Glu	Met	Gln	Arg 235		Leu	Ser	Leu	Glu 240

# WO 2004/094671 - 183 - PCT/US2004/012788

Asn Ala Lys Thr Ser Val Leu Leu Leu Asn Lys Val Asp Leu Leu Trp Asp Asp Leu Phe Leu Ile Leu Gln Phe Val Trp His Thr Ser Val Glu His Phe Gln Ile Arg Asn Val Thr Phe Gly Gly Lys Ala Tyr Leu Asp 280 His Asn Ser Phe Asp Tyr Ser Asn Thr Val Met Arg Thr Ile Lys Leu 295 Glu His Val His Phe Arg Val Phe Tyr Ile Gln Gln Asp Lys Ile Tyr 315 Leu Leu Leu Thr Lys Met Asp Ile Glu Asn Leu Thr Ile Ser Asn Ala 330 325 Gln Met Pro His Met Leu Phe Pro Asn Tyr Pro Thr Lys Phe Gln Tyr 345 Leu Asn Phe Ala Asn Asn Ile Leu Thr Asp Glu Leu Phe Lys Arg Thr Ile Gln Leu Pro His Leu Lys Thr Leu Ile Leu Asn Gly Asn Lys Leu 375 Glu Thr Leu Ser Leu Val Ser Cys Phe Ala Asn Asn Thr Pro Leu Glu His Leu Asp Leu Ser Gln Asn Leu Leu Gln His Lys Asn Asp Glu Asn Cys Ser Trp Pro Glu Thr Val Val Asn Met Asn Leu Ser Tyr Asn Lys Leu Ser Asp Ser Val Phe Arg Cys Leu Pro Lys Ser Ile Gln Ile Leu Asp Leu Asn Asn Asn Gln Ile Gln Thr Val Pro Lys Glu Thr Ile His Leu Met Ala Leu Arg Glu Leu Asn Ile Ala Phe Asn Phe Leu Thr Asp 475 Leu Pro Gly Cys Ser His Phe Ser Arg Leu Ser Val Leu Asn Ile Glu 490 Met Asn Phe Ile Leu Ser Pro Ser Leu Asp Phe Val Gln Ser Cys Gln 500 Glu Val Lys Thr Leu Asn Ala Gly Arg Asn Pro Phe Arg Cys Thr Cys 520 Glu Leu Lys Asn Phe Ile Gln Leu Glu Thr Tyr Ser Glu Val Met Met 535 Val Gly Trp Ser Asp Ser Tyr Thr Cys Glu Tyr Pro Leu Asn Leu Arg Gly Ile Arg Leu Lys Asp Val His Leu His Glu Leu Ser Cys Asn Thr

570 565 Ala Leu Leu Ile Val Thr Ile Val Val Ile Met Leu Val Leu Gly Leu 585 Ala Val Ala Phe Cys Cys Leu His Phe Asp Leu Pro Trp Tyr Leu Arg Met Leu Gly Gln Cys Thr Gln Thr Trp His Arg Val Arg Lys Thr Thr Gln Glu Gln Leu Lys Arg Asn Val Arg Phe His Ala Phe Ile Ser Tyr Ser Glu His Asp Ser Leu Trp Val Lys Asn Glu Leu Ile Pro Asn Leu Glu Lys Glu Asp Gly Ser Ile Leu Ile Cys Leu Tyr Glu Ser Tyr Phe Asp Pro Gly Lys Ser Ile Ser Glu Asn Ile Val Ser Phe Ile Glu Lys 680 Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro Asn Phe Val Gln Asn Glu 695 Trp Cys His Tyr Glu Phe Tyr Phe Ala His His Asn Leu Phe His Glu 715 710 Asn Ser Asp His Ile Ile Leu Ile Leu Leu Glu Pro Ile Pro Phe Tyr 730 725 Cys Ile Pro Thr Arg Tyr His Lys Leu Lys Ala Leu Leu Glu Lys Lys Ala Tyr Leu Glu Trp Pro Lys Asp Arg Arg Lys Cys Gly Leu Phe Trp 760 Ala Asn Leu Arg Ala Ala Ile Asn Val Asn Val Leu Ala Thr Arg Glu Met Tyr Glu Leu Gln Thr Phe Thr Glu Leu Asn Glu Glu Ser Arg Gly 795 Ser Thr Ile Ser Leu Met Arg Thr Asp Cys Leu <210> 78 <211> 2760 <212> DNA <213> Homo sapiens <220> <221> misc\_feature <222> (2529)..(2529) <223> n is a, c, g, or t aagaatttgg actcatatca agatgctctg aagaagaaca accctttagg atagccactg caacatcatg accaaagaca aagaacctat tgttaaaagc ttccattttg tttgccttat

60

120

gatcataata gtcaaaaaga	gttggaacca ggtcttattc	gaatccagtt atgttccaaa	ctccgacgga agacctaccg	aatgaatttg ctgaaaacca	cagtagacaa aagtcttaga	180 240
tatgtctcag	aactacatcg	ctgagcttca	ggtctctgac	atgagettte	tatcagagtt	300
gacagttttg	agactttccc	ataacagaat	ccagctactt	gatttaagtg	ttttcaagtt	360
caaccaggat	ttagaatatt	tggatttatc	tcataatcag	ttgcaaaaga	tatectgeca	420
tcctattgtg	agtttcaggc	atttagatct	ctcattcaat	gatttcaagg	ccctgcccat	480
ctgtaaggaa	tttggcaact	tatcacaact	gaatttcttg	ggattgagtg	ctatgaagct	540
gcaaaaatta	gatttgctgc	caattgctca	cttgcatcta	agttatatcc	ttctggattt	600
aagaaattat	tatataaaag	aaaatgagac	agaaagtcta	caaattctga	atgcaaaaac	660
ccttcacctt	gtttttcacc	caactagttt	attegetate	caagtgaaca	tatcagttaa	720
tactttaggg	tgcttacaac	tgactaatat	taaattgaat	gatgacaact	gtcaagtttt	780
cattaaattt	ttatcagaac	tcaccagagg	tccaacctta	ctgaatttta	ccctcaacca	840
catagaaacg	acttggaaat	gcctggtcag	agtctttcaa	tttctttggc	ccaaacctgt	900
ggaatatctc	aatatttaca	atttaacaat	aattgaaagc	attcgtgaag	aagattttac	960
ttattctaaa	acgacattga	aagcattgac	aatagaacat	atcacgaacc	aagtttttct	1020
gttttcacag	acagetttgt	acaccgtgtt	ttctgagatg	aacattatga	tgttaaccat	1080
ttcagataca	ccttttatac	acatgctgtg	tectcatgea	ccaagcacat	tcaagttttt	1140
gaactttacc	cagaacgttt	tcacagatag	tatttttgaa	aaatgttcca	cgttagttaa	1200
attggagaca	cttatcttac	: aaaagaatgg	attaaaagac	cttttcaaag	taggtctcat	1260
gacgaaggat	atgeettett	tggaaatact	ggatgttagc	: tggaattctt	: tggaatctgg	1320
tagacataaa	a gaaaactgca	cttgggttga	gagtatagtg	g gtgttaaatt	tgtcttcaaa	1380
tatgcttact	gactetgttt	tcagatgttt	acctcccagg	g atcaaggtad	ttgatcttca	1440
cagcaataa	a ataaagagc	g ttcctaaaca	agtcgtaaaa	a ctggaagcti	tgcaagaact	1500
caatgttgc	t ttcaattct	taactgacct	tcctggatgt	ggcagcttt	a gcagcctttc	1560
tgtattgat	c attgatcac	a attcagttt	c ccacccatco	g gctgatttc	t tccagagctg	1620
ccagaagat	g aggtcaata	a aagcagggg	a caatccatto	c caatgtacc	t gtgagctaag	1680
agaatttgt	c aaaaatata	g accaagtat	c aagtgaagt	g ttagagggc	t ggcctgattc	1740
ttataagtg	t gactaccca	g aaagttata	g aggaagccc	a ctaaaggac	t ttcacatgtc	1800
tgaattatc	c tgcaacata	a ctctgctga	t cgtcaccat	c ggtgccacc	a tgctggtgtt	1860
ggctgtgac	t gtgacctcc	c tetgeatet	a cttggatct	g ccctggtat	c tcaggatggt	1920
gtgccagtg	g acccagact	c ggcgcaggg	c caggaacat	a cccttagaa	g aactccaaag	1980
aaacctcca	g tttcatgct	t ttatttcat	a tagtgaaca	t gattetgee	t gggtgaaaag	2040

tgaattggta ccttacct	ag aaaaagaaga	tatacagatt	tgtcttcatg	agaggaactt	2100
tgtccctggc aagagcat	tg tggaaaatat	catcaactgc	attgagaaga	gttacaagtc	2160
catctttgtt ttgtctcc	ca actttgtcca	gagtgagtgg	tgccattacg	aactctattt	2220
tgcccatcac aatctctt	tc atgaaggatc	taataactta	atcctcatct	tactggaacc	2280
cattccacag aacagcat	tc ccaacaagta	ccacaagctg	aaggctctca	tgacgcagcg	2340
gacttatttg cagtggcc	ca aggagaaaag	caaacgtggg	ctcttttggg	ctaacattag	2400
agccgctttt aatatgaa	at taacactagt	cactgaaaac	aatgatgtga	aatcttaaaa	2460
aaatttagga aattcaac	tt aagaaaccat	tatttacttg	gatgatggtg	aatagtacag	2520
tegtaagtna etgtetgg	gag gtgcctccat	tatcctcatg	ccttcaggaa	agacttaaca	2580
aaaacaatgt ttcatct	ggg gaactgagct	aggcggtgag	gttagcctgc	cagttagaga	2640
cagoccagto tottotgo	gtt taatcattat	gtttcaaatt	gaaacagtct	cttttgagta	2700
aatgctcagt ttttcag	ctc ctctccactc	tgctttccca	aatggattct	gttggtgaag	2760

<210> 79

<211> 2753

<212> DNA

<213> Homo sapiens

<400> 79 agaatttgga ctcatatcaa gatgctctga agaagaacaa ccctttagga tagccactgc 60 aacatcatga ccaaagacaa agaacctatt gttaaaaagct tccattttgt ttgccttatg 120 atcataatag ttggaaccag aatccagttc tccgacggaa atgaatttgc agtagacaag 180 tcaaaaagag gtcttattca tgttccaaaa gacctaccgc tgaaaaccaa agtcttagat 240 atgtctcaga actacatcgc tgagcttcag gtctctgaca tgagctttct atcagagttg 300 acagttttga gactttccca taacagaatc cagctacttg atttaagtgt tttcaagttc 360 aaccaggatt tagaatattt ggatttatct cataatcagt tgcaaaagat atcctgccat 420 cctattgtga gtttcaggca tttagatctc tcattcaatg atttcaaggc cctgcccatc 480 540 tgtaaggaat ttggcaactt atcacaactg aatttcttgg gattgagtgc tatgaagctg caaaaattag atttgctgcc aattgctcac ttgcatctaa gttatatcct tctggattta 600 agaaattatt atataaaaga aaatgagaca gaaagtctac aaattctgaa tgcaaaaacc 660 cttcaccttg tttttcaccc aactagttta ttcgctatcc aagtgaacat atcagttaat 720 780 ; actttagggt gcttacaact gactaatatt aaattgaatg atgacaactg tcaagttttc attaaatttt tatcagaact caccagaggt tcaaccttac tgaattttac cctcaaccac 840 atagaaacga cttggaaatg cctggtcaga gtctttcaat ttctttggcc caaacctgtg 900

gaatatetea tattetaaaa	atatttacaa cgacattgaa	tttaacaata agcattgaca	attgaaagca atagaacata	ttcgtgaaga tcacgaacca	agattttact agtttttctg	960 1020
ttttcacaga	cagctttgta	cacegtgttt	tctgagatga	acattatgat	gttaaccatt	1080
tcagatacac	cttttataca	catgctgtgt	cctcatgcac	caagcacatt	caagtttttg	1140
aactttaccc	agaacgtttt	cacagatagt	atttttgaaa	aatgttccac	gttagttaaa	1200
ttggagacac	ttatcttaca	aaaaaatgga	ttaaaagacc	ttttcaaagt	aggtctcatg	1260
acgaaggata	tgccttcttt	ggaaatactg	gatgttagct	ggaattcttt	ggaatctggt	1320
agacataaag	aaaactgcac	ttgggttgag	agtatagtgg	tgttaaattt	gtcttcaaat	1380
atgcttactg	actctgtttt	cagatgttta	cctcccagga	tcaaggtact	tgatcttcac	1440
agcaataaaa	taaagagcgt	tcctaaacaa	gtcgtaaaac	tggaagcttt	gcaagaactc	1500
aatgttgctt	tcaattcttt	aactgacctt	cctggatgtg	gcagctttag	cagcctttct	1560
gtattgatca	ttgatcacaa	ttcagtttcc	cacccatcgg	ctgatttctt	ccagagctgc	1620
cagaagatga	ggtcaataaa	agcaggggac	aatccattcc	aatgtacctg	tgagctaaga	1680
gaatttgtca	aaaatataga	ccaagtatca	agtgaagtgt	tagagggctg	gcctgattct	1740
tataagtgtg	actacccaga	aagttataga	ggaagcccac	taaaggactt	tcacatgtct	1800
gaattatcct	gcaacataac	tctgctgatc	gtcaccatcg	gtgccaccat	gctggtgttg	1860
gctgtgactg	tgacctccct	ctgcatctac	ttggatctgc	cctggtatct	caggatggtg	1920
tgccagtgga	cccagactcg	gcgcagggcc	aggaacatac	ccttagaaga	actccaaaga	1980
aacctccagt	ttcatgcttt	tatttcatat	agtgaacatg	attctgcctg	ggtgaaaagt	2040
gaattggtac	cttacctaga	aaaagaagat	atacagattt	gtcttcatga	gaggaacttt	2100
gtccctggca	agagcattgt	ggaaaatatc	atcaactgca	ttgagaagag	ttacaagtcc	2160
atctttgttt	tgtctcccaa	ctttgtccag	agtgagtggt	gccattacga	actctatttt	2220
gcccatcaca	atctctttca	tgaaggatct	aataacttaa	tcctcatctt	actggaaccc	2280
attccacaga	acagcattcc	caacaagtac	cacaagctga	aggeteteat	gacgcagcgg	2340
acttatttgc	agtggcccaa	ggagaaaagc	aaacgtgggc	tettttggge	taacattaga	2400
gccgctttta	atatgaaatt	aacactagto	actgaaaaca	atgatgtgaa	atcttaaaaa	2460
aatttaggaa	attcaactta	agaaaccatt	atttacttgg	atgatggtga	atagtacagt	2520
cgtaagtaac	: tgtctggagg	tgcctccatt	atcctcatgo	: cttcaggaaa	gacttaacaa	2580
aaacaatgtt	: tcatctgggg	aactgagcta	ggcggtgagg	ttagcctgcc	agttagagac	2640
agcccagtct	cttctggttt	aatcattatg	tttcaaattg	aaacagtctc	: ttttgagtaa	2700
atgctcagtt	tttcagctcc	tetecaetet	gctttcccaa	atggattctg	ttg	2753

<210> 80 <211> 796

<212> PRT

<213> Homo sapiens

<400> 80

Met Thr Lys Asp Lys Glu Pro Ile Val Lys Ser Phe His Phe Val Cys
1 5 10 15

Leu Met Ile Ile Ile Val Gly Thr Arg Ile Gln Phe Ser Asp Gly Asn 20 25 30

Glu Phe Ala Val Asp Lys Ser Lys Arg Gly Leu Ile His Val Pro Lys 35 40 45

Asp Leu Pro Leu Lys Thr Lys Val Leu Asp Met Ser Gln Asn Tyr Ile 50 55 60

Ala Glu Leu Gln Val Ser Asp Met Ser Phe Leu Ser Glu Leu Thr Val 65 70 75 80

Leu Arg Leu Ser His Asn Arg Ile Gln Leu Leu Asp Leu Ser Val Phe 85 90 95

Lys Phe Asn Gln Asp Leu Glu Tyr Leu Asp Leu Ser His Asn Gln Leu 100 105 110

Gln Lys Ile Ser Cys His Pro Ile Val Ser Phe Arg His Leu Asp Leu 115 120 125

Ser Phe Asn Asp Phe Lys Ala Leu Pro Ile Cys Lys Glu Phe Gly Asn 130 135 140

Leu Ser Gln Leu Asn Phe Leu Gly Leu Ser Ala Met Lys Leu Gln Lys 145 150 155 160

Leu Asp Leu Leu Pro Ile Ala His Leu His Leu Ser Tyr Ile Leu Leu 165 170 175

Asp Leu Arg Asn Tyr Tyr Ile Lys Glu Asn Glu Thr Glu Ser Leu Gln 180 185 190

Ile Leu Asn Ala Lys Thr Leu His Leu Val Phe His Pro Thr Ser Leu
195 200 205

Phe Ala Ile Gln Val Asn Ile Ser Val Asn Thr Leu Gly Cys Leu Gln 210 215 220

Leu Thr Asn Ile Lys Leu Asn Asp Asp Asn Cys Gln Val Phe Ile Lys 225 230 235 240

Phe Leu Ser Glu Leu Thr Arg Gly Pro Thr Leu Leu Asn Phe Thr Leu 245 250 255

Asn His Ile Glu Thr Thr Trp Lys Cys Leu Val Arg Val Phe Gln Phe 260 265 270

Leu Trp Pro Lys Pro Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile 275 280 285

# WO 2004/094671 - 189 - PCT/US2004/012788

Ile Glu Ser Ile Arg Glu Glu Asp Phe Thr Tyr Ser Lys Thr Thr Leu Lys Ala Leu Thr Ile Glu His Ile Thr Asn Gln Val Phe Leu Phe Ser Gln Thr Ala Leu Tyr Thr Val Phe Ser Glu Met Asn Ile Met Met Leu 330 Thr Ile Ser Asp Thr Pro Phe Ile His Met Leu Cys Pro His Ala Pro 345 Ser Thr Phe Lys Phe Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser 360 Ile Phe Glu Lys Cys Ser Thr Leu Val Lys Leu Glu Thr Leu Ile Leu 375 Gln Lys Asn Gly Leu Lys Asp Leu Phe Lys Val Gly Leu Met Thr Lys 395 Asp Met Pro Ser Leu Glu Ile Leu Asp Val Ser Trp Asn Ser Leu Glu Ser Gly Arg His Lys Glu Asn Cys Thr Trp Val Glu Ser Ile Val Val 425 Leu Asn Leu Ser Ser Asn Met Leu Thr Asp Ser Val Phe Arg Cys Leu Pro Pro Arg Ile Lys Val Leu Asp Leu His Ser Asn Lys Ile Lys Ser Val Pro Lys Gln Val Val Lys Leu Glu Ala Leu Gln Glu Leu Asn Val Ala Phe Asn Ser Leu Thr Asp Leu Pro Gly Cys Gly Ser Phe Ser Ser Leu Ser Val Leu Ile Ile Asp His Asn Ser Val Ser His Pro Ser Ala Asp Phe Phe Gln Ser Cys Gln Lys Met Arg Ser Ile Lys Ala Gly Asp 520 Asn Pro Phe Gln Cys Thr Cys Glu Leu Arg Glu Phe Val Lys Asn Ile Asp Gln Val Ser Ser Glu Val Leu Glu Gly Trp Pro Asp Ser Tyr Lys 555 550 545 Cys Asp Tyr Pro Glu Ser Tyr Arg Gly Ser Pro Leu Lys Asp Phe His Met Ser Glu Leu Ser Cys Asn Ile Thr Leu Leu Ile Val Thr Ile Gly Ala Thr Met Leu Val Leu Ala Val Thr Val Thr Ser Leu Cys Ile Tyr Leu Asp Leu Pro Trp Tyr Leu Arg Met Val Cys Gln Trp Thr Gln Thr

Arg 625	610 Arg	Arg	Ala	Arg	Asn 630	615 Ile	Pro	Leu	Glu	Glu 635	620 Leu	Gln	Arg	Asn	Leu 640
Gln	Phe	His	Ala	Phe 645	Ile	Ser	Tyr		Glu 650	His	Asp	Ser	Ala	Trp 655	Val
Lys	Ser	Glu	Leu 660	Val	Pro	Tyr	Leu	Glu 665	Lys	Glú	Asp	Ile	Gln 670	Ile	Сув
Leu	His	Glu 675	Arg	Asn	Phe	Val	Pro 680	Gly	Lys	Ser	Ile	Val 685	Glu	Asn	Ile
Ile	Asn 690	Сув	Ile	Glu	Lув	Ser 695	Tyr	ГÀЗ	Ser	Ile	Phe 700	Val	Leu	Ser	Pro
Asn 705	Phe	Val	Gln	Ser	Glu 710	Trp	Cys	His	Туг	Glu 715	Leu	Tyr	Phe	Ala	His 720
His	Asn	Leu	Phe	His 725	Glu	Gly	Ser	Asn	Asn 730	Leu	Ile	Leu	Ile	Leu 735	Leu
Glu	Pro	Ile	Pro 740	Gln	Asn	Ser	Ile	Pro 745	Asn	Lys	Tyr	His	Lys 750	Leu	Lys
		755			Arg		760					765			
Lys	Arg 770		Leu	Phe	Trp	Ala 775	Asn	Ile	Arg	Ala	Ala 780	Phe	Asn	Met	ГÀЗ
Leu 785		Leu	Val	Thr	Glu 790	Asn	Asn	Asp	Val	Lys 795					
<21 <21 <21 <21	1> 2>	81 796 PRT Homo	sap	iens				,							
<40	0>	81													
Met 1	Thr	Lys	s Asp	ь <b>Г</b> уя 5	Glu	Pro	Ile	Val	Lýs 10	ser	Phe	His	Phe	Val	Сув
Leu	. Met	: Ile	20	: Ile	. Val	Gly	Thr	Arg 25	Ile	Glr	Phe	Ser	Asp 30	Gly	Asn
Glu	ı Phe	Ala 35	a Val	Asr	ь Гуз	Ser	Lys 40	Arg	Gly	/ Leu	ı Ile	His 45	val	Pro	b Lys
Asp	Let 50	ı Pro	) Let	ı Lys	Thr	Lys 55	val	Leu	. Asp	) Met	Ser 60	Glr	n Asr	туг	: Ile
Ala 65	a Glı	ı Leı	ı Glı	n Val	Ser 70	: Asp	) Met	: Ser	Phe	E Let 75	ı Ser	Glı	ı Lev	ı Thi	Val 80
Let	ı Arg	g Lei	u Sei	85	a Asr	Arc	, Ile	Gln	Let 90	ı Lev	ı Asp	) Le	ı Se	va: 95	l Phe
Ly															

## WO 2004/094671 - 191 - PCT/US2004/012788

- Gln Lys Ile Ser Cys His Pro Ile Val Ser Phe Arg His Leu Asp Leu 115 120 125
- Ser Phe Asn Asp Phe Lys Ala Leu Pro Ile Cys Lys Glu Phe Gly Asn 130 135 140
- Leu Ser Gln Leu Asn Phe Leu Gly Leu Ser Ala Met Lys Leu Gln Lys 145 150 155 160
- Leu Asp Leu Leu Pro Ile Ala His Leu His Leu Ser Tyr Ile Leu Leu
  165 170 175
- Asp Leu Arg Asn Tyr Tyr Ile Lys Glu Asn Glu Thr Glu Ser Leu Gln 180 185 190
- Ile Leu Asn Ala Lys Thr Leu His Leu Val Phe His Pro Thr Ser Leu 195 200 205
- Phe Ala Ile Gln Val Asn Ile Ser Val Asn Thr Leu Gly Cys Leu Gln 210 215 220
- Leu Thr Asn Ile Lys Leu Asn Asp Asp Asn Cys Gln Val Phe Ile Lys 225 230 235 240
- Phe Leu Ser Glu Leu Thr Arg Gly Ser Thr Leu Leu Asn Phe Thr Leu 245 250 255
- Asn His Ile Glu Thr Thr Trp Lys Cys Leu Val Arg Val Phe Gln Phe 260 265 270
- Leu Trp Pro Lys Pro Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile 275 280 285
- Ile Glu Ser Ile Arg Glu Glu Asp Phe Thr Tyr Ser Lys Thr Thr Leu 290 295 300
- Lys Ala Leu Thr Ile Glu His Ile Thr Asn Gln Val Phe Leu Phe Ser 305 310 315 320
- Gln Thr Ala Leu Tyr Thr Val Phe Ser Glu Met Asn Ile Met Met Leu 325 330 335
- Thr Ile Ser Asp Thr Pro Phe Ile His Met Leu Cys Pro His Ala Pro 340 345 350
- Ser Thr Phe Lys Phe Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser 355 360 365
- Ile Phe Glu Lys Cys Ser Thr Leu Val Lys Leu Glu Thr Leu Ile Leu 370 375 380
- Gln Lys Asn Gly Leu Lys Asp Leu Phe Lys Val Gly Leu Met Thr Lys 385 390 395 400
- Asp Met Pro Ser Leu Glu Ile Leu Asp Val Ser Trp Asn Ser Leu Glu 405 410 415
- Ser Gly Arg His Lys Glu Asn Cys Thr Trp Val Glu Ser Ile Val Val 420 425 430
- Leu Asn Leu Ser Ser Asn Met Leu Thr Asp Ser Val Phe Arg Cys Leu

440 Pro Pro Arg Ile Lys Val Leu Asp Leu His Ser Asn Lys Ile Lys Ser Val Pro Lys Gln Val Val Lys Leu Glu Ala Leu Gln Glu Leu Asn Val 470 Ala Phe Asn Ser Leu Thr Asp Leu Pro Gly Cys Gly Ser Phe Ser Ser Leu Ser Val Leu Ile Ile Asp His Asn Ser Val Ser His Pro Ser Ala Asp Phe Phe Gln Ser Cys Gln Lys Met Arg Ser Ile Lys Ala Gly Asp Asn Pro Phe Gln Cys Thr Cys Glu Leu Arg Glu Phe Val Lys Asn Ile Asp Gln Val Ser Ser Glu Val Leu Glu Gly Trp Pro Asp Ser Tyr Lys 555 545 Cys Asp Tyr Pro Glu Ser Tyr Arg Gly Ser Pro Leu Lys Asp Phe His Met Ser Glu Leu Ser Cys Asn Ile Thr Leu Leu Ile Val Thr Ile Gly 585 Ala Thr Met Leu Val Leu Ala Val Thr Val Thr Ser Leu Cys Ile Tyr 600 Leu Asp Leu Pro Trp Tyr Leu Arg Met Val Cys Gln Trp Thr Gln Thr 610 Arg Arg Arg Ala Arg Asn Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu Gln Phe His Ala Phe Ile Ser Tyr Ser Glu His Asp Ser Ala Trp Val Lys Ser Glu Leu Val Pro Tyr Leu Glu Lys Glu Asp Ile Gln Ile Cys 665 Leu His Glu Arg Asn Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile Ile Asn Cys Ile Glu Lys Ser Tyr Lys Ser Ile Phe Val Leu Ser Pro 695 Asn Phe Val Gln Ser Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His His Asn Leu Phe His Glu Gly Ser Asn Asn Leu Ile Leu Ile Leu Leu 730 Glu Pro Ile Pro Gln Asn Ser Ile Pro Asn Lys Tyr His Lys Leu Lys Ala Leu Met Thr Gln Arg Thr Tyr Leu Gln Trp Pro Lys Glu Lys Ser 760 Lys Arg Gly Leu Phe Trp Ala Asn Ile Arg Ala Ala Phe Asn Met Lys WO 2004/094671 - 193 - PCT/US2004/012788

770 775 780 Leu Thr Leu Val Thr Glu Asn Asn Asp Val Lys Ser 785 790 795

<210> 82 .

<211> 796

<212> PRT

<213> Homo sapiens

<400> 82

Met Thr Lys Asp Lys Glu Pro Ile Val Lys Ser Phe His Phe Val Cys
1 5 10 15

Leu Met Ile Ile Ile Val Gly Thr Arg Ile Gln Phe Ser Asp Gly Asn 20 25 30

Glu Phe Ala Val Asp Lys Ser Lys Arg Gly Leu Ile His Val Pro Lys 35 40 45

Asp Leu Pro Leu Lys Thr Lys Val Leu Asp Met Ser Gln Asn Tyr Ile 50 55 60

Ala Glu Leu Gln Val Ser Asp Met Ser Phe Leu Ser Glu Leu Thr Val 65 70 75 80

Leu Arg Leu Ser His Asn Arg Ile Gln Leu Leu Asp Leu Ser Val Phe 85 90 95

Lys Phe Asn Gln Asp Leu Glu Tyr Leu Asp Leu Ser His Asn Gln Leu 100 105 110

Gln Lys Ile Ser Cys His Pro Ile Val Ser Phe Arg His Leu Asp Leu 115 120 125

Ser Phe Asn Asp Phe Lys Ala Leu Pro Ile Cys Lys Glu Phe Gly Asn 130 135 140

Leu Ser Gln Leu Asn Phe Leu Gly Leu Ser Ala Met Lys Leu Gln Lys 145 150 155 160

Leu Asp Leu Leu Pro Ile Ala His Leu His Leu Ser Tyr Ile Leu Leu 165 170 175

Asp Leu Arg Asn Tyr Tyr Ile Lys Glu Asn Glu Thr Glu Ser Leu Gln 180 185 190

Ile Leu Asn Ala Lys Thr Leu His Leu Val Phe His Pro Thr Ser Leu
195 200 205

Phe Ala Ile Gln Val Asn Ile Ser Val Asn Thr Leu Gly Cys Leu Gln 210 215 220

Leu Thr Asn Ile Lys Leu Asn Asp Asp Asn Cys Gln Val Phe Ile Lys 225 230 235 240

Phe Leu Ser Glu Leu Thr Arg Gly Pro Thr Leu Leu Asn Phe Thr Leu 245 250 255

Asn His Ile Glu Thr Thr Trp Lys Cys Leu Val Arg Val Phe Gln Phe 260 265 270

# WO 2004/094671 - 194 - PCT/US2004/012788

Leu	Trp	Pro 275	Lys	Pro	Val	Glu	Tyr 280	Leu	Asn	Ile	Tyr	Asn 285	Leu	Thr	Ile
Ile	Glu 290	Ser	Ile	Arg	Glu	Glu 295	Asp	Phe	Thr	Tyr	Ser 300	Lys	Thr	Thr	Leu
Lys 305	Ala	Leu	Thr	Ile	Glu 310	His	Ile	Thr	Asn	Gln 315	Val	Phe	Leu	Phe	Ser 320
Gln	Thr	Ala	Leu	Tyr 325	Thr	Val	Phe	Ser	Glu 330	Met	Asn	Ile	Met	Met 335	Leu
Thr	Ile	Ser	Asp 340	Thr	Pro	Phe	Ile	His 345	Met	Leu	Cys	Pro	His 350	Ala	Pro
Ser	Thr	Phe 355	ГÀЗ	Phe	Leu	Asn	Phe 360	Thr	Gln	Asn	Val	Phe 365	Thr	Asp	Ser
Ile	Phe 370	Glu	Lys	Cys	Ser	Thr 375	Leu	Val	ГÀЗ	Leu	Glu 380	Thr	Leu	Ile	Leu
Gln 385	Lys	Asn	Gly	Leu	390 1	Asp	Leu	Phe	Lys	Val 395	Gly	Leu	Met	Thr	Lys 400
Asp	Met	Pro	Ser	Leu 405	Glu	Ile	Leu	Asp	Val 410	Ser	Trp	Asn	Ser	Leu 415	Glu
Ser	Gly	Arg	His 420	Lys	Glu	Asn	Cys	Thr 425	Trp	Val	Glu	Ser	Ile 430	Val	Val
Leu	Asn	Leu 435	Ser	Ser	Asn	Met	Leu 440	Thr	Asp	Ser	Val	Phe 445	Arg	Cys	Leu
Pro	Pro 450	_	Ile	Lys	Val	Leu 455	Asp	Leu	His	Ser	Asn 460		Ile	ГÀг	Ser
Val 465		Lys	Gln	Val	Val 470		Leu	Glu	Ala	Leu 475		Glu	Leu	Asn	Val 480
Ala	Phe	Asn	Ser	Leu 485	Thr	Asp	Leu	Pro	Gly 490		Gly	Ser	Phe	Ser 495	
Leu	Ser	Val	Leu 500		Ile	Asp	His	Asn 505		Val	Ser	His	Pro 510		Ala
Asp	Phe	Phe 515		Ser	Cys	Gln	Lys 520		Arg	Ser	Ile	Lys 525		Gly	Asp
Asn	Pro 530		Gln	. Сув	Thr	Cys 535		Leu	Arg	Glu	Phe 540		Lys	Asn	Ile
Asp 545		val	Ser	Ser	Glu 550		Leu	Glu	Gly	Trp 555		Asp	Ser	Tyr	Lys 560
Cys	Asp	Tyr	Pro	Glu 565		Tyr	Arg	Gly	570		Leu	. Ьуя	: Asp	Phe 575	His
Met	Ser	Glu	Lev 580		Cys	Asn	Ile	Thr. 585		ı Lev	ılle	va]	. Thr 590		Gly
Ala	Thr	Met	. Leu	val	Lev	a Ala	Val	Thr	· Val	Thi	Ser	Lev	ı Cys	Ile	Tyr

Leu	<b>Asp</b> 610	595 Leu	Pro	Trp	Tyr	Leu 615	600 Arg	Met	Val	Cys	Gln 620	605 Trp	Thr	Gln	Thr	
Arg 625	Arg	Arg	Ala	Arg	Asn 630	Ile	Pro	Leu	Glu	Glu 635	Leu	Gln	Arg	Asn	Leu 640	
Gln	Phe	His	Ala	Phe 645	Ile	Ser	Tyr	Ser	Glu 650	His	Asp	Ser	Ala	Trp 655	Val	
Lys	Ser	Glu	Leu 660	Val	Pro	Tyr	Leu	Glu 665	Lys	Glu	Asp	Ile	Gln 670	Ile	Суз	
Leu	His	Glu 675	Arg	Asn	Phe	Val	Pro 680	Gly	Lys	Ser	Ile	Val 685	Glu	Asn	Ile	
Ile	Asn 690	Cys	Ile	Glu	ГÀв	Ser 695	.Tyr	Lys	Ser	Ile	Phe 700	Val	Leu	Ser	Pro	
Asn 705	Phe	Val	Gln	Ser	Glu 710	Trp	Cys	His	Tyr	Glu 715	Leu	Tyr	Phe	Ala	His 720	
His	Asn	Leu	Phe	His 725	Glu	Gly	Ser	Asn	Asn 730	Leu	Ile	Leu	Ile	Leu 735	Leu	
Glu	Pro	Ile	Pro 740		Asn	Ser	Ile	Pro 745		Lys	Tyr	His	<b>Ьуз</b> 750		Lys	
Ala	Leu	Met 755		Gln	Arg	Thr	Туr 760		Gln	Trp	Pro	<b>Lys</b> 765		Lys	Ser	
Lys	Arg 770		Leu	Phe	Trp	Ala 775		Ile	Arg	Ala	Ala 780		Asn	Met	Lys	
Leu 785		Leu	Val	Thr	Glu 790		Asn	Asp	Val	Lys 795						
	.1> .2>	83 2604 DNA muri														
<40 aag	0> gtaaa	83 aat	gcts	gtgaa	ıga a	tggt	aaag	jt co	ctct	.ggga	ı tag	geete	etgc	aaca	atgagcc	60
aag	Jacas	gaaa	acco	catco	gtg g	ggag	gtttc	c ac	tttg	jtttg	g cgo	ccts	gcc	ttaa	atagtcg	120
gaa	gcat	gac	cccs	ttct	ct a	atga	actt	g ag	gtcta	tggt	aga	actat	tca	aaca	aggaacc	180
tta	ctca	atgt	ccc	caaag	gac o	tgc	cacca	a ga	aacaa	aaago	c cct	gagt	ctg	tct	caaaact	240
															ctgagac	300
tci	ccca	acaa	cag	gatad	egg a	gcci	tgai	t to	ccat	gtatt	cti	tgtto	caat	cag	gacttag	360
aai	cacci	tgga	tgt	ctcad	cac a	atc	ggtt	gc aa	aaaca	atcto	c tte	gctg	ccct	atg	gegagee	420
tga	aggc	atct	aga	cctc	tca i	tca	atga	et ti	tgate	gtact	t gc	ctgt	gtgt	aag	gaatttg	480

gcaacctgac gaagctgact ttcctgggat taagtgctgc caagttccga caactggatc

540

tgctcccagt taaaaggcgg	tgctcacttg ggaaacagaa	catctaagct agtcttcaga	gcattcttct ttcccaatac	ggacttagtg caccgttctc	agtcatcata catttggtct	600 660
ttcatccaaa	tagcttgttc	tctgttcaag	tgaacatgtc	tgtaaacgct	ttaggacatt	720
tacaactgag	taatattaaa	ttgaatgatg	aaaactgtca	aaggttaatg	acatttttat	780
cagaactcac	cagaggtcca	accttattga	atgtgaccct	ccagcacata	gaaacaacct	840
ggaagtgctc	ggttaaactt	ttccaattct	tttggccccg	accggtggag	tacctcaata	900
tttacaactt	aacgataact	gagagaatcg	acagggaaga	atttacttac	tcggagacag	960
cactgaagtc	actgatgata	gagcacgtca	aaaaccaagt	gttcctcttt	tcaaaggagg	1020
cgctatactc	ggtgtttgct	gagatgaaca	tcaagatgct	ctctatctca	gacacccctt	1080
tcatccacat	ggtgtgcccg	ccatccccaa	gctcatttac	atttctgaac	tttacccaga	1140
atgttttac	tgacagtgtt	tttcaaggct	gttccacctt	aaagagattg	cagacactta	1200
tcttacaaag	gaatggtttg	aagaactttt	ttaaagtagc	tctcatgact	aagaatatgt	1260
cctctctgga	aactttggat	gttagtttga	attctttgaa	ctctcatgca	tatgacagga	1320
catgcgcctg	ggctgagagc	atattggtgt	tgaatttgtc	ttcgaatatg	cttacaggct	1380
ctgtcttcag	atgcttacct	cccaaggtca	aggtccttga	ccttcacaac	aacaggataa	1440
tgagcatccc	taaagatgtc	acccacctgo	aggctttgca	ggaactcaat	gtagcatcca	1500
actccttaac	: tgaccttcct	gggtgtgggg	ccttcagcag	cctttctgtg	ctggtcatcg	1560
accataacto	: agtttcccat	ccctctgagg	atttetteca	gagetgteag	aatattagat	1620
ccctaacago	gggaaacaac	ccattccaat	gcacatgtga	gctgagggad	tttgtcaaga	1680
acataggctg	ggtagcaaga	gaagtggtgg	agggctggcc	: tgactcttac	aggtgtgact	1740
acccagaaag	g ctctaaggga	actgcactga	gggacttcca	a catgtctcca	ctgtcctgtg	1800
atactgttct	gctgactgtc	accategggg	g ccactatgct	ggtgctggct	gtcactgggg	1860
ctttcctctc	g tctctacttt	gacctgccct	ggtatgtgag	g gatgctgtgt	: cagtggacac	1920
agaccaggca	a cagggccagg	g cacatcccct	tagaggaact	ccagagaaac	ctccagttcc	1980
atgcttttg	t ctcatacagt	gagcatgatt	ctgcctgggt	c gaagaacgaa	ttactaccca	2040
acctagaga	a agatgacato	cgggtttgc	c tccatgagag	g gaactttgto	cctggcaaga	2100
gcattgtgg	a gaacatcato	aatttcatt	g agaagagtta	a caaggccato	tttgtgctgt	2160
ctccccact	t catccagagi	gagtggtgc	c attatgaac	t ctattttgc	catcataatc	2220
tcttccatg	a aggetetgai	t aacttaatc	c tcatcttgc	t ggaacccatt	ctacagaaca	2280
acattccca	g tagatacca	c aagctgcgg	g ctctcatgg	c acageggae	t tacttggaat	2340
ggcctactg	a gaagggcaa	a cgtgggctg	t tttgggcca	a ccttagagc	t tcatttatta	2400
tgaagttag	c cttagtcaa	t gaggatgat	g tgaaaactt	g aaacttggg	t ttctaactta	2460

ataaactgtc	aacctgggct	ctcatgaaca	ctgtggtttt	cagttcctac	ctggaggtac	2520
ttctgttgtg	gtgtcttagt	ttgctctgtg	cttatgataa	ataacatgtt	tagaagtagt	2580
ttatgaaggt	gctaagttca	ttaa				2604

<210> 84

<211> 2604

<212> DNA

<213> murine

<400> 84

60 aagtaaaaat getgtgaaga atggtaaagt ceetetggga tageetetge aacatgagee aagacagaaa acccatcgtg gggagtttcc actttgtttg cgccctggcc ttaatagtcg 120 gaagcatgac cccgttctct aatgaacttg agtctatggt agactattca aacaggaacc 180 ttactcatgt ccccaaagac ctgccaccaa gaacaaaagc cctgagtctg tctcaaaact 240 300 ctatatctga gcttcggatg cctgatatca gctttctgtc agagctgaga gttctgagac tctcccacaa caggatacgg agccttgatt tccatgtatt cttgttcaat caggacttag 360 aatacctgga tgtctcacac aatcggttgc aaaacatctc ttgctgccct atggcgagcc 420 480 tgaggcatct agacctctca ttcaatgact ttgatgtact gcctgtgtgt aaggaatttg gcaacctgac gaagctgact ttcctgggat taagtgctgc caagttccga caactggatc 540 tgctcccagt tgctcacttg catctaagct gcattcttct ggacttagtg agtcatcata 600 taaaaggegg ggaaacagaa agtetteaga tteecaatae caeegttete catttggtet 660 ttcatccaaa tagcttgttc tctgttcaag tgaacatgtc tgtaaacgct ttaggacatt 720 tacaactgag taatattaaa ttgaatgatg aaaactgtca aaggttaatg acatttttat 780 cagaactcac cagaggtcca accttattga atgtgaccct ccagcacata gaaacaacct 840 900 ggaagtgctc ggttaaactt ttccaattct tttggccccg accggtggag tacctcaata tttacaactt aacgataact gagagaatcg acagggaaga atttacttac tcggagacag 960 1020 cactgaagtc actgatgata gagcacgtca aaaaccaagt gttcctcttt tcaaaggagg cgctatactc ggtgtttgct gagatgaaca tcaagatgct ctctatctca gacacccctt 1080 tcatccacat ggtgtgcccg ccatccccaa gctcatttac atttctgaac tttacccaga 1140 atgtttttac tgacagtgtt tttcaaggct gttccacctt aaagagattg cagacactta 1200 tottacaaag gaatggtttg aagaactttt ttaaagtago totcatgact aagaatatgt 1260 cctctctgga aactttggat gttagtttga attctttgaa ctctcatgca tatgacagga 1320 catgegeetg ggetgagage atattggtgt tgaatttgte ttegaatatg ettacagget 1380 ctgtcttcag atgcttacct cccaaggtca aggtccttga ccttcacaac aacaggataa 1440 WO 2004/094671 - 198 - PCT/US2004/012788

tgagcatccc actccttaac	taaagatgtc tgaccttcct	acccacctgc gggtgtgggg	aggetttgea cetteageag	ggaactcaat cctttctgtg	gtagcatcca ctggtcatcg	1500 1560
accataactc	agtttcccat	ccctctgagg	atttcttcca	gagctgtcag	aatattagat	1620
ccctaacagc	gggaaacaac	ccattccaat	gcacatgtga	gctgagggac	tttgtcaaga	1680
acataggctg	ggtagcaaga	gaagtggtgg	agggctggcc	tgactcttac	aggtgtgact	1740
acccagaaag	ctctaaggga	actgcactga	gggacttcca	catgtctcca	ctgtcctgtg	1800
atactgttct	gctgactgtc	accatcgggg	ccactatgct	ggtgctggct	gtcactgggg	1860
ctttcctctg	tctctacttt	gacctgccct	ggtatgtgag	gatgctgtgt	cagtggacac	1920
agaccaggca	cagggccagg	cacatcccct	tagaggaact	ccagagaaac	ctccagttcc	1980
atgcttttgt	ctcatacagt	gagcatgatt	ctgcctgggt	gaagaacgaa	ttactaccca	2040
acctagagaa	agatgacatc	cgggtttgcc	tccatgagag	gaactttgtc	cctggcaaga	2100
gcattgtgga	gaacatcatc	aatttcattg	agaagagtta	caaggccatc	tttgtgctgt	2160
ctccccactt	catccagagt	gagtggtgcc	attatgaact	ctattttgcc	catcataatc	2220
tcttccatga	aggctctgat	aacttaatcc	tcatcttgct	ggaacccatt	ctacagaaca	2280
acattcccag	tagataccac	aagctgcggg	ctctcatggc	acagcggact	tacttggaat	2340
ggcctactga	gaagggcaaa	cgtgggctgt	tttgggccaa	ccttagagct	tcatttatta	2400
tgaagttagc	cttagtcaat	gaggatgatg	tgaaaacttg	aaacttgggt	ttctaactta	2460
ataaactgtc	aacctgggct	ctcatgaaca	ctgtggtttt	cagttcctac	ctggaggtac	2520
ttctgttgtg	gtgtcttagt	ttgctctgtg	cttatgataa	ataacatgtt	tagaagtagt	2580
ttatgaaggt	gctaagttca	ttaa				2604
<210> 85						

<211> 2421

<212> DNA

<213> murine

<400> 85 atggtaaagt ccctctggga tagcctctgc aacatgagcc aagacagaaa acccatcgtg 60 gggagtttcc actttgtttg cgccctggcc ttaatagtcg gaagcatgac cccgttctct 120 aatgaacttg agtctatggt agactattca aacaggaacc ttactcatgt ccccaaagac 180 ctgccaccaa gaacaaaagc cctgagtctg tctcaaaact ctatatctga gcttcggatg 240 cctgatatca gctttctgtc agagctgaga gttctgagac tctcccacaa caggatacgg 300 agecttgatt tecatgtatt ettgtteaat caggaettag aatacetgga tgteteacae 360 aatcggttgc aaaacatctc ttgctgccct atggcgagcc tgaggcatct agacctctca 420 ttcaatgact ttgatgtact gcctgtgtgt aaggaatttg gcaacctgac gaagctgact 480

ttcctgggat	taagtgctgc	aaagttccga (	caactggatc	tgctcccagt	tgctcacttg	540 600
catctaagct	gcattettet	ggacttagtg :	agttatcata	taaaaggcgg	ggaaacagaa	600
agtcttcaga	ttcccaatac	caccgttctc	catttggtct	ttcatccaaa	tagcttgttc	660
tctgttcaag	tgaacatgtc	tgtaaacgct	ttaggacatt	tacaactgag	taatattaaa	720
ttgaatgatg	aaaactgtca	aaggttaatg	acatttttat	cagaactcac	cagaggtcca	780
accttattga	atgtgaccct	ccagcacata	gaaacaacct	ggaagtgctc	ggttaaactt	840
ttccaattct	tttggccccg	accggtggag	tacctcaata	tttacaactt	aacgataact	900
gagagaatcg	acagggaaga	atttacttac	tcggagacag	cactgaagtc	actgatgata	960
gagcacgtca	aaaaccaagt	gttcctcttt	tcaaaggagg	cgctatactc	ggtgtttgct	1020
gagatgaaca	tcaagatgct	ctctatctca	gacacccctt	tcatccacat	ggtgtgcccg	1080
ccatccccaa	gctcatttac	atttctgaac	tttacccaga	atgtttttac	tgacagtgtt	1140
tttcaaggct	gttccacctt	aaagagattg	cagacactta	tcttacaaag	gaatggtttg	1200
aagaactttt	ttaaagtagc	tctcatgact	aagaatatgt	cetetetgga	aactttggat	1260
gttagtttga	attctttgaa	ctctcatgca	tatgacagga	catgcgcctg	ggctgagagc	1320
atattggtgt	tgaatttgtc	ttcgaatatg	cttacaggct	ctgtcttcag	atgcttacct	1380
cccaaggtca	aggtccttga	ccttcacaac	aacaggataa	tgagcatccc	taaagatgtc	1440
acccacctgo	aggetttgea	ggaactcaat	gtagcatcca	actccttaac	tgaccttcct	1500
gggtgtgggg	ccttcagcag	cctttctgtg	ctggtcatcg	accataactc	agtttcccat	1560
ccctctgagg	g atttcttcca	gagctgtcag	aatattagat	ccctaacagc	gggaaacaac	1620
ccattccaat	gcacatgtga	gctgagggac	tttgtcaaga	acataggctg	ggtagcaaga	1680
gaagtggtgg	g agggctggcc	tgactcttac	aggtgtgact	acccagaaag	ctctaaggga	1740
actgcactga	a gggacttcca	catgtctcca	ctgtcctgtg	atactgttct	gctgactgtc	1800
accatcggg	g ccactatgct	ggtgctggct	gtcactgggg	ctttcctctg	tctctacttt	1860
gacctgccc	t ggtatgtgag	gatgctgtgt	cagtggacac	agaccaggca	cagggccagg	1920
cacatecee	t tagaggaact	ccagagaaac	ctccagttcc	atgcttttgt	ctcatacagt	1980
gagcatgat	t ctgcctgggt	gaagaacgaa	ttactaccca	acctagagaa	agatgacatc	2040
cgggtttgc	c tccatgagag	gaactttgtc	cctggcaaga	gcattgtgga	gaacatcatc	2100
aatttcatt	g agaagagtta	caaggccatc	tttgtgctgt	ctccccactt	: catccagagt	2160
gagtggtgc	c attatgaact	ctattttgcc	catcataato	tcttccatga	aggctctgat	2220
aacttaatc	c tcatcttgct	ggaacccatt	: ctacagaaca	a acattcccag	g tagataccac	2280
aagctgcgg	g ctctcatggo	: acageggaet	: tacttggaat	ggeetactg	a gaagggcaaa	2340
cgtgggctg	t tttgggccaa	ccttagagct	: tcatttatta	a tgaagttag	cttagtcaat	2400

#### gaggatgatg tgaaaacttg a

<210> 86

<211> 806

<212> PRT

<213> murine

<400> 86

Met Val Lys Ser Leu Trp Asp Ser Leu Cys Asn Met Ser Gln Asp Arg

Lys Pro Ile Val Gly Ser Phe His Phe Val Cys Ala Leu Ala Leu Ile

Val Gly Ser Met Thr Pro Phe Ser Asn Glu Leu Glu Ser Met Val Asp 40

Tyr Ser Asn Arg Asn Leu Thr His Val Pro Lys Asp Leu Pro Pro Arg

Thr Lys Ala Leu Ser Leu Ser Gln Asn Ser Ile Ser Glu Leu Arg Met

Pro Asp Ile Ser Phe Leu Ser Glu Leu Arg Val Leu Arg Leu Ser His

Asn Arg Ile Arg Ser Leu Asp Phe His Val Phe Leu Phe Asn Gln Asp

Leu Glu Tyr Leu Asp Val Ser His Asn Arg Leu Gln Asn Ile Ser Cys 120

Cys Pro Met Ala Ser Leu Arg His Leu Asp Leu Ser Phe Asn Asp Phe

Asp Val Leu Pro Val Cys Lys Glu Phe Gly Asn Leu Thr Lys Leu Thr 155

Phe Leu Gly Leu Ser Ala Ala Lys Phe Arg Gln Leu Asp Leu Leu Pro

Val Ala His Leu His Leu Ser Cys Ile Leu Leu Asp Leu Val Ser His

His Ile Lys Gly Gly Glu Thr Glu Ser Leu Gln Ile Pro Asn Thr Thr

Val Leu His Leu Val Phe His Pro Asn Ser Leu Phe Ser Val Gln Val 215

Asn Met Ser Val Asn Ala Leu Gly His Leu Gln Leu Ser Asn Ile Lys 230 225

Leu Asn Asp Glu Asn Cys Gln Arg Leu Met Thr Phe Leu Ser Glu Leu 250

Thr Arg Gly Pro Thr Leu Leu Asn Val Thr Leu Gln His Ile Glu Thr 260 265

### WO 2004/094671 - 201 - PCT/US2004/012788

- Thr Trp Lys Cys Ser Val Lys Leu Phe Gln Phe Phe Trp Pro Arg Pro 275 280 285
- Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile Thr Glu Arg Ile Asp 290 295 300
- Arg Glu Glu Phe Thr Tyr Ser Glu Thr Ala Leu Lys Ser Leu Met Ile 305 310 315 320
- Glu His Val Lys Asn Gln Val Phe Leu Phe Ser Lys Glu Ala Leu Tyr 325 330 335
- Ser Val Phe Ala Glu Met Asn Ile Lys Met Leu Ser Ile Ser Asp Thr 340 345 350
- Pro Phe Ile His Met Val Cys Pro Pro Ser Pro Ser Ser Phe Thr Phe 355 360 365
- Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser Val Phe Gln Gly Cys 370 380
- Ser Thr Leu Lys Arg Leu Gln Thr Leu Ile Leu Gln Arg Asn Gly Leu 385 390 395 400
- Lys Asn Phe Phe Lys Val Ala Leu Met Thr Lys Asn Met Ser Ser Leu 405 410 415
- Glu Thr Leu Asp Val Ser Leu Asn Ser Leu Asn Ser His Ala Tyr Asp 420 425 430
- Arg Thr Cys Ala Trp Ala Glu Ser Ile Leu Val Leu Asn Leu Ser Ser
  435 440 445
- Asn Met Leu Thr Gly Ser Val Phe Arg Cys Leu Pro Pro Lys Val Lys 450 455 460
- Val Leu Asp Leu His Asn Asn Arg Ile Met Ser Ile Pro Lys Asp Val
  465 470 475 480
- Thr His Leu Gln Ala Leu Gln Glu Leu Asn Val Ala Ser Asn Ser Leu 485 490 495
- Thr Asp Leu Pro Gly Cys Gly Ala Phe Ser Ser Leu Ser Val Leu Val 500 505 510
- Ile Asp His Asn Ser Val Ser His Pro Ser Glu Asp Phe Phe Gln Ser 515 520 525
- Cys Gln Asn Ile Arg Ser Leu Thr Ala Gly Asn Asn Pro Phe Gln Cys 530 535 540
- Thr Cys Glu Leu Arg Asp Phe Val Lys Asn Ile Gly Trp Val Ala Arg 545 550 555 560
- Glu Val Val Glu Gly Trp Pro Asp Ser Tyr Arg Cys Asp Tyr Pro Glu
  565 570 575
- Ser Ser Lys Gly Thr Ala Leu Arg Asp Phe His Met Ser Pro Leu Ser 580 585 590
- Cys Asp Thr Val Leu Leu Thr Val Thr Ile Gly Ala Thr Met Leu Val

600 605 Leu Ala Val Thr Gly Ala Phe Leu Cys Leu Tyr Phe Asp Leu Pro Trp Tyr Val Arg Met Leu Cys Gln Trp Thr Gln Thr Arg His Arg Ala Arg His Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu Gln Phe His Ala Phe Val Ser Tyr Ser Glu His Asp Ser Ala Trp Val Lys Asn Glu Leu Leu Pro Asn Leu Glu Lys Asp Asp Ile Arg Val Cys Leu His Glu Arg Asn 680 Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile Ile Asn Phe Ile Glu Lys Ser Tyr Lys Ala Ile Phe Val Leu Ser Pro His Phe Ile Gln Ser 715 710 Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His His Asn Leu Phe His 730 Glu Gly Ser Asp Asn Leu Ile Leu Ile Leu Leu Glu Pro Ile Leu Gln 745 Asn Asn Ile Pro Ser Arg Tyr His Lys Leu Arg Ala Leu Met Ala Gln Arg Thr Tyr Leu Glu Trp Pro Thr Glu Lys Gly Lys Arg Gly Leu Phe Trp Ala Asn Leu Arg Ala Ser Phe Ile Met Lys Leu Ala Leu Val Asn 795 Glu Asp Asp Val Lys Thr 805 <210> 87 <211> 806 <212> PRT <213> murine <400> 87 Met Val Lys Ser Leu Trp Asp Ser Leu Cys Asn Met Ser Gln Asp Arg Lys Pro Ile Val Gly Ser Phe His Phe Val Cys Ala Leu Ala Leu Ile 25

Val Gly Ser Met Thr Pro Phe Ser Asn Glu Leu Glu Ser Met Val Asp 35

Tyr Ser Asn Arg Asn Leu Thr His Val Pro Lys Asp Leu Pro Pro Arg 50

Thr Lys Ala Leu Ser Leu Ser Gln Asn Ser Ile Ser Glu Leu Arg Met 70

- Pro Asp Ile Ser Phe Leu Ser Glu Leu Arg Val Leu Arg Leu Ser His 85 90 95
- Asn Arg Ile Arg Ser Leu Asp Phe His Val Phe Leu Phe Asn Gln Asp 100 105 110
- Leu Glu Tyr Leu Asp Val Ser His Asn Arg Leu Gln Asn Ile Ser Cys 115 120 125
- Cys Pro Met Ala Ser Leu Arg His Leu Asp Leu Ser Phe Asn Asp Phe 130 135 140
- Asp Val Leu Pro Val Cys Lys Glu Phe Gly Asn Leu Thr Lys Leu Thr 145 150 155 160
- Phe Leu Gly Leu Ser Ala Ala Lys Phe Arg Gln Leu Asp Leu Pro 165 170 175
- Val Ala His Leu His Leu Ser Cys Ile Leu Leu Asp Leu Val Ser Tyr 180 185 190
- His Ile Lys Gly Gly Glu Thr Glu Ser Leu Gln Ile Pro Asn Thr Thr 195 200 205
- Val Leu His Leu Val Phe His Pro Asn Ser Leu Phe Ser Val Gln Val 210 215 220
- Asn Met Ser Val Asn Ala Leu Gly His Leu Gln Leu Ser Asn Ile Lys 225 230 235 240
- Leu Asn Asp Glu Asn Cys Gln Arg Leu Met Thr Phe Leu Ser Glu Leu 245 250 255
- Thr Arg Gly Pro Thr Leu Leu Asn Val Thr Leu Gln His Ile Glu Thr
- Thr Trp Lys Cys Ser Val Lys Leu Phe Gln Phe Phe Trp Pro Arg Pro 275 280 285
- Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile Thr Glu Arg Ile Asp 290 295 300
- Arg Glu Glu Phe Thr Tyr Ser Glu Thr Ala Leu Lys Ser Leu Met Ile 305 310 315 320
- Glu His Val Lys Asn Gln Val Phe Leu Phe Ser Lys Glu Ala Leu Tyr 325 330 335
- Ser Val Phe Ala Glu Met Asn Ile Lys Met Leu Ser Ile Ser Asp Thr 340 345 350
- Pro Phe Ile His Met Val Cys Pro Pro Ser Pro Ser Phe Thr Phe 355 360 365
- Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser Val Phe Gln Gly Cys 370 380
- Ser Thr Leu Lys Arg Leu Gln Thr Leu Ile Leu Gln Arg Asn Gly Leu 385 390 395 400
- Lys Asn Phe Phe Lys Val Ala Leu Met Thr Lys Asn Met Ser Ser Leu

									430					415	
Glu	Thr	Leu	Авр 420	405 Val	Ser	Leu			410 Leu	Asn	Ser	His	Ala 430	Tyr	qaA
Arg	Thr	Cys 435	Ala	Trp	Ala	Glu	Ser 440	Ile	Leu	Val	Leu	Asn 445	Leu	Ser	Ser
Asn	Met 450	Leu	Thr	Gly	Ser	Val 455	Phe	Arg	Cys	Leu	Pro 460	Pro	Lys	Val	Lys
Val 465	Leu	Asp	Leu	His	Asn 470	Asn	Arg	Ile	Met	Ser 475	Ile	Pro	Lys	Asp	Val 480
Thr	His	Leu	Gln	Ala 485	Leu	Gln	Glu	Leu	Asn 490	Val	Ala	Ser	Asn	Ser 495	Leu
Thr	Авр	Leu	Pro 500	Gly	Сув	Gly	Ala	Phe 505	Ser	Ser	Leu	Ser	Val 510	Leu	Val
Ile	Asp	His 515	Asn	Ser	Val	Ser	His 520	Pro	Ser	Glu	Asp	Phe 525	Phe	Gln	Ser
Сув	Gln 530	Asn	Ile	Arg	Ser	Leu 535	Thr	Ala	Gly	Asn	Asn 540	Pro	Phe	Gln	Cys
Thr 545	Cys	Glu	Leu	Arg	Asp 550	Phe	Val	Lys	Asn	Ile 555	Gly	Trp	Val	Ala	Arg 560
Glu	Val	Val	Glu	Gly 565	Trp	Pro	Asp	Ser	Tyr 570	Arg	Суз	Asp	Tyr	Pro 575	Glu
Ser	Ser	ГÀв	Gly 580	Thr	Ala	Leu	Arg	Asp 585	Phe	His	Met	Ser	Pro 590	Leu	Ser
Cys	Asp	Thr 595		Leu	Leu	Thr	Val 600	Thr	Ile	Gly	Ala	Thr 605	Met	Leu	Val
Leu	Ala 610		Thr	Gly		Phe 615		Cys	Leu		Phe 620	Asp	Leu	Pro	Trp
Tyr 625		Arg	Met	Leu	Сув 630		Trp	Thr	Gln	Thr 635		His	Arg	Ala	Arg 640
His	Ile	Pro	Leu	Glu 645		Leu	Gln	Arg	Asn 650		Gln	Phe	His	Ala 655	Phe
Val	. Ser	туг	Ser 660		His	Asp	Ser	Ala 665		Val	Lys	Asn	Glu 670	Leu	Leu
Pro	Ası	1 Leu 675		Lys	asp	Asp	680		Val	Cys	Leu	His 685		Arg	Asn
Phe	e Val		Gly	у Буя	s Ser	11e 695		. Glu	Asn	ıle	700		Phe	: Ile	Glu
<b>Lys</b> 705		с Туз	. Lys	a Ala	1 Ile 710		e Val	. Lev	. Ser	715		Phe	: Ile	e Gln	Ser 720
Glı	ı Trj	o Cys	His	725		ı Leı	а Туг	Phe	Ala 730		His	a Asr	Let	735	His
Glı	ı Gl	y Sei	c Ası	) Ası	ı Leı	ı Ile	e Lev	ı Ile	Lev	ı Lev	ı Glı	ı Pro	Ile	e Lev	Gln

740 745 750

Asn Asn Ile Pro Ser Arg Tyr His Lys Leu Arg Ala Leu Met Ala Gln
755 760 765

Arg Thr Tyr Leu Glu Trp Pro Thr Glu Lys Gly Lys Arg Gly Leu Phe
770 775 780

Trp Ala Asn Leu Arg Ala Ser Phe Ile Met Lys Leu Ala Leu Val Asn 785 790 795 800

Glu Asp Asp Val Lys Thr 805

<210> 88

<211> 806

<212> PRT

<213> murine

<400> 88

Met Val Lys Ser Leu Trp Asp Ser Leu Cys Asn Met Ser Gln Asp Arg 1 5 10 15

Lys Pro Ile Val Gly Ser Phe His Phe Val Cys Ala Leu Ala Leu Ile 20 25 30

Val Gly Ser Met Thr Pro Phe Ser Asn Glu Leu Glu Ser Met Val Asp 35 40 45

Tyr Ser Asn Arg Asn Leu Thr His Val Pro Lys Asp Leu Pro Pro Arg 50 55 60

Thr Lys Ala Leu Ser Leu Ser Gln Asn Ser Ile Ser Glu Leu Arg Met 65 70 75 80

Pro Asp Ile Ser Phe Leu Ser Glu Leu Arg Val Leu Arg Leu Ser His

Asn Arg Ile Arg Ser Leu Asp Phe His Val Phe Leu Phe Asn Gln Asp 100 105 110

Leu Glu Tyr Leu Asp Val Ser His Asn Arg Leu Gln Asn Ile Ser Cys
115 120 125

Cys Pro Met Ala Ser Leu Arg His Leu Asp Leu Ser Phe Asn Asp Phe 130 135 140

Asp Val Leu Pro Val Cys Lys Glu Phe Gly Asn Leu Thr Lys Leu Thr 145 150 155 160

Phe Leu Gly Leu Ser Ala Ala Lys Phe Arg Gln Leu Asp Leu Leu Pro 165 170 175

Val Ala His Leu His Leu Ser Cys Ile Leu Leu Asp Leu Val Ser His 180 185 190

His Ile Lys Gly Gly Glu Thr Glu Ser Leu Gln Ile Pro Asn Thr Thr 195 200 205

Val Leu His Leu Val Phe His Pro Asn Ser Leu Phe Ser Val Gln Val 210 215 220 Asn Met Ser Val Asn Ala Leu Gly His Leu Gln Leu Ser Asn Ile Lys Leu Asn Asp Glu Asn Cys Gln Arg Leu Met Thr Phe Leu Ser Glu Leu Thr Arg Gly Pro Thr Leu Leu Asn Val Thr Leu Gln His Ile Glu Thr Thr Trp Lys Cys Ser Val Lys Leu Phe Gln Phe Phe Trp Pro Arg Pro 280 Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile Thr Glu Arg Ile Asp 295 Arg Glu Glu Phe Thr Tyr Ser Glu Thr Ala Leu Lys Ser Leu Met Ile Glu His Val Lys Asn Gln Val Phe Leu Phe Ser Lys Glu Ala Leu Tyr Ser Val Phe Ala Glu Met Asn Ile Lys Met Leu Ser Ile Ser Asp Thr Pro Phe Ile His Met Val Cys Pro Pro Ser Pro Ser Ser Phe Thr Phe 360 Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser Val Phe Gln Gly Cys Ser Thr Leu Lys Arg Leu Gln Thr Leu Ile Leu Gln Arg Asn Gly Leu 395 390 Lys Asn Phe Phe Lys Val Ala Leu Met Thr Lys Asn Met Ser Ser Leu 410 405 Glu Thr Leu Asp Val Ser Leu Asn Ser Leu Asn Ser His Ala Tyr Asp Arg Thr Cys Ala Trp Ala Glu Ser Ile Leu Val Leu Asn Leu Ser Ser 440 Asn Met Leu Thr Gly Ser Val Phe Arg Cys Leu Pro Pro Lys Val Lys 450 Val Leu Asp Leu His Asn Asn Arg Ile Met Ser Ile Pro Lys Asp Val 475 Thr His Leu Gln Ala Leu Gln Glu Leu Asn Val Ala Ser Asn Ser Leu Thr Asp Leu Pro Gly Cys Gly Ala Phe Ser Ser Leu Ser Val Leu Val 505 Ile Asp His Asn Ser Val Ser His Pro Ser Glu Asp Phe Phe Gln Ser Cys Gln Asn Ile Arg Ser Leu Thr Ala Gly Asn Asn Pro Phe Gln Cys 535

Thr Cys Glu Leu Arg Asp Phe Val Lys Asn Ile Gly Trp Val Ala Arg

 545
 550
 555
 560

 Glu Val Val Glu Gly Trp Pro Asp Ser Tyr Arg Cys Asp Tyr Pro Glu
 565
 570
 575

Ser Ser Lys Gly Thr Ala Leu Arg Asp Phe His Met Ser Pro Leu Ser 580 585 590

Cys Asp Thr Val Leu Leu Thr Val Thr Ile Gly Ala Thr Met Leu Val 595 600 605

Leu Ala Val Thr Gly Ala Phe Leu Cys Leu Tyr Phe Asp Leu Pro Trp 610 615 620

Tyr Val Arg Met Leu Cys Gln Trp Thr Gln Thr Arg His Arg Ala Arg 625 630 635 640

His Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu Gln Phe His Ala Phe 645 650 655

Val Ser Tyr Ser Glu His Asp Ser Ala Trp Val Lys Asn Glu Leu Leu 660 665 670

Pro Asn Leu Glu Lys Asp Asp Ile Arg Val Cys Leu His Glu Arg Asn 675 . 680 685

Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile Ile Asn Phe Ile Glu 690 695 700

Lys Ser Tyr Lys Ala Ile Phe Val Leu Ser Pro His Phe Ile Gln Ser 705 710 715 720

Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His His Asn Leu Phe His
725 730 735

Glu Gly Ser Asp Asn Leu Ile Leu Ile Leu Leu Glu Pro Ile Leu Gln 740 745 750

Asn Asn Ile Pro Ser Arg Tyr His Lys Leu Arg Ala Leu Met Ala Gln
755 760 . 765

Arg Thr Tyr Leu Glu Trp Pro Thr Glu Lys Gly Lys Arg Gly Leu Phe 770 775 780

Trp Ala Asn Leu Arg Ala Ser Phe Ile Met Lys Leu Ala Leu Val Asn 785 790 795 800

Glu Asp Asp Val Lys Thr 805

<210> 89

<211> 795

<212> PRT

<213> murine

<400> 89

Met Ser Gln Asp Arg Lys Pro Ile Val Gly Ser Phe His Phe Val Cys
1 10 15

Ala Leu Ala Leu Ile Val Gly Ser Met Thr Pro Phe Ser Asn Glu Leu 20 25 30

# WO 2004/094671 - 208 - PCT/US2004/012788

Glu Ser Met Val Asp Tyr Ser Asn Arg Asn Leu Thr His Val Pro Lys Asp Leu Pro Pro Arg Thr Lys Ala Leu Ser Leu Ser Gln Asn Ser Ile Ser Glu Leu Arg Met Pro Asp Ile Ser Phe Leu Ser Glu Leu Arg Val Leu Arg Leu Ser His Asn Arg Ile Arg Ser Leu Asp Phe His Val Phe Leu Phe Asn Gln Asp Leu Glu Tyr Leu Asp Val Ser His Asn Arg Leu 105 Gln Asn Ile Ser Cys Cys Pro Met Ala Ser Leu Arg His Leu Asp Leu 120 Ser Phe Asn Asp Phe Asp Val Leu Pro Val Cys Lys Glu Phe Gly Asn 135 Leu Thr Lys Leu Thr Phe Leu Gly Leu Ser Ala Ala Lys Phe Arg Gln 150 155 Leu Asp Leu Leu Pro Val Ala His Leu His Leu Ser Cys Ile Leu Leu 165 Asp Leu Val Ser Tyr His Ile Lys Gly Glu Thr Glu Ser Leu Gln Ile Pro Asn Thr Thr Val Leu His Leu Val Phe His Pro Asn Ser Leu Phe Ser Val Gln Val Asn Met Ser Val Asn Ala Leu Gly His Leu Gln Leu Ser Asn Ile Lys Leu Asn Asp Glu Asn Cys Gln Arg Leu Met Thr Phe Leu Ser Glu Leu Thr Arg Gly Pro Thr Leu Leu Asn Val Thr Leu 250 Gln His Ile Glu Thr Thr Trp Lys Cys Ser Val Lys Leu Phe Gln Phe Phe Trp Pro Arg Pro Val Glu Tyr Leu Asn Ile Tyr Asn Leu Thr Ile 280 Thr Glu Arg Ile Asp Arg Glu Glu Phe Thr Tyr Ser Glu Thr Ala Leu Lys Ser Leu Met Ile Glu His Val Lys Asn Gln Val Phe Leu Phe Ser 310 Lys Glu Ala Leu Tyr Ser Val Phe Ala Glu Met Asn Ile Lys Met Leu Ser Ile Ser Asp Thr Pro Phe Ile His Met Val Cys Pro Pro Ser Pro Ser Ser Phe Thr Phe Leu Asn Phe Thr Gln Asn Val Phe Thr Asp Ser

### WO 2004/094671 - 209 - PCT/US2004/012788

360 Val Phe Gln Gly Cys Ser Thr Leu Lys Arg Leu Gln Thr Leu Ile Leu 375 Gln Arg Asn Gly Leu Lys Asn Phe Phe Lys Val Ala Leu Met Thr Lys Asn Met Ser Ser Leu Glu Thr Leu Asp Val Ser Leu Asn Ser Leu Asn Ser His Ala Tyr Asp Arg Thr Cys Ala Trp Ala Glu Ser Ile Leu Val Leu Asn Leu Ser Ser Asn Met Leu Thr Gly Ser Val Phe Arg Cys Leu 440 Pro Pro Lys Val Lys Val Leu Asp Leu His Asn Asn Arg Ile Met Ser Ile Pro Lys Asp Val Thr His Leu Gln Ala Leu Gln Glu Leu Asn Val 470 475 Ala Ser Asn Ser Leu Thr Asp Leu Pro Gly Cys Gly Ala Phe Ser Ser 485 Leu Ser Val Leu Val Ile Asp His Asn Ser Val Ser His Pro Ser Glu Asp Phe Phe Gln Ser Cys Gln Asn Ile Arg Ser Leu Thr Ala Gly Asn Asn Pro Phe Gln Cys Thr Cys Glu Leu Arg Asp Phe Val Lys Asn Ile Gly Trp Val Ala Arg Glu Val Val Glu Gly Trp Pro Asp Ser Tyr Arg Cys Asp Tyr Pro Glu Ser Ser Lys Gly Thr Ala Leu Arg Asp Phe His Met Ser Pro Leu Ser Cys Asp Thr Val Leu Leu Thr Val Thr Ile Gly Ala Thr Met Leu Val Leu Ala Val Thr Gly Ala Phe Leu Cys Leu Tyr Phe Asp Leu Pro Trp Tyr Val Arg Met Leu Cys Gln Trp Thr Gln Thr Arg His Arg Ala Arg His Ile Pro Leu Glu Glu Leu Gln Arg Asn Leu Gln Phe His Ala Phe Val Ser Tyr Ser Glu His Asp Ser Ala Trp Val 650 Lys Asn Glu Leu Leu Pro Asn Leu Glu Lys Asp Asp Ile Arg Val Cys 665 Leu His Glu Arg Asn Phe Val Pro Gly Lys Ser Ile Val Glu Asn Ile 680

Ile Asn Phe Ile Glu Lys Ser Tyr Lys Ala Ile Phe Val Leu Ser Pro

695 700 His Phe Ile Gln Ser Glu Trp Cys His Tyr Glu Leu Tyr Phe Ala His 715 710 His Asn Leu Phe His Glu Gly Ser Asp Asn Leu Ile Leu Leu Glu Pro Ile Leu Gln Asn Asn Ile Pro Ser Arg Tyr His Lys Leu Arg Ala Leu Met Ala Gln Arg Thr Tyr Leu Glu Trp Pro Thr Glu Lys Gly Lys Arg Gly Leu Phe Trp Ala Asn Leu Arg Ala Ser Phe Ile Met Lys 775 Leu Ala Leu Val Asn Glu Asp Asp Val Lys Thr 790 785 <210> 90 <211> 10 <212> DNA <213> artificial sequence <220> <223> consensus p50 subunit <220> <221> misc\_feature <222> (7)..(7) <223> N = c or t <400> 90 10 ggggatnccc <210> 91 <211> 10 <212> DNA <213> artificial sequence <220> <223> consensus p65 subunit <220> <221> misc\_feature <222> (4)..(4)  $\langle 223 \rangle$  N = a or g <220> <221> misc feature <222> (5)..(5) <223> N = a, c, g, or t<400> 91 10 qggnntttcc

<400> 96

<223> ISRE

	101 ccga aagcgc	16
<210>	102	
<211>		
<212>		
<213>	artificial sequence	
<220>		
<223>	ISRE	
<400>	102	
agaaatg	ggaa agt	13
<210>	103	
<211>		
<212>		
<213>	artificial sequence	
<220>		
<223>	SRE	
<400>	103	_
tcaccc	cac	9
<210>	104	
	10	
<212>		
<213>	artificial sequence	
<220>		
<223>	SRE	
<400>	104	10
ctcacc	ccac	10
<210>		
<211>		
<212>		
<213>	artificial sequence	
<220>	·	
<223>	SRE	
<400>		
gccaco	cctac	10
<210>	106	
<211>		
<212>		
	artificial sequence	

- 213 -

PCT/US2004/012788

WO 2004/094671

```
<220>
<223> NFAT
<400> 106
                                                                              17
tatgaaacag ttttcc
<210> 107
<211> 9
<212> DNA
<213> artificial sequence
<220>
<223> NFAT
<400> 107
                                                                               9
aggaaactc
<210> 108
<211> 10
<212> DNA
<213> artificial sequence
<220>
<223> NFAT
<220>
<221> misc_feature
<222> (2)..(2)
<223> N = a or g
<220>
<221> misc_feature
<222> (5)..(5)
<223> N = a or g
<400> 108
                                                                              10
anganattcc
<210> 109
<211> 16
<212> DNA
<213> artificial sequence
<220>
 <223> NFAT
 <400> 109
                                                                               16
ccagttgagc cagaga
 <210> 110
 <211> 30
 <212> DNA
 <213> artificial sequence
```

<220>

٠.

WO 2004/094671

:223>	GAS	
:400>	110	
	ttt catattactc taaatccatt	30
<210>	111	
	10	
<212>		
<213>	artificial sequence	
<220>		
<223>	p53 consensus site	
<220>		
	misc_feature	
	(1)(3)	
<223>	N = a or g	
<220>		
	misc_feature	
	(5)(6) N = a or t	
\ZZJ/		
<220>		
	misc_feature	
	(8)(10) N = c or t	
<2237	N = C OI C	
<400>	111	10
nnncnn	gnnn	
<210>		
<211> <212>		
	artificial sequence	
12200	<u> </u>	
<220>		
<223>	p53 consensus site	
<400>		10
aggcat	geet	
<210>	113	
<211><212>	10	
<212>	DNA artificial sequence	
<b>\213</b> /	artificat podaceso	
<220>		
~223×	p53 consensus site	
~2237	,	
<400>	113	
gggctt	gece	10
<210>	114	

WU 2	004/094671	FC 1/US2004/012/0	9
<211>	10		
<212>	DNA	•	
<213>	artificial sequence		
<220>			
-2225	nE2 ganganaur aite		
<443>	p53 consensus site		
<400>	114		
gggctt		10	n
<b>J</b> JJ	-		_
<210>			
<211>			
<212>		•	
<213>	artificial sequence		
-220-			
<220>			
<223>	p53 consensus site		
	•		
<400>	115		
gcctgg	actt gcc	1:	3
.010.	116		
<210>			
	20		
<212>			
<413>	artificial sequence		
<220>			
<223>	p53 consensus site		
<400>	116		
ggacat	gccc gggcatgtcc	20	)
<210>	117		
<211>	23	•	
<212>	DNA		
	artificial sequence		
	-		
<220>			
<223>	p53 consensus site		
<400>	117		
	ttag cccagacatg tcc	23	,
goagoa	coug occugacuty coc	2.	,
<210>	118		
<211>	36		
<212>	DNA		
<213>	artificial sequence		
<220>			
	M177		
<223>	TARE		
<400>	118		
~~UU>	110		_

```
<210> 119
<211>
      10
<212> DNA
<213> artificial sequence
<220>
<223> SRF
<220>
<221> misc_feature
<222> (3)..(8)
<223> N = a \text{ or } t
<400> 119
                                                                      10
ccnnnnngg
<210> 120
<211> 11
<212> DNA
<213> artificial sequence
<220>
<223> SRF
<400> 120
                                                                       11
ccaaataagg c
<210> 121
<211> 670
<212> DNA
<213> Homo sapiens
<400> 121
agaaaaattt taaaaaatta ttcattcata tttttaggag ttttgaatga ttggatatgt
                                                                       60
aattatattc atattattaa tgtgtatcta tatagatttt tattttgcat atgtactttg
                                                                      120
 atacaaaatt tacatgaaca aattacacta aaagttattc cacaaatata cttatcaaat
                                                                      180
 taagttaaat gtcaatagct tttaaactta aattttagtt taacttttct gtcattcttt
                                                                      240
 actttgaata aaaagagcaa actttgtagt ttttatctgt gaagtagagg tatacgtaat
                                                                      300
 atacataaat agatatgcca aatctgtgtt attaaaattt catgaagatt tcaattagaa
                                                                      360
 aaaaatacca taaaaggctt tgagtgcagg tgaaaaatag gcaatgatga aaaaaaatga
                                                                      420
 aaaacttttt aaacacatgt agagagtgcg taaagaaagc aaaaacagag atagaaagta
                                                                      480
 caactaggga atttagaaaa tggaaattag tatgttcact atttaagacc tatgcacaga
                                                                      540
 gcaaagtctt cagaaaacct agaggccgaa gttcaaggtt atccatctca agtagcctag
                                                                       600
 caatatttgc aacatcccaa tggccctgtc cttttcttta ctgatggccg tgctggtgct
                                                                       660
                                                                       670
 cagctacaaa
```

<210> 122 <211> 207 <212> DNA <213> Homo	o sapiens					
<400> 122 aggttctctg	aaggccttgc	ttcctgcaga	tgccttaaat	agggaacata	ctgatttcca	60
ctttcttaat	gcttctggac	catttccatt	tctgtttttg	ctttccttct	taactcttta	120
catgagttta	gagccgtgtt	tctcaaatga	tgggctagca	cgcgtaagag	ctcggtacct	180
atcgatagag	aaatgttctg	gcacctg				207
<210> 123 <211> 161 <212> DNA <213> Home	o sapiens					
<400> 123 aggttctctg	aaggctttgc	ttcctgcaga	tgccttaaat	agggaacata	ctgatttcca	60
ctttcttaat	gcttctggac	cactttccat	ttctgttttt	gctttccttc	ttgaactctt	120
tacatgagtt	tagagccgtg	tttctcaacc	attttgtttt	t		161
<210> 124 <211> 300 <212> DNA <213> Hom						
<400> 124	gtttgctttc	ctttgctttc	tcccaagtct	tgttttacaa	tttgctttag	60
tcattcactg	aaactttaaa	aaacattaga	aaacctcaca	gtttgtaaat	ctttttccct	120
attatatata	tcataagata	ggagcttaaa	taaagagttt	tagaaactac	taaaatgtaa	180
atgacatagg	aaaactgaaa	gggagaagtg	aaagtgggaa	attcctctga	atagagagag	240
gaccatctca	tataaatagg	ccatacccac	ggagaaagga	cattctaact	gcaacctttc	300
<210> 125 <211> 401 <212> DNA <213> Hon						
<400> 125 gatctgtaat	; ; gaataagcag	gaactttgaa	gactcagtga	ctcagtgagt	aataaagact	60
cagtgactto	tgatcctgtc	ctaactgcca	ctccttgttg	tcccaagaaa	geggetteet	120
gctctctgag	g gaggacccct	tecetggaag	gtaaaactaa	ggatgtcagc	agagaaattt	180
ttccaccatt	ggtgcttggt	caaagaggaa	actgatgago	: tcactctaga	tgagagagca	24
gtgagggaga	a gacagagact	. cgaatttccg	gagctatttc	: agttttcttt	tccgttttgt	30

gcaatttcac gatgcccctc	ttatgatacc aactggccct	ggccaatgct ataaagggcc	tggttgctat agcctgagct	tttggaaact g	cccttaggg	360 401
<210> 126 <211> 781 <212> DNA <213> Homo	o sapiens					
<400> 126 ggttgtctgt	atgcctccct	gagggtattt	cactttctgc	teccatecge	ccctatgagc	60
gagtacctat	gagcacagga	tgtgcacata	tttgagtctt	attagtggta	cacgcagttt	120
tatcatctcc	ccaggtctgt	gtctgtatga	aatgtgcatg	ggtgtgtgtg	tgcacgcgtg	180
tgttcccact	cggggaatgt	ggggagaggt	gcatggagcc	aagatgggtg	gtaaatagta	240
tgtttctgaa	attaaaggac	taatgtggag	gaaggegeee	cagatgtact	aaaccctttg	300
ccttcatctc	atcctctctg	acttgggaag	aaccaggatt	ttgtttttaa	gcccttgggc	360
atacagttgt	tccatcccga	catgaactca	gcctcccgtc	tgaccgcccc	ttggccttcc	420
ttcttcctcg	atctgtggaa	cccagggaat	ctgcctagtg	ctgtctccaa	gcaccttggc	480
catgatgtaa	acccagagaa	attagcatct	ccatctcctt	ccttattccc	cacccaaaag	540
tcatttcctc	ttagttcatt	acctgggatt	ttgatgtcta	tgttccctcc	tcgttattga	600
tacacacaca	gagagagaca	aacaaaaaag	gaacttcttg	aaattcccc	agaaggtttt	660
gagagttgtt	ttcaatgttg	caacaagtca	gtttctagtt	taagtttcca	tcagaaagga	720
gtagagtata	taagttccag	taccagcaac	agcagcagaa	gaaacaacat	ctgtttcagg	780
g						781
<210> 127 <211> 277 <212> DNA <213> Hom	•					
<400> 127		attecceace	: caaaagtcat	: ttcctcttag	ttcattacct	60
gggattttga	a tgtctatgtt	: ccctcctcgt	tattgataca	a cacacagaga	gagacaaaca	120
					atgttgcaac	180
					ttccagtacc	240
	a gcagaagaaa					277
-210 121	•					

<210> 128 <211> 305 <212> DNA <213> Homo sapiens

<400> 128

WO 2004/094671		- 220 -		PCT/US20	04/012788
caagacatgc caagtgctga tgcttcttag cgctagcctc					60 120
tgcgatgcta aaggacgtca	ttgcacaatc	ttaataaggt	ttccaatcag	ccccacccgc	180
tetggececa cecteacect	ccaacaaaga	tttatcaaat	gtgggatttt	cccatgagtc	240
tcaatattag agtctcaacc	cccaataaat	ataggactgg	agatgtctct	gaggctcatt	300
ctgcc					305
<210> 129 <211> 1181 <212> DNA <213> Homo sapiens					
<400> 129 cctgcaagag acaccatcct	gaggggaaga	gggcttctga	accagcttga	cccaataaga	60
aattcttggg tgccgacggg	gacagcagat	tcagagccta	gagccgtgcc	tgcgtccgta	120
gtttccttct agcttctttt	tgatttcaaa	tcaagactta	cagggagagg	gagcgataaa	180
cacaaactct gcaagatgcc	acaaggtcct	cctttgacat	ccccaacaaa	gaaggtgagt	240
agtaatetee eeetttetge	cctgaaccaa	gtggcttcag	taagtttcag	ggctccagga	300
gacctgggca tgcaggtgcc	gatgaaacag	tggtgaagag	actcagtggc	agtggcagtg	360
gggagagcac tcgcagcaca	ggcaaacctc	tggcacaaga	gcaaagtcct	cactggagga	420
ttcccaaggg tcacttggga	gagggcaggc	agcagccaac	ctcctctaag	tgggctgaag	480
caggtgaaga aatggcagaa	gacgcggtgg	tggcaaaaag	gagtcacaca	ctccacctgg	540
agacgccttg aagtaactgc	acgaaatttg	agggtggcca	ggcagttcta	caacagccgc	600
ctcacaggga gagccagaac	acagcaagaa	ctcagatgac	tggtagtatt	accttcttca	660
taatcccagg cttggggggc	tgcgatggag	tcagaggaaa	ctcagttcag	aacatctttg	720
gtttttacaa tacaaattaa	ctggaacgct	aaattctagc	ctgttaatct	ggtcactgaa	780
aaaaaaaaa tttttttt	ttcaaaaaac	atagctttag	cttatttttt	ttttctcttt	840
gtaaaacttc gtgcatgact	tcagctttac	tcttgtcaag	acatgccaag	tgctgagtca	900
ctaataaaga aaaaagaagt	aaaggaagag	tggttctgct	tcttagcgct	agcctcaatg	960
acgacctaag ctgcactttt	cccctagtt	gtgtcttgcg	atgctaaagg	acgtcattgc	1020
acaatcttaa taaggtttcc	aatcagcccc	acccgctctg	gccccaccct	caccctccaa	1080
caaagattta tcaaatgtgg	gattttccca	tgagtctcaa	tattagagtc	tcaaccccca	1140
ataaatatag gactggagat	gtctctgagg	ctcattctgc	С		1181

<210> 130 <211> 778

<212> DNA

WO 2004/094671 - 221 - PCT/US2004/012788

<213> Homo sapiens <400> 130	
ctaccacttg tctattctgc tatatagtca gtccttacat tgctttcttc ttctgataga	60
ccaaactctt taaggacaag tacctagtct tatctatttc tagatccccc acattactca	120
gaaagttact ccataaatgt ttgtggaact gatttctatg tgaagacatg tgccccttca	180
ctctgttaac tagcattaga aaaacaaatc ttttgaaaag ttgtagtatg cccctaagag	240
cagtaacagt tootagaaac tototaaaat gottagaaaa agatttattt taaattacot	300
ccccaataaa atgattggct ggcttatctt caccatcatg atagcatctg taattaactg	360
aaaaaaaata attatgccat taaaagaaaa tcatccatga tcttgttcta acacctgcca	420
ctctagtact atatctgtca catggtctat gataaagtta tctagaaata aaaaagcata	480
caattgataa ttcaccaaat tgtggagctt cagtatttta aatgtatatt aaaattaaat	540
tattttaaag atcaaagaaa actttcgtca tactccgtat ttgataagga acaaatagga	600
agtgtgatga etcaggtttg eeetgagggg atgggecate agttgcaaat egtggaattt	660
cctctgacat aatgaaaaga tgagggtgca taagttctct agtagggtga tgatataaaa	720
agccaccgga gcactccata aggcacaaac tttcagagac agcagagcac acaagctt	778
<210> 131 <211> 207 <212> DNA <213> Homo sapiens <400> 131	
<400> 131 actccgtatt tgataaggaa caaataggaa gtgtgatgac tcaggtttgc cctgagggga	60
tgggccatca gttgcaaatc gtggaatttc ctctgacata atgaaaagat gagggtgcat	120
aagtteteta gtagggtgat gatataaaaa geeaceggag caeteeataa ggeacaaaet	180
ttcagagaca gcagagcaca caagctt	207
<210> 132 <211> 645 <212> DNA <213> Homo sapiens	
<400> 132 gggggtgatt tcactccccg gggctgtccc aggcttgtcc ctgctacccg cacccagcct	60
ttcctgaggc ctcaagcctg ccaccaagcc cccagctcct tctccccgca gggcccaaac	120
acaggeetea ggaeteaaca cagettttee etecaacece gttttetete eeteaacgga	180
ctcagctttc tgaagcccct cccagttcta gttctatctt tttcctgcat cctgtctgga	240
agttagaagg aaacagacca cagacctggt ccccaaaaga aatggaggca ataggttttg	300

WO 2004/094671 - 222 - PCT/US2004/012788

gaagaccccc ctcggaatcg g ttgtgtgtcc ccaactttcc a	agcagggag g aatccccgc (	gatggggagt ccccgcgatg	gtgaggggta gagaagaaac	tccttgatgc cgagacagaa	420 480
ggtgcagggc ccactaccgc t	tcctccaga t	gageteatg	ggtttctcca	ccaaggaagt	540
tttccgctgg ttgaatgatt c	tttccccgc (	cctcctctcg	ccccagggac	atataaaggc	600
agttgttggc acacccagcc a	gcagacgct (	ecctcagcaa	ggaca		645
<210> 133 <211> 457 <212> DNA <213> Homo sapiens					
<400> 133 gcctgtactc agccaagggt g	gcagagatgt	tatatatgat	tgctcttcag	ggaaccgggc	60
ctccagctca caccccagct g	gctcaaccac	ctcctctctg	aattgactgt	cccttctttg	120
gaactctagg cctgacccca c	tecetggee	ctcccagccc	acgattcccc	tgacccgact	180
ccctttccca gaactcagtc	gcctgaaccc	ccagcctgtg	gttctctcct	aggcctcagc	240
ctttcctgcc tttgactgaa a	acagcagtat	cttctaagcc	ctgggggctt	ccccgggccc	300
cagccccgac ctagaacccg	ccgctgcct	gccacgctgc	cactgccgct	tcctctataa	360
agggacctga gcgtccgggc	ccaggggctc	cgcacagcag	gtgaggctct	cctgccccat	420
ctccttgggc tgcccgtgct	tcgtgctttg	gactacc			457
<210> 134 <211> 973 <212> DNA <213> Homo sapiens					
<400> 134 gcagcaaatc agaatggcag	tttgattcat	ggtgctgaga	ctggaggtto	: ctctgctgta	60
ggctcagaat atgtctaagc					120
tatttatctg caaagccatt					180
acttagcaaa acctgctggc					240
atttattgta gcctccaagt					300
aattaggttt cactttccaa					360
tagaaaaaaa caaaggttgc					420
ttttacagtt actttcagag					480
cctttatagg taaacctaat				-	540
gatttacctg gacagtcctc			•		600
gacagggtca aagatctgga					660
tcataacacc attagattaa					720

gctcatttgg gtatctgatt tgtggtgtgt taaaacaagt ttcacgtctt atagcagtcc	780
ctgaatgaaa acatcataag atggtatcta gaatggtgtg agaaaaggat tcatagctat	840
cctagggtta ttgtaaaaaa caaagggtgc tttttgagga aatgaattta aaagcggggg	900
ggcacgcata gagacagacc ttgggaaagt agettgagac agaagggaaa caggttgatt	960
tacgatgggg ttc	973
<210> 135 <211> 333	
<212> DNA	
<213> Homo sapiens	
<400> 135	60
gctaccttaa gaaggctggt taccatctgg gttttcacag tgctttcaca ttcttatcac	
tttcaacact actgcaaata ggaagggaca gtaacattta gaagagaaca aaacagaaac	120
tcttggaagc aggaaaggtg catgactcaa agagggaaat tcctgtgcca taaaaggatt	180
gctggtgtat aaaatgctct atatatgcca attatcaatt tcctttcatg ttcagcattt	240
ctactccttc caagaagagc agcaaagctg aagttagcag cagcagcacc agcagcaaca	300
gcaaaaaaca aacatgagtg tgaagggcat ggc	333
<210> 136 <211> 1048	
<211> 1046 <212> DNA	
<213> Homo sapiens	
<400> 136	60
ggtgaccaag aatgtgagca agcccaggca cagccactgt gggcgcctga ccaaacagca	
ctaaatttgt gtgggacatg atcccagagg tgtgtggctt cacccctcaa cgagtggcgt	120
ggcatggagt tactgaatct ccaaggtcaa acaggccctc aaattcatca agaaaagggt	180
agggacaaac atctgtacca agagaaggca ggaggagctg agcaacgtcc tgctgccatg	240
aggaaagcag ctgccaagaa ggactgagcc cctgccatct gcctataatg aaagctttgc	300
aaaataaaat aaatataaaa taaagtaata aaattaaatt aaatttaaaa ataaaataaa	
	360
gcaaaacaaa ataaaatata taaagtaaaa attgttaaaa tgcaaaacaa tatggacata	360 420
gcaaaacaaa ataaaatata taaagtaaaa attgttaaaa tgcaaaacaa tatggacata aatacagaaa cacagggaaa cttctttagg cactcattta caggtaaaaa tatgaaattg	
·	420
aatacagaaa cacagggaaa cttctttagg cactcattta caggtaaaaa tatgaaattg	420 480
aatacagaaa cacagggaaa cttctttagg cactcattta caggtaaaaa tatgaaattg	420 480 540
aatacagaaa cacagggaaa cttctttagg cactcattta caggtaaaaa tatgaaattg aataaaggtc atctggtgtc aaataatata ggccttatct attataagag tttggactga aaagcaaaag tgagataaca aaaaaaagct tttcagaata ttattttgta tagatatgtg	420 480 540 600
aatacagaaa cacagggaaa cttctttagg cactcattta caggtaaaaa tatgaaattg aataaaggtc atctggtgtc aaataatata ggccttatct attataagag tttggactga aaagcaaaag tgagataaca aaaaaaagct tttcagaata ttattttgta tagatatgtg aaggatgaag ggtgggtg	420 480 540 600

acactactgc aaataggaag	ggacagtaac	atttagaaga	gaacaaaaca	gaaactcttg	840
gaagcaggaa aggtgcatga	ctcaaagagg	gaaattcctg	tgccataaaa	ggattgctgg	900
tgtataaaat gctctatata	tgccaattat	caatttcctt	tcatgttcag	catttctact	960
ccttccaaga agagcagcaa	agctgaagtt	agcagcagca	gcaccagcag	caacagcaaa	1020
aaacaaacat gagtgtgaag	ggcatggc				1048
<210> 137 <211> 504 <212> DNA <213> Homo sapiens					
<400> 137 agggggcccc gcagcagccc	cttggcttcc	cttctccctt	gcctcccctc	cggggctccg	60
gttcagaggc actctgggcg	cctgctacag	cttccaaact	gegeegette	cttcttcggc	120
agaaaaggac tttcagatgc	ggcggcggcg	gcggcggcga	ctcaggacag	cgcccctcc	180
cctaacggcc gcctctccct	ctccccctcg	cccgccccgg	ctccccacc	tctgggaagg	240
cgctgggggt gtggccaggg	accggtataa	agtccggggg	agccggtccc	gggcagccgc	300
tcagecect geceetegee	gecegeegee	tgcctgggcc	gggccgagga	tgcggcgcag	360
cgcctcggcg gccaggcttg	ctccctccgg	cacgcctgct	aacttccccc	gctacgtccc	420
cgttcgcccg ccgggccgcc	ccgtctcccc	gegeeeteeg	ggtcgggtcc	tccaggagcg	480
ccaggcgctg ccgccgtgtg	ccct				504
<210> 138 <211> 1042 <212> DNA <213> Homo sapiens					
<pre>&lt;400&gt; 138 gatcacaaca gctctacaaa</pre>	ı tacacaatga	ı ttacaaggaa	tggtgccca	ctggagttgt	60
tcaacgcaaa acttgcacat	tgcaagtggc	aatctcccag	g geetgeetee	ctccacgagt	120
gggtctgaat gggcctgaga	ggcaaacato	caagaaggag	g gaagaggcto	ggcggcacct	180
ccctccccgg gagttctgct	gattccatct	tggggaagca	a gggtggacca	gggcccaaat	240
gcgccctggg gagattgcgg	gggcgggaga	a ggttgcaag	g ggcaagtggo	aagagcctgt	300
taacgtctta gggcctccag	g geetttetgt	geceetage	t gtgcctgtad	gctttacccc	360
acctcaggag gcttggtctc	cageggttg	a ggctggaag	c accggggtg	ggtggaaagg	420
gctctgtcca ggaagaccgg	g atccgcagag	g ccgggagtc	c gggctaggaa	a gtccctttct	480
cggtgggaga ctgaggccg	c cttggcggg	g cgggacgag	a ctcctccgag	g gtcgggaaag	540
	t taaatteee	t tetecette	e etecectes	agactccaat	600

tcagaggcac tetgggegee tgetacaget tecaaaetge gee	gcttcct tcttcggcag 660
aaaaggactt tcagatgcgg cggcggcggc ggcggcgact cag	gacageg eccetteece 720
taacggeege etetecetet eeceetegee egeecegget eec	ccacctc tgggaaggcg 780
ctgggggtgt ggccagggac cggtataaag tccgggggag ccg	gtcccgg gcagccgctc 840
ageccettge ceetegeege cegeegeetg cetgggeegg gee	gaggatg cggcgcagcg 900
ceteggegge caggettget eceteeggea egeetgetaa ett	cccccgc tacgtccccg 960
ttegecegee gggeegeeee gteteeeege geeeteeggg teg	ggteete caggagegee 1020
aggegetgee geegtgtgee et	1042
<210> 139 <211> 24 <212> DNA <213> artificial sequence	
<223> Immunostimulatory nucleic acid	
<400> 139 tegtegtttt gaegttttgt egtt	24
<210> 140 <211> 24 <212> DNA <213> artificial sequence	
<223> Immunostimulatory nucleic acid	
<400> 140 tcgtcgtttt gtcgtttttt tcga	24
<210> 141 <211> 24 <212> DNA <213> artificial sequence <220>	
<pre>&lt;223&gt; Immunostimulatory nucleic acid</pre>	
<400> 141 tcgtcgtttc gtcgtttcgt cgtt	24
<210> 142 <211> 24 <212> DNA <213> artificial sequence	

wo a	004/094671	- 226 -	PCT/US2004/012788
<220> <223>	Immunostimulatory nucleic ac	eid.	
<400>	142		
	ttc gtcgttttgt cgtt		24
	143		
<211> <212>	21 DNA		
	artificial sequence		
<220>			
<223>	Immunostimulatory nucleic a	cid	
<400>	143		21
tegteg	ttt teggtegttt t		
<210>			
<211> <212>			
	artificial sequence		
<220>			
<223>	Immunostimulatory nucleic a	cid	
<400>	144 ttt tegtgegttt tt		22
ccgccg	tee togegogeto to		
<210>			
<211><212>			
	artificial sequence		
<220>			
<223>	Immunostimulatory nucleic a	acid	
<400>	145		22
tegteg	tttt cggcggccgc cg		
<210>			
<211>			
<212> <213>			
<220>			
<223>	Immunostimulatory nucleic	acid	
<400>			24
tegte	tttt acggcgccgt gccg		24
<210>	147		
<211>	24		
<212>	DNA		

24

```
<213> artificial sequence
<220>
<223> Immunostimulatory nucleic acid
<220>
<221> misc_feature
<222> (2)..(2)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
<222> (5)..(5)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
<222> (13)..(13)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
<222> (21)..(21)
<223> N = 5-methylcytosine
<400> 147
tngtngtttt gtngttttgt ngtt
<210> 148
<211> 27
<212> DNA
<213> artificial sequence
<220>
<223> Immunostimulatory nucleic acid
<220>
 <221> misc feature
 <222> (2)..(2)
 <223> N = 5-methylcytosine
 <220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N = 5-methylcytosine
 <220>
 <221> misc_feature
 <222> (7)..(7)
 <223> N = 5-methylcytosine
 <220>
 <221> misc_feature
 <222> (11)..(11)
<223> N = 5-methylcytosine
 <220>
 <221> misc_feature
 <222> (13)..(14)
<223> N = 5-methylcytosine
```

27

```
<220>
<221> misc_feature
<222> (16)..(16)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
<222> (19)..(19)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
<222> (22)..(22)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
<222> (26)..(27)
<223> N = 5-methylcytosine
<400> 148
tngtngntgt ntnngnttnt tnttgnn
<210> 149
<211> 21
<212> DNA
<213> artificial sequence
<220>
<223> Immunostimulatory nucleic acid
<220>
<221> misc_feature
<222> (2)..(2)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
<222> (8)..(8)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
 <222> (10)..(10)
 <223> N = 5-methylcytosine
 <220>
 <221> misc_feature
 <222> (13)..(13)
 <223> N = 5-methylcytosine
 <220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N = 5-methylcytosine
 <220>
 <221> misc_feature
 <222> (20)..(20)
```

```
<223> N = 5-methylcytosine
<400> 149
                                                                          21
gngtttgntn ttnttnttgn g
<210> 150
<211> 20
<212> DNA
<213> artificial sequence
<220>
<223> Immunostimulatory nucleic acid
<220>
<221> misc_feature
<222> (2)..(4)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
<222> (8)..(8)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
<222> (12)..(12)
<223> N = 5-methylcytosine
<220>
<221> misc_feature
 <222> (15)..(16)
 <223> N = 5-methylcytosine
 <220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N = 5-methylcytosine
 <400> 150
                                                                           20
 gnnnaagntg gnatnngtna
 <210> 151
 <211> 15
 <212> DNA
 <213> artificial sequence
 <220>
 <223> Immunostimulatory nucleic acid
 <400> 151
                                                                           15
 tcctggcggg gaagt
 <210> 152
 <211> 42
<212> DNA
 <213> artificial sequence
 <220>
```

WO 2004/094671	PCT/US2004/012788
<400> 152 gaaactcgag ccaccatgag acagactttg ccttgtatct ac	42
<210> 153 <211> 37 <212> DNA <213> artificial sequence	
<220>	
<223> Oligonucleotide	
<400> 153 gaaagaattc ttaatgtaca gagtttttgg atccaag	37
<210> 154 <211> 24 <212> DNA <213> artificial sequence	·
<220>	
<223> Immunostimulatory nucleic acid	
<400> 154 tgctgctttt gtgcttttgt gctt	24
<210> 155 <211> 20 <212> DNA <213> artificial sequence	
<220>	
<223> Immunostimulatory nucleic acid	
<pre>&lt;400&gt; 155 tccatgacgt tcctgatgct .</pre>	20
<210> 156 <211> 20 <212> DNA <213> artificial sequence	
<220>	
<223> Immunostimulatory nucleic acid	
<400> 156 tocatgaget teetgatget	20
<210> 157 <211> 20 <212> DNA <213> artificial sequence	

W U 200	4/094671		PC 1/US2004/012/8
<223>	Immunostimulatory nucleic acid		
<222>	misc_feature (8)(8) N = 5-methylcytosine		
<400> tccatg	157 angt tootgatgot		20
<210> <211> <212> <213>	22 DNA	·	
<220>			
<223>	Immunostimulatory nucleic acid		
<400> tcgtcg	158 tttt eggegegege eg	:	22
<210> <211> <212> <213>	21		
<220>			
<223>	Immunostimulatory nucleic acid	and the second	
<400> ggggac	159 gacg tegtggggg g		21
<210> <211> <212> <213>	22		
<220>			
<223>	Immunostimulatory nucleic acid		
<400> tgctgc	160 tttt cggcggccgc cg		22
<210> <211> <212> <213>			
<220>			
<223>	Immunostimulatory nucleic acid		
<400> ggggag	161 cagc tgctggggg g		21